## I FENT COOPERATION TREATY

	From the	ne INTERNATIONAL E	BUREAU	
PCT			•	
NOTIFICATION OF THE RECORDING OF A CHANGE  (PCT Rule 92bis.1 and Administrative Instructions, Section 422)  Date of mailing (day/month/year) 02 November 2000 (02.11.00)		KUZUWA, Kiyoshi Patent Attorneys, Kuzuwa & Partners AOI Building Honshio-cho 19, Shinjuku-ku Tokyo 160-0003 JAPON		
Applicant's or agent's file reference				
FP-331/PCT		IMPORTANT NOT	TIFICATION	
International application No.	1	nal filing date (day/month/	year)	
PCT/JP99/02546	171	/lay 1999 (17.05.99)		
The following indications appeared on record concerning:     the applicant the inventor	X the ager		non representative	
Name and Address  KUZUWA, Kiyoshi		State of Nationality	State of Residence	
Kuzuwa & Partner Patent Attorneys		Telephone No.	_	
Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chiyoda-ku		03-3265-9649		
Tokyo 102-0083		Facsimile No.		
Japan		03-3265-9641 Teleprinter No.		
·		volopilitoi vioi		
2. The International Bureau hereby notifies the applicant that	the following	change has been recorded	concerning:	
the person the name X the ac	Idress	the nationality	the residence	
Name and Address		State of Nationality	State of Residence	
KUZUWA, Kiyoshi Patent Attorneys, Kuzuwa & Partners AOI Building Honshio-cho 19,	·	Telephone No.		
Shinjuku-ku Tokyo 160-0003 Japan		Facsimile No.		
		Teleprinter No.	- , .	
3. Further observations, if necessary:				
£				
4. A copy of this notification has been sent to:				
X the receiving Office		the designated Offices	concerned	
the International Searching Authority		X the elected Offices con	cerned	
the International Preliminary Examining Authority		other:		
The International Bureau of WIPO 34, chemin des Colombettes	Authorized of	officer Masashi HOI	NDA	
1211 Geneva 20, Switzerland Facsimile No.: (41-22) 740.14.35	Telephone N	In : (41-22) 338 83 38		

Form PCT/IB/306 (March 1994)

Seed to the seed of the seed o

1,762





## TENT COOPERATION TREA

### From the INTERNATIONAL BUREAU

PCT

### **NOTIFICATION OF ELECTION**

(PCT Rule 61.2)

To:

Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT

Washington, D.C.20231 ÉTATS-UNIS D'AMÉRIQUE

Date of mailing (day/month/year)

20 January 2000 (20.01.00)

in its capacity as elected Office

International application No.
PCT/JP99/02546
PCT/JP99/02546
Priority date (day/month/year)
17 May 1999 (17.05.99)
Priority date (day/month/year)
19 May 1998 (19.05.98)

Applicant
TANIDA, Norifumi et al

X in the demand filed with the International F			· · · · ·		
08 Dec	cember 1999	(08.12.99)	<del></del> .		- r
in a notice effecting later election filed with	the Internation	al Bureau on:	÷.`		
the state of the s					
was not  made before the expiration of 19 months from the Rule 32.2(b).	e priority date o	r, where Rule 32	applies, wit	hin the time li	mit under
				•	
			1 - M 1 - M 1 - M		
				1000	•
Egylogist (e. 1917)					

The International Bureau of ₩IPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland Authorized officer

R. Forax

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

THIS PAGE BLANK (USPTO)	
	·

## Copy f r th Elected Office (EO/US)

## TENT COOPERATION TREATY

	From the	INTERNATIONAL BU	JREAU
PCT	To:		
NOTIFICATION OF THE RECORDING OF A CHANGE  (PCT Rule 92bis.1 and Administrative Instructions, Section 422)  Date of mailing (day/month/year) 05 May 2000 (05.05.00)	Kuzuv Paten Sogo 2, Koj	IWA, Kiyoshi wa & Partner t Attorneys Kojimachi Dai-ichi Bu imachi 3-chome, Chiy o 102-0083 N	
Applicant's or agent's file reference FP-331/PCT		IMPORTANT NOTI	FICATION
International application No. PCT/JP99/02546	1	al filing date (day/month/ye ay 1999 (17.05.99)	ear)
The following indications appeared on record concerning:      X the applicant     X the inventor	the agent	the commo	on representative
Name and Address  TANIDA, Norifumi GOTO, Takeshi AOKI, Jun Hisamitsu Pharmaceutical Co., Inc. 25-11, Kannondai 1-chome Tsukuba-shi Ibaraki 305-0856 Japan  State of Nationality JP Telephone No.  Facsimile No.  Teleprinter No.			
The International Bureau hereby notifies the applicant that the person		the nationality	concerning:
Name and Address TANIDA, Norifumi GOTO, Takeshi AOKI, Jun Hisamitsu Pharmaceutical Co., Inc. Tsukuba Research Laboratories 25-11, Kannondai 1-chome Tsukuba-shi Ibaraki 305-0856 Japan		State of Nationality JP Telephone No. Facsimile No. Teleprinter No.	State of Residence JP
3. Further observations, if necessary:			
4. A copy of this notification has been sent to:  X the receiving Office the International Searching Authority X the International Preliminary Examining Authority	[]	the designated Offices on the elected Offices conditions other:	
The International Bureau of WIPO  34, chemin des Colombettes 1211 Geneva 20, Switzerland  Facsimile No.: (41-22) 740.14.35	Authorized of	Sean Taylor	

Form PCT/IB/306 (March 1994)

003265390



67 000 Translation
Translation
Interna

## /QOO PATENT COOPERATION TREATY

## **PCT**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FP-331/PCT	FOR FURTHER ACTIO		tionofTransmittalofInternational Preliminary n Report (Form PCT/IPEA/416)	
International application No. PCT/JP99/02546	International filing date (da 17 May 1999 (17	•	Priority date (day/month/year) 19 May 1998 (19.05.98)	
International Patent Classification (IPC) or national classification and IPC A61K 48/00, 47/30, 45/00, 35/76, 31/70, 9/20				
Applicant				
HISA	MITSU PHARMACE	JTICAL CO.,	INC.	
This international preliminary exami     and is transmitted to the applicant ac	ination report has been preparation of the Article 36.	red by this Interr	national Preliminary Examining Authority	
2. This REPORT consists of a total of	4 sheets, inclu	iding this cover s	sheet.	
been amended and are the bas	This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT).			
These annexes consist of a tot	tal of 3 sheet	S.		
3. This report contains indications relat	ting to the following items:		·	
I Basis of the report				
II Priority			·	
III Non-establishment o	of opinion with regard to nov	elty, inventive st	ep and industrial applicability	
IV Lack of unity of inve	ention			
Reasoned statement	under Article 35(2) with reg ations supporting such stater	ard to novelty, ir	nventive step or industrial applicability;	
VI Certain documents of	eited			
	e international application	,		
	s on the international applica	tion	<b>~</b> \	
			DINED HOLE	
Date of submission of the demand	Dat	e of completion	of the property of the propert	
08 December 1999 (08.	12.99)	28	July 2000 (26:0) 2000)	
Name and mailing address of the IPEA/JP	Au	horized officer	OBI	
Faccimile No.	Tel	enhone No.		

International application No.

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

PCT/JP99/02546

I.	Basis	of the re	port
1.	With	regard to	the elements of the international application:*
		the inte	rnational application as originally filed
	$\boxtimes$	the des	cription:
	لايا	pages	1-14 , as originally filed
		pages	, filed with the demand
		pages	, filed with the letter of
		the clai	
		pages	, as originally filed
		pages	, as amended (together with any statement under Article 19
		pages	, filed with the letter of, ned with the definant
		pages	, filed with the letter of
	Ш	the drav	
		pages	, as originally filed
		pages	, filed with the demand
		pages	, filed with the letter of
i		the seque	nce listing part of the description:
l	Ш`	•	, as originally filed
		pages	, the originally filed with the demand
		pages	, filed with the letter of
		, -	
2.	the in	nternation se elemen the lan the lan	o the language, all the elements marked above were available or furnished to this Authority in the language in which hal application was filed, unless otherwise indicated under this item. Its were available or furnished to this Authority in the following language which is: guage of a translation furnished for the purposes of international search (under Rule 23.1(b)).  Graph of the international application (under Rule 48.3(b)).  Graph of the translation furnished for the purposes of international preliminary examination (under Rule 55.2 and/s).
3.			to any nucleotide and/or amino acid sequence disclosed in the international application, the international xamination was carried out on the basis of the sequence listing:
	Ш	contair	ned in the international application in written form.
		filed to	gether with the international application in computer readable form.
		furnish	ed subsequently to this Authority in written form.
		furnish	ed subsequently to this Authority in computer readable form.
			atement that the subsequently furnished written sequence listing does not go beyond the disclosure in the tional application as filed has been furnished.
			atement that the information recorded in computer readable form is identical to the written sequence listing has arnished.
4.		The an	nendments have resulted in the cancellation of:
	_		the description, pages
			the claims, Nos.
l		=	the drawings, sheets/fig
5.		This rep	port has been established as if (some of) the amendments had not been made, since they have been considered to go the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**
*	in th	acement : is report 70.17).	sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to t as "originally filed" and are not annexed to this report since they do not contain amendments (Rule 70.16
**	'Any r	replacem	ent sheet containing such amendments must be referred to under item 1 and annexed to this report.



### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/JP 99/02546

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability;
 citations and explanations supporting such statement

1.	Statement			
	Novelty (N)	Claims	1-18	YES
		Claims		NO
	Inventive step (IS)	Claims		YES
		Claims	1-18	NO NO
	Industrial applicability (IA)	Claims	1-18	YES
		Claims		NO NO

### 2. Citations and explanations

Claims 1-16

Document 1, Claim 1 and page 3, upper right column, and Document 2, abstract, claims, page 4, line 20 to page 5 line 8 and page 33, lines 6-15, disclose oral preparations for the colon and other regions of the large intestine, whereby preparations containing genes in the form of a DNA or RNA segment, liposomes and virus vectors, etc., are coated as enteric soluble capsules or tablets, but differ from the invention as described in Claims 1 to 18 in that they do not indicate specific form of coating and the inclusion of a binder and/or excipient, disintegrant and sugar as additives in the solid oral preparation.

However, using a bilayer coating structure with an inner layer of a cationic polymer and an outer layer of an anionic polymer in an oral preparation in order to prevent the release of the active ingredient in the small intestine an cause release in the large intestine is known from Document 3, claims, page 1, lines 4-7, page 3, line 10 to page 4, line 5 and examples, and therefore using a bilayer coating structure disclosed in Document 3 instead of the form of coating of the oral preparations described in Documents 1 and 2 would not require special inventive skill of a person skilled in the art.



Document 3 also indicates the inclusion of binders and/or excipients, disintegrants and sugars as additives in a solid oral preparation, which is general practice within this technical field.

Therefore, the invention as described in Claims 1-16 does not involve an inventive step in the light of Documents 1-3.

### Claims 17 and 18

It is known that gene-related preparation can employ various carriers and genes in various forms, as disclosed in the claims of Documents 4-13, and therefore making gene-related preparations using these is not especially difficult for a person skilled in the art.

Therefore Claims 17 and 18 do not involve an inventive step in the light of Documents 1-13.

- Document 1: JP, 6-510665, A (US Government)
- Document 2: WO, 98/11779, A1 (Regents of the University of California)
- Document 3: WO, 94/10983, A1 (Hisamitsu Pharmaceutical Co., Inc.)
- Document 4: JP, 9-176038, A (Hisamitsu Pharmaceutical Co., Inc.)
- Document 5: JP, 9-507387, A (Centre National de la Recherche Scientifique)
- Document 6: JP, 8-507203, A (Innovir Laboratories, Inc.)
- Document 7: JP, 8-505872, A (University Research Corporation)
- Document 8: JP, 9-505084, A (Boehringer Mannheim GmbH)
- Document 9: WO, 97/10334, A2 (Immusol, Inc.)
- Document 10: JP, 10-4973, A (Sumitomo Pharmaceuticals Co., Ltd.)
- Document 11: WO, 98/12336, A1 (DNAVEC Research)
- Document 12: EP, 383526, A1 (Human Medical University)

.

The second secon



For receiving Office use only
International Application No.
Laboration of Filling Date
International Filing Date
Name of receiving Office and "PCT International Application"

REQUEST	International Filing Date			
The undersigned requests that the present international application be processed according to the Patent Cooperation Treaty.	Name of receiving Office and "PCT International Application"  Applicant's or agent's file reference (if desired) (12 characters maximum)  FP-331/PCT			
——————————————————————————————————————	PARATIONS FOR ORAL ADMINISTRATION ELATED DRUGS			
Box No. II APPLICANT				
Name and address: (Family name followed by given name; for a legal of The address must include postal code and name of country. The country of Box is the applicant's State (i.e. country) of residence if no State of residence.	entity, full official designation.  of the address indicated in this ence is indicated below.)  This person is also inventor.			
HISAMITSU PHARMACEUTICAL CO.,	INC. Telephone No.			
408, Tashirodaikanmachi, Tosu- Saga 841-0017 JAPAN	03-5434-1706 Facsimile No. 03-5434-1708 Teleprinter No.			
State (i.e. country) of nationality:  JP	State (i.e. country) of residence:  JP			
This person is applicant all designated all designated for the purposes of:	ted States except States of America Of America only the States indicated in the Supplemental Box			
Box No. III FURTHER APPLICANT(S) AND/OR (FUR				
Name and address: (Family name followed by given name; for a legal The address must include postal code and name of country. The country Box is the applicant's State (i.e. country) of residence if no State of residence if	CO., INC., applicant and inventor			
State (i.e. country) of nationality:  JP	State (i.e. country) of residence:  JP			
This person is applicant all designated all designated for the purposes of:	ated States except States of America of America only the States indicated in the Supplemental Box			
Further applicants and/or (further) inventors are indicated	d on a continuation sheet.			
Box No. IV AGENT OR COMMON REPRESENTATIVE	E; OR ADDRESS FOR CORRESPONDENCE			
The person identified below is hereby/has been appointed to ac of the applicant(s) before the competent International Authoriti	t on behalf agent common representative			
Name and address: (Family name followed by given name; for a lego The address must include postal code and name  YELE THE TO SEE THE POST OF THE POST	03-3265-9649			
KUZUWA, Kiyoshi (10284), patent KAWAKAMI, Norio (9884), patent	attorney Facsimile No.			
Patent Attorneys, KUZUWA & PART				
Sogo Kojimachi Dai-ichi Bldg., 2, Kojimachi Teleprinter No. 3-chome, Chiyoda-ku, Tokyo 102-0083 JAPAN				
Mark this check-box where no agent or common represer indicate a special address to which correspondence should	ntative is/has been appointed and the space above is used instead to d be sent.			
Form PCT/RO/101 (first sheet) (January 1997)	See Notes to the request form			

Sheet No. .

Sheet No	
Continuation of Box No. III FURTHER APPLICANTS AND/OR (FURTHER) IN	VENTORS
If none of the following sub-boxes is used, this sheet is not to be inc	luded in the request.
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)  GOTO, Takeshi  c/o HISAMITSU PHARMACEUTICAL CO., INC., 25-11, Kannondai 1-chome, Tsukuba-shi, Ibaraki 305-0856 JAPAN	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:  JP  State (i.e. country) of the state (i.e. coun	residence: JP
This person is applicant all designated all designated States except	the United States indicated in f America only the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)  AOKI, Jun  c/o HISAMITSU PHARMACEUTICAL CO., INC.,  25-11, Kannondai 1-chome, Tsukuba-shi,  Ibaraki 305-0856 JAPAN	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:  State (i.e. country) of	
	he United States the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full official designation The address must include postal code and name of country. The country of the address indicated in this Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:  State (i.e. country) of	residence:
This person is applicant all designated all designated States except for the purposes of:  all designated the United States of America	the United States of America only the States indicated in the Supplemental Box
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country. The country of the address indicated in the Box is the applicant's State (i.e. country) of residence if no State of residence is indicated below.)	This person is:  applicant only  applicant and inventor  inventor only (If this check-box is marked, do not fill in below.)
State (i.e. country) of nationality:  State (i.e. country) of	residence:
This person is applicant all designated all designated States except for the purposes of:	the United States the States indicated in the Supplemental Bo
Further applicants and/or (further) inventors are indicated on another continuation	sheet.

Sheet No. ....

Box N	Box No.V DESIGNATION OF STATES							
The following designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes; at least one must be marked):								
Regional Patent								
Ō	AP ARIPO Patent: KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, and any other State which is a Contracting State of the Harare Protocol and of the PCT							
	EA	The state of the s						
Ø	EP	European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European Patent Convention and of the PCT						
	OA OAPI Patent: BF Burkina Faso, BJ Benin, CF Central African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, GA Gabon, GN Guinea, ML Mali, MR Mauritania, NE Niger, SN Senegal, TD Chad, TG Togo, and any other State which is a member State of OAPI and a Contracting State of the PCT (if other kind of protection or treatment desired, specify on dotted line)							
Natio	nal P	atent (if other kind of protection or treatment desired,	speci	fy on	dotted line):			
		Albania			Luxembourg			
	AM	Armenia		LV	Latvia			
	AT	Austria		MD	Republic of Moldova			
Ø	AU	Australia		MG	Madagascar			
	ΑZ	Azerbaijan		MK	The former Yugoslav Republic of Macedonia			
	BA	Bosnia and Herzegovina						
	BB	Barbados		MN	Mongolia			
		Bulgaria			Malawi			
	BR	Brazil		MX	Mexico			
	BY	Belarus			Norway			
	CA	Canada		NZ	New Zealand			
		and LI Switzerland and Liechtenstein		PL	Poland			
		China		PT	Portugal			
	CU	Cuba		RO	Romania			
		Czech Republic		RU	Russian Federation			
	DE	Germany		SD	Sudan			
	DK	Denmark		SE	Sweden			
	EE	Estonia		SG	Singapore			
	ES	Spain		SI	Slovenia			
	FI	Finland		SK	Slovakia			
	GB	United Kingdom		TJ	Tajikistan			
	GE	<del>-</del>		TM	Turkmenistan			
	HU	<b>3 3</b>		TR	Turkey			
	IL.	Israel		TT	Trinidad and Tobago			
	IS	Iceland		UA	Ukraine			
	JP	Japan		UG	Uganda			
	KE	• • • • • • • • • • • • • • • • • • •	$\boxtimes$	US	United States of America			
	KG							
4	KP	•			Uzbekistan			
	l #/m	Daniella of Vassa		VN	Viet Nam			
		Republic of Korea	Che	eck-b	oxes reserved for designating States (for the purposes of			
-	KZ   LC		a na	ationa	Il patent) which have become party to the PCT after of this sheet:			
=	LK	Sri Lanka						
	LR	Liberia						
	LS	Lesotho			·			
	j · LT	Lithuania						
In s	dditi	on to the designations made above, the applicant also	make	es und	der Rule 4.9(b) all designations which w uld be permitted			
unde	er the	PCT except the designation(s) f						
The	applic	ant declares that those additional designations are subject to the priority date is the	ect t regan	conf	irmation and that any designation which is not confirmed s withdrawn by the applicant at the expiration of that time			
limi	t. <i>(Cor</i>	firmation of a designation consists of the filing of a notice sp	ecifyin	g that	designation and the payment of the designation and confirmation			
fees.	Confir	mation must reach the receiving Office within the 15-month time lii	nit.)	-	-			

F rm PCT/RO/101 (second sheet) (January 1997)

4

Sheet No. .....

Silect No							
The priority of the following earlier application(s) is hereby claimed:  Country (in which, or for which, the application was filed)  Filing Date (day/month/year)  Application No.  Office of filing (only for regional or international application)							
item (1) Japan	19. 05. 98	Patent Appln. Hei. 10-153912					
item (2)							
item (3)							
application is the receiving Office	e certified copy of the earlier applicati (a fee may be required): hereby requested to prepare and of the earlier application(s) ident	on is to be issued by the Office which for the purportransmit to the International tified above as item(s):(1)	ses of the present international				
Box No. VII INTERNAT	ONAL SEARCHING AUTHO	RITY					
Choice of International Se	arching Authority (ISA) (If two	or more International Searching Authorities	A / JP				
are competent to carry out the international search, indicate the Authority chosen; the two-letter code may be used): ISA LDP  Earlier search Fill in where a search (international, international-type or other) by the International Searching Authority has already been carried out or requested and the Authority is now requested to base the international search, to the extent possible, on the results of that earlier search. Identify such search or request either by reference to the relevant application (or the translation thereof) or by reference to the search request:  Country (or regional Office):  Date (day/month/year):  Number:							
Box No. VIII CHECK LI	ST						
This international application contains the following number of sheets:  1. request : 4 sheets 2. description : 14 sheets 3. claims : 3 sheets 4. abstract : 1 sheets 5. drawings : sheets  Total : 22 sheets  This international application is accompanied by the item(s) marked below:  1. Separate signed power of attorney  5. Separate indications concerning deposited microorganisms  2. Copy of general deposited microorganisms  3. Statement explaining lack of signature  7. Separate indications concerning deposited microorganisms  3. Statement explaining lack of signature  7. Other (specify): Request for as item(s):							
Figure No of	the drawings (if any) should acco	mpany the abstract when it is published.					
	E OF APPLICANT OR AGEN						
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if such capacity is not obvious from reading the request).  KUZUWA, Kiyoshi (seal) KAWAKAMI, Norio (seal)							
For receiving Office use only      Date of actual receipt of the purported international application:							
3. Corrected date of actual receipt due to later but timely received papers or drawings completing the purported international application:							
Date of timely receipt of corrections under PCT.	Article 11(2):		not received:				
5. International Searching specified by the application	nt: 13A /JP	6. Transmittal of search copy de until search fee is paid	layed				
Date of receipt of the record copy							

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re International Application of TANIDA, Norifumi et al.

International Serial No.: PCT/JP99/02546

International Filing date: May 17, 1999

For: Solid preparations for oral administration of generelated drugs

### VERIFICATION OF TRANSLATION

Honorable Commissioner of Patents and Trademarks Washington D.C. 20231

### Sirs:

KUZUWA, Kiyoshi residing at AOI-Bldg., Honshio-cho 19, Shinjuku-ku, Tokyo, Japan, declares:

- (1) that he knows well both the Japanese and English languages;
- (2) that he translated the above-identified International Application from Japanese to English;
- (3) that the attached English translation is a true and correct translation of <u>the above-identified</u>

  International Application to the best of his knowledge and belief; and
- (4) that all statements made of his own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 USC 1001, and that such false statements may jeopardize the validity of the application or any patent issuing thereon.

Sept. 18, 2000 \_\_\_\_\_/C

KUZUWA, Kiyoshi

Date

**J**. 11

# 特許協力条約に基づく

## 願

出願人は、この国際出願が特許協力条

国際出願番号	直官庁記入欄 ————
国際出願日	PC 99
(受付印)	
出願人又は代理人の書類記号	

約に従って処理されることを請求する。						
)	出願人又は代理人の書類記号 (希望する場合、最大12字) FP — 331/PCT					
第 1 欄 発明の名称	•					
遺伝子関連医薬の経口投与	周 形 製 剤					
<b>退以了风足区来</b> 5 起口尺子						
第 II 欄 出願人						
氏名(名称)及びあて名: (姓・名の順に記載:法人は公式の完全な名称を記載:あて名は郵便番号及び国名も記載) この欄に記載した者は、						
久 光 製 薬 株 式 会 社	包括番号:					
HISAMITSU PHARMACEUTICAL CO.,	INC.	03 - 5434 - 1706				
〒841-0017 日本国佐賀県鳥栖市田代ス	大官町 408 番地	ファクシミリ番号:				
	03 - 5434 - 1708					
408, Tashirodaikanmachi, Tosu — shi, Sag	ga 841 – 0017 JAPAN	加入電信番号:				
<b>国語 (国名)</b> : 日本国 JP	<sup>住所 (国名)</sup> : 日本国	JР				
この欄に記載した者は、次の 指定国についての出願人である: すべての指定国	全くすべての指定国 米国のみ	追記欄に記載した指定国				
第 間 その他の出願人又は発明者		·				
氏名(名称)及びあて名:(姓・名の順に記載;法人は公式の完全な名称を記載	; あて名は郵便番号及び国名も記載)	この間に記載した者は 次に該当する:				
谷田 宣文 TANIDA Norifumi	•					
= 205 _ 0856 日本国茶城県へたば市縄辛会1	丁日 95 釆 11 号	出願人のみである。				
1303 = 0636 日本国次城県 7 14 III 観音日 1   久光製薬株式会社筑波研究所内	〒305 - 0856 日本国茨城県つくば市観音台1丁目25番11号 久光製薬株式会社筑波研究所内 、					
c/o HISAMITSU PHARMACEUTICAL CO	INC					
25 – 11, Kannondai 1 – chome, Tsukuba –		受明者のみである。 (ごこにレ印を付したとき				
JAPAN		こうだいにないとき。    こうだいにないとき。				
<b>國籍 (國名)</b> : 日本国 JP	住所(国名): 日本国 、	J P				
この棚に記載した者は、次の すべての指定国 米国を制 指定国についての出願人である:	余くすべての指定国	追記欄に記載した指定国				
第 № 欄 代理人又は共通の代表者、通知のあて名						
次に記載された者は、国際機関において出願人のために行動する:   【 代理人						
氏名(名称)及びあて名:(姓・名の順に記載;法人は公式の完全な名称を記載;あて名は郵便番号及び国名も記載) 電話番号:						
10284 弁理士 葛和 清司 KUZUWA 9884 弁理士 川上 宣男 KAWAKAM		03-3265-9649				
		ファクシミリ番号:				
〒 102 – 0083 日本国東京都千代田区麹町 3 T ビル 葛和国際特許事務所	03-3265-9641					
Patent Attorneys, KUZUWA & PARTNER, Sogo Kojimachi Dai-ichi Bldg., 加入電信番号:						
2, Kojimachi 3-chome, Chiyoda-ku, Tokyo 102-0083 JAPAN						
	されるあて名を記載している場合は、レ印を付	<b>j</b> .				
株式PCT/RO/101(第1用紙)(1997年1月, 再版1997年7月)						

第Ⅲ欄の統き その他の出 人又は第	老明-者						
この統葉を使用しないときは、この用紙を顧書に含めないこと。							
氏名(名称)及びあて名: (姓・名の頃に記載;法人は公式の完全な名称を記載;あて名は郵便番号及び国名も記載) この間に記載した者は、 次に該当する:							
後藤 武 GOTO Takeshi	00.012.2.7.0.1						
	出願人のみである。						
〒305 - 0856 日本国茨城県つくば市観 久光製薬株式会社筑波研究所内	☑ 出願人及び発明者である。						
c/o HISAMITSU PHARMACEUTICA 25 - 11, Kannondai 1 - chome, Tsuki JAPAN		0856 発明者のみである。 (こぶだい即を付したとき、 は、以下に記入しないこと)					
国籍 (国名): 日本国 JP							
この欄に記載した者は、次の 指定国についての出願人である: すべての指定国 氏名(名称)及びあて名: (姓・名の順に記載: 法人は公式の完全な名称	米国を除くすべての指定国	Dみ 追記欄に記載した指定国 この欄に記載した者は、 次に該当する:					
青木 潤 AOKI Jun		出願人のみである。					
〒305 - 0856 日本国茨城県つくば市観音 久光製薬株式会社筑波研究所内	<b>6台1丁目25番11号</b>	─────────────────────────────────────					
c/o HISAMITSU PHARMACEUTICAL 25 - 11, Kannondai 1 - chome, Tsuku JAPAN		)856 発明者のみである。 (ここにレ印を付したとき は、以下に記入しないこと)					
<b>国毎(図名)</b> : 日本国 JP	住所 (国名): 日本国	JР					
この欄に記載した者は、次のすべての指定国	米国を除くすべての指定国	のみ 追記欄に記載した指定国					
指定国についての出願人である:	你を記載;あて名は郵便番号及び国名も記載)	この間に記載した者は、					
		次に該当する:					
		出願人のみである。					
	-	出願人及び発明者である。					
·		受明者のみである。 (ごこにレ印を付したとき は、以下に記入しないこと)					
<b>■編 (图名)</b> : 日本国 JP	住所 (国名): 日本国	JР					
この間に記載した者は、次の	米国を除くすべての指定国	のみ 追記欄に記載した指定国					
指定国についての出願人である: 氏名(名称)及びあて名: (姓・名の順に記載; 法人は公式の完全な名	株を記載:あて名は郵便番号及び国名も記載)	この棚に記載した者は、 次に該当する:					
		出願人のみである。					
	:	出願人及び発明者である。					
		受明者のみである。 (ここにレ印を付したとき は、以下に記入しないこと)					
国籍(图名):	住所 <i>(国名)</i> :						
この間に記載した者は、次の すべての指定国	米国を除くすべての指定国	のみ 追記欄に記載した指定国					
指定国についての出願人である:							

	国の指定						
規則 4.9(a)0	0規定に基づき次の指定を行	う(該当する口にレ印を付すこと: 少	なくとも	1001	口にレ印を付すこと)。		
広域特許							
AP ARIPO特許: GH ガーナ Ghana, KE ケニア Kenya, LS レソト Lesotho, MW マラウイ Malawi, SD スーダン Sudan, SZ スワジランド Swaziland, UG ウガンダ Uganda, ZW ジンパブエ Zimbabwe, 及びハラレプロトコルと特許協力条約の締約国である他の国							
EA	ユーラシア特許: AM アルメニア Armenia, A Z アゼルバイジャン Azerbaijan, BY ベラルーシ Belarus, K G キルギスタン Kyrgyzstan, K Z カザフスタン Kazakstan, M D モルドヴァ Republic of Moldova, R U ロシア連邦 Russian Federation, T J タジキスタン Tajikistan, T M トルクメニスタン Turkmenistan, 及びユーラシア特許条約と特許協力条約						
<b>Д</b> в Р	の締約国である他の国  ヨーロップマ中等者中: A T オーストリア Austria, B E ベルギー Relgium, C H and L I スイス及びリヒテンシュタイン Switzerland and Liechtenstein, D E ドイツ Germany, D K デンマーク Denmark, E S スペイン Spain, F I フィンランド Finland, F R フランス France, G B 英国 United Kingdom, G R ギリシャ Greece, I E アイルランド Ireland, I T イタリア Italy, L U ルクセンブルグ Luxembourg, M C モナコ Monaco, N L オランダ Netherlands,						
	P T ポルトガル Port	ugal, SE スウェーデン Sweden,	及びヨ	ーロック	パ特許条約と特許協力条約の締約国である他の国		
	OAP I 特等件: BF ブルキナ・ファソ Burkina Faso, BJ ベニン Benin, CF 中央アフリカ Central African Republic, CG コンゴー Congo, CI 象牙海岸 Côte d'Ivoire, CM カメルーン Cameroon, GA ガボン Gabon, GN ギニア Guinea, ML マリ Mali, MR モーリタニア Mauritania, NE ニジェール Niger, SN セネガル Senegal, TD チャード Chad, TGトーゴー Togo, 及びアフリカ知的所有権機構と特許協力条約の締約国である他の国 (他の種類の保護又は取扱いを求める場合には点線上に記載する)						
国内特許	- (他の種類の保護又は取扱	いを求める場合には点線上に記載する)					
				1G	マダガスカル Madagascar		
					マケドニア旧ユーゴスラヴィア The former Yugoslav Republic		
			٠- ب		of Macedonia		
				ΛN	モンゴル Mongolia		
	アゼルバイジャン Azerbaij		=		マラウイ Malawi		
	ポスニア・ヘルツェゴビナ				メキシコ Mexico		
LBA		-			ノールウェー Norway		
					ニュー・ジーランド New Zealand		
	バルバドス Barbados						
					ボーランド Poland		
					ポルトガル Portugal		
	ベラルーシ Belarus			-	ルーマニア Romania		
☑ CA					ロシア連邦 Russian Federation		
□сн	and L I スイス及びり	ヒテンシュタイン Switzerland and Liechtenstein			スーダン Sudan		
		Switzerland and Liechtenstein		SE	スウェーデン Sweden		
□ CN	中国 China		_		シンガポール Singapore		
cυ	キューバ Cuba			S I	スロヴェニア Slovenia		
				s ĸ	スロヴァキア Slovakia		
DE	ドイツ Germany				シエラレオネ Sierra Leone		
				ГJ	タジキスタン Tajikistan		
					トルクメニスタン Turkmenistan		
	スペイン Spain				トルコ Turkey		
		••••••			トリニダード・トバゴ Trinidad and Tobago		
	英国 United Kingdom	••••••			ウクライナ Ukraine		
					ウガンダ Uganda		
		······			米国 United States of America		
		•••••	ر کی د	J 5			
					And who has the late		
·					ウズベキスタン Uzbekistan		
	アイスランド Iceland				ヴィエトナム Viet Nam		
					ユーゴスラビア Yugoslavia		
				z w	ジンパブエ Zimbabwe		
KG	キルギスタン Kyrgyzstan	•••••	以下の[	コは、こ	この様式の施行後に特許協力条約の締約国となった国を指定(国		
<b></b>	韓国 Republic of Korea		内特件の	のために	こ)するためのものである		
□ K Z	カザフスタン Kazakstan	•••••	$\Box$ .				
LC	セントルシア Saint Lucia		$\square$ .				
LK	スリ・ランカ Sri Lanka		$\Box$ .				
LR	リベリア Liberia		$\Box$ .				
Ls	レソト Lesotho						
l ——	リトアニア Lithuania						
一して	ルクセンブルグ Luxembourg	3					
l	ラトヴィア Lalvia						
	- · · · · ·	oldova					
			· · · · · ·				
出願人は、上	記の指定に加えて、規則 4.	9 (b)の規定に基づき、特許協力条約	の下で記	められる			
ただし、	ただし、の国の指定を除く。 出願人は、これらの追加される指定が確認を条件としていること、並びに優先日から15月が経過する前にその確認がなされない指定は、この期間の経過時に、出願						
出願人は、これ	らの追加される指定が確認を 下げられたよのレスださりェ	:条件としていること、亚ひに像先日かり ニンを容量する / <i>生命の確認け - 1</i>	っしち月か 告定を経常	Yを過ず マナス iii	も例にその性心かなされない指定は、この期間の軽適時に、出り 物の提出と指定手動料及が確切手動料の軸付からカスニッの建り		
人によって取り下げられたものとみなされることを宣言する。 (指定の確認は、指定を特定する通知の提出と指定手数料及び確認手数料の納付からなる。この確認 は、優先日から 15月以内に受理官庁へ提出されなければならない。)							

株式PCT/RO/101 (第2用紙) (1997年7月)

4	頁
---	---

第 4 欄 優先権主張	他の優先権の主	上張(先の出願)が追討	R間に記載されている				
下記の先の出願に基づき優先権を主張す	<b>&amp;</b>						
国 名 (その国において又はその国 について先の出願がされた)	先の出願の出 <i>(日. 月. 年)</i>	願 日 先	の出願の出願番号	先の出願を受理した官庁名 <i>(広域出願又は国際出 願の場合のみ記入)</i>			
(1) 日本国 JP	19.05.9	<b>x</b> 1 '	成 10 年特許願 153912 号				
(2)							
(3)				·			
レ印を付すこと。			(1)	件国際出願に抵付するときは、次の□に			
上記()の番号の先の出願のう 作成し国際事務局へ送付すること		5長官)に対じぞ請求じ	วักเรื่อ				
第 VI 欄 国際調査機							
国際調査機関(IS 5元の調査 上記国際調査機関に 礎とすることを請求する場合に記入する する。:	よる別の調査(国際・国際型)	又はその他)が既に実加	A <u>/ _ J _ P _</u> <b>越又は請求されており、可能な限</b> は関連する調査請求を表示すること	り当該調査の結果を今回の国際調査の基 とにより、当該先の調査又は請求を特定			
国名 (又は広域官庁)	出戰日 <i>(日. 月</i>	'. <i>年)</i>	出願番号				
第2個欄 照合欄							
この国際出願の用紙の枚数は次のとおり	である。この国際出願に	 こは、以下にチェックし					
1. 願書 · · · · · · · · ·	4	国の記名押印された委任		<b>用紙</b>			
2. 明細書 ・・・・・・・	14 枚 2. □ 刨	舌委任状の写し	◯ 納付する手	数料に相当する特許印紙を貼付した書面			
3. 請求の範囲 · · · · · · · 3 枚 3. □ 記名押印 (署名) の説明書 □ □ 国際事務局の口座への振込みを証明する書面							
4. 要約書 · · · · · · · · · · · · · · · · · · ·							
( )の業長を記載する):							
5. 図面 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・							
要約書とともに公表する図として 第 _	図 を提示する (個	図面がある場合)					
第N橌 提出者の記							
各人の氏名(名称)を配載し、その次に	押印する。	<del>.</del>					
	e more		*				
葛 和 清 司	, Д	上 宣 男					
			· · · · · · · · · · · · · · · · · · ·				
1. 国際出願として提出された書類の実		<b>是理官庁記入</b>	- 相對	2. 図面			
<b>, , ,</b>			•				
3. 国際出願として提出された書類を補完する書類又は図面であって							
その後期間内に提出されたものの実際の受理の日(訂正日) 4. 特許協力条約第11条(2)に基づく必要な補完の期間内の受理の日  不足図面がある							
5. 出願人により特定された 国際調査機関 I S A / JP 6. 調査手数料未払いにつき、国際調査機関に 調査用写しを送付していない							
		際事務周記	入棚 ———				
記録原本の受理の日 様式PCT/RO/101 (版終用紙) (1994年1月, 再版1997年7月)							

### 明細書

### 遺伝子関連医薬の経口投与固形製剤

### 技術分野

本発明は、遺伝子関連医薬の経口投与固形製剤に関する。

遺伝子関連医薬は、有用な薬剤として種々開発されてきているが、これを経口投与固形製剤として製造しようとする場合、遺伝子関連医薬の吸湿性と吸湿後の粘着性の高さのため混合粉体の流動性が悪くなり、打錠障害を引き起こしたり、またその配合量が増えた場合、崩壊性の良い錠剤の作製が困難となったり、さらに製剤過程における遺伝子関連医薬の安定性を保つことが非常に困難であるなどの問題があり、また仮に経口投与固形製剤が製造できたとしても、遺伝子関連医薬は消化管内では非常に不安定なため消化管内で容易に分解されてしまうなど、経口投与に適する固形製剤の開発が一般に困難とされている。

### 背景技術

一方、一般的な経口投与固形製剤の開発においては、小腸で分解を受けるために活性が損なわれ易い薬物を、蛋白分解酵素活性が著しく低い大腸に送達させて吸収させようとする試みが近年種々なされている。その例としては、本発明者らによる大腸などの下部消化管に対する特異性が高い、主として蛋白性、ポリペプチド性医薬用の経口製剤(国際出願公開WO94/10983号)などが挙げられる。しかしながら、遺伝子関連医薬としては、上記のような理由からこれまで実用的かつ効果的な経口投与固形製剤は開発されていない。

### 発明の概要

従って、本発明の課題は、遺伝子関連医薬において前記の従来技術における問題点を解消し、実用的かつ効果的な経口投与固形製剤を提供することにある。より具体的には、打錠作製が容易で製剤過程において安定であり、かつ消化管内で



効率よく吸収される遺伝子関連医薬の経口投与固形製剤を提供することにある。

本発明者らは、上記の課題を解決すべく鋭意研究を重ねる中で、遺伝子関連医薬に対してもペプチド性医薬品に対すると同様に、小腸と比較して大腸内での分解活性が著しく低いことを見いだし、かかる知見に基づきさらに研究を続けた結果、本発明を完成するに至った。

即ち、本発明は遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを 施した下部消化管放出性の経口投与固形製剤に関する。

また、本発明は、遺伝子関連医薬と結合剤、糖類、崩壊剤、賦形剤等を適宜含む添加剤との混合粉体を打錠して核を形成し、その外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆してなる経口投与固形製剤に関する。

さらに本発明は以下の態様を包含するものである。

遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、 前記経口投与固形製剤。

遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる賦形剤は0.1~15重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬の核に含まれる遺伝子関連医薬が 0.1~50重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、 前記経口投与固形製剤。

崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチ ナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム

、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、前記経口投与固形製剤。

糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、前記経口投与固形製剤。

賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結セルロース、乳糖である、前記経口投与固形製剤。

遺伝子関連医薬が、DNA、RNA及びそれらを修飾した化合物及びそれらを キャリアと接合または結合した化合物からなる、前記経口投与固形製剤。

結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、前記経口投与固形製剤。

キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、前記経口投与固形製剤。

遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプルヘリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC(酵母人工染色体)、クロモゾーム、アプタマー、ファージからなる、前記経口投与固形製剤。

かくして本発明の経口投与固形製剤により、前記の課題は一挙に解決された。

### 好適態様の詳細な説明

本発明において、利用可能な遺伝子関連医薬としては、DNA、RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物、核酸、オリゴヌクレオチド、アンチセンス、トリプルへリックスフォーミングオリゴヌクレオチド (TFO)、リボザイム、デコイ、プラスミド等があげられる。キャリアとして用いられるものにはカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージ等があげられる。

具体的には、局所治療用として、大腸炎治療を目的とした場合、TNF-α(Tumo r necrosis factor α)、ICAM-1(Intercellular adhesion molecule-1)、COX-2(Cyclooxygenase-2)、IL-1(Interleukin-1)、IL-6(Interleukin-6)、IL-8(Interleukin-8)等の抑制系の遺伝子医薬またはIL-2(Interleukin-2)、IL-10(Interleukin-10)等の発現系の遺伝子医薬があげられる。大腸癌治療を目的とした場合、ICAM-1、COX-2、TGF-β(Transforming growth factor β)等の抑制系の遺伝子医薬またはINF-γ(Interferon-γ)、TNF-α、APC(Adenomatous Polyposis Coli)、p53、MCC(Mutated in Colorectal Carcinoma)、DCC(deleted in colorectal carcinomas)等の発現系の遺伝子医薬があげられる。また、全身性疾患の治療を目的とした場合、TNF-α、ICAM-1、COX-2、IL-1、IL-6、HIV(human immu nodeficiency virus)、胆汁酸トランスポーター、小腸の各種トランスポーター等の抑制系の遺伝子医薬、INF-γ、TNF-α、G-CSF(顆粒球コロニー刺激因子)、GM-CSF(顆粒球マクロファージコロニー刺激因子)、グルコーストランスポーター、LHRH(黄体形成ホルモン放出ホルモン)、カルシトニン等の発現系の遺伝子医薬があげられる。

また本発明において、上記の添加剤は、混合粉体の流動性、錠剤の崩壊性、製造時の安定性等を考慮して適宜の材料と適宜の配合量が選択される。

以下に本製剤の態様をその製造法に従って記述するが、本発明がこれに限定されるものでないことはいうまでもない。

まず、遺伝子関連医薬と結合剤または遺伝子関連医薬と結合剤と賦形剤を瑪瑙

乳鉢、ジェットミル、ピンミル、ボールミル等の適当な微粉砕機を用いて混合粉砕する。

ここにおいて、利用可能な結合剤としては、結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース(商品名;L-HPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロース等があげられ、好ましくは結晶セルロースが用いられる。

また賦形剤としては、軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム(水酸化アルミニウムマグネシウム)、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖等があげられ、好ましくは軽質無水ケイ酸が用いられる。

遺伝子関連医薬を含む核に含まれる結合剤の配合割合は $5\sim40$ 重量%、好ましくは $10\sim25$ 重量%であり、同じく賦形剤の配合割合は $0.'1\sim15$ 重量%、好ましくは $1\sim5$ 重量%であり、さらに同じく遺伝子関連医薬の配合割合は $0.1\sim50$ 重量%、好ましくは $5\sim30$ 重量%である。

一方、遺伝子関連医薬と結合剤の配合割合は混合粉体の流動性、製剤の崩壊性及び打錠性にとって好ましい範囲、具体的には $1:0.2\sim1:5$ 、好ましくは $1:0.5\sim1:2$ である。同様の観点から、遺伝子関連医薬、結合剤及び賦形剤の配合割合は $1:0.2:0.01\sim1:5:1$ 、好ましくは $1:0.5:0.02\sim1:2:0.05$ である。

次に、得られた混合粉砕品に糖類、崩壊剤を加えて混合し、ステアリン酸マグネシウムを加えて適当な打錠機を用いて打錠する。

ここで利用可能な糖類としては、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セル

ロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロピル メチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン 、ペクチン、プルラン等の多糖類及びその誘導体があげられ、好ましくは乳糖が 用いられる。

また崩壊剤としては、クロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース(商品名;LーHPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトール等があげられ、好ましくはクロスポビドンが用いられる。

遺伝子関連医薬を含む核に含まれる崩壊剤の配合割合は  $2\sim25$  重量%、好ましくは  $5\sim15$  重量%であり、同じく糖類の配合割合は  $20\sim60$  重量%、好ましくは  $30\sim50$  重量%である。遺伝子関連医薬の配合量に対する崩壊剤の配合割合は、消化管内で目的とする部位に到達するための適度の崩壊性を有し、かつ打錠性にとって好ましい範囲、具体的には  $1:0.05\sim1:10$ 、好ましくは  $1:0.1\sim1:5$  の割合で混合する。崩壊剤としてのクロスポピドンの配合割合は、  $2.5\sim20$  重量%、好ましくは  $5\sim15$  重量%の範囲である。

次に、得られた素錠(核)はその表面に陽イオン性コポリマーをコーティング し、さらにその表面に陰イオン性コポリマーをコーティングする。 コーティング は、該核が30 $^{\circ}$  $^{\circ}$ 0 $^{\circ}$ 0に保たれた状態でコーティング溶液を連続的に噴霧す ることにより塗布する。陽イオン性コポリマー及び陰イオン性コポリマーによる 重量増加は素錠重量の5 $^{\circ}$ 1 $^{\circ}$ 5重量%、好ましくは6 $^{\circ}$ 8重量%とする。

内層として用いられる陽イオン性ポリマーは、pH6以下で溶解又は膨潤する性質を持つ。有用なポリマーとしては、一般名であるアミノアルキルメタアクリレートコポリマー [メタアクリル酸メチル、メタアクリル酸ブチル、メタアクリル酸ジメチルアミノエチルからなる共重合体、商品名: Eudragit E (オイドラギットE)、レーム社製]、またはポリビニルアセタールジエチルアミノアセテート

(商品名: AEA、三共社製)である。このポリマー層(内層)は、膜厚10~300μmの厚みと該固形薬剤重量の1~40重量%で用い、pH6以下の条件が続くとき速やかに該固形薬剤から活性物質が放出されるように調節される。この内層には、なめらかなコーティング皮膜が得られるような適当な可塑剤が好ましく用いられる。可塑剤としては、トリアセチン、クエン酸エステル及びポリエチレングリコール等が含まれる。また、結着防止剤としては、タルク、酸化チタン、リン酸カルシウム及び疎水性軽質無水ケイ酸等が含まれる。

外層として用いられる陰イオン性ポリマーは、pH5.5以上で容易に溶解する性質を持つ。有用なポリマーとしては、一般名であるメタアクリル酸コポリマーL [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit L100 (オイドラギットL100)、レーム社製] またはメタアクリル酸コポリマーS [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit S (オイドラギットS)、レーム社製]、ヒドロキシプロピルメチルセルロースアセテートサクシネート、ヒドロキシプロピルメチルセルロースフタレート等が含まれる。該ポリマーは、該固形薬剤の1~40重量%で用いられる。

この製剤により、遺伝子関連医薬を、その活性を安定に保持して吸収することとができる下部消化管、とくに大腸に特異的に到達させることができ、また到達と同時に速やかに製剤は崩壊されるので、薬理活性物質である遺伝子関連医薬がその活性を損なうことなく該消化管に放出される。更に製造時においては、粉体の流動性が損なわれることなく、安定して錠剤の打錠が可能となり、また製造時における遺伝子関連医薬の安定性も十分に保証できる。

#### 実施例

以下、実施例を示し、この発明をより具体的に説明する。本発明がこれらの例によって制限されるものではないことはいうまでもない。

#### 実施例1

〈TNF αアンチセンスの作製〉

以下の表1に示した試薬を使用し、DNA Synthesyser Oligo Pilot I I (ファルマシア社製)のヌクレオチド合成装置を用いて、5'-ATC ATg CT

T TCT gTg CTC AT-3'の配列のTNF $\alpha$ のアンチセンス (S 化DNA) を合成した。

表 1

試薬	有効期限	メーカー ロット番号		使用量 (ml)
アセトニトリル	96.09.16	Pharmacia Biotech.	55383	9130
Detritylation	96.09.17	Pharmacia Biotech.	53968	7125
0.1M T-amidite	96.09.02	Pharmacia Biotech.	5111736061	70
0.1M A*-amidite	96.09.02	Pharmacia Biotech.	5071730051	27
0.1M C*-amidite	96.09.02	Pharmacia Biotech.	5081732061	44
0.1M G*-amidite	96.09.02	Pharmacia Biotech.	5111734061	27
Capping A	96.09.16	Pharmacia Biotech.	55371	233
Capping B	96.09.16	Pharmacia Blotech.	55914	233
Oxidation	96.09.16	Pharmacia Biotech.	30465	4
Beaucage	96.09.16	Pharmacia Biotech.	6049798021	460
Tetrazole	96.09.16	Pharmacia Biotech.	6042875041	621

得られた粗オリゴヌクレオチドを次にファルマシア社製FPLCシステムを用いて以下の条件で分離・精製した。最後にHPLCを用いて純度を確認したところ、100%の純度のTNF  $\alpha$  アンチセンス(S  $\ell$   $\ell$   $\ell$   $\ell$  が得られたことが確認された。

#### 〈TNF αアンチセンスの錠剤の作製〉

上記手順で製造したTNF $\alpha$ アンチセンスを含む錠剤を以下の表 2-1 および表 2-2 の処方に従って製造した。まず、TNF $\alpha$ アンチセンスと結晶セルロースまたはTNF $\alpha$ アンチセンスと結晶セルロースと軽質無水ケイ酸を粉砕装置を用いて混合粉砕を行い、次にラクトース、クロスポビドンを加えて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径  $7\,\mathrm{mm}$ 、重量  $2\,\mathrm{mm}$ 

### 00mgの錠剤を製造した。

表 2-1

	1	2	3	4
TNFαアンチセンス	25	25	25	25
結晶セルロース	21	20	20	20
ラクトース	43	43	48	50.5
クロスポピドン	10	10	5	2.5
軽質無水ケイ酸	0	1	1	1
ステアリン酸マグネ シウム	1	1 .	. 1	1 .

### ※表内の数値は全て重量部とする

表 2 - 2

	(5)	6	7	8
TNFαアンチセンス	25	25	25	25
結晶セルロース	21	41	11	5
ラクトース	33	23	53	. 59
クロスポピドン	20	10	10	10
ステアリン酸マグネ シウム	1	1 .	1	1

※表内の数値は全て重量部とする

得られた該コアに以下のコーティングを施した。

オイドラギットE

7重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが40℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該

コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3.5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが40℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。

# 比較例1

〈TNFαアンチセンスの錠剤の作製〉

TNF $\alpha$ アンチセンスを含む錠剤を以下の処方に従って製造した。まず、TNF $\alpha$ アンチセンス、結晶セルロース、ラクトースをビニール袋にて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径 $7\,\mathrm{mm}$ 、重量 $2\,\mathrm{0.0\,mg}$ の錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

2 1 重量部

ラクトース

51.5重量部

ステアリン酸マグネシウム

1 重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5 重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0 重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3. 5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。

#### 比較例2

(TNF αアンチセンスの錠剤の作製)

TNFαアンチセンスを含む錠剤を以下の処方に従って製造した。まず、TN Fαアンチセンス、結晶セルロース、ラクトース、クロスポビドンをビニール袋 にて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直 径7mm、重量200mgの錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

2 1 重量部

ラクトース

41.5重量部

クロスポビドン

10重量部

ステアリン酸マグネシウム

1重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7 重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5 重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0 重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3.5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧すること

により塗布した。該コアの重量増加は、錠剤は14mgであった。 試験例1

実施例1及び比較例1、比較例2で作製した錠剤の崩壊性、含量均一性及び製造過程における混合粉体の流動性、粉体の打錠性を評価した。粉体の流動性については素錠重量のばらつきで、打錠性については2.0トン以下の打錠圧で作製した素錠の硬度、打錠時の粉体の臼杵への付着または錠剤のキャッピング、スティッキング、ラミネーション及びコーティング後の錠剤の割れ欠けにより評価した。

含量均一性試験は、10錠の錠剤を用いて第13局日本薬局方の含量均一性試験法に基づいて試験を行った。崩壊試験は日局崩壊試験機を用い、以下の条件で試験を行った。

#### 崩壊試験試験方法:

肉厚ビーカーに緩衝液 pH7. 5 を約 1 L加えて、水温を約 3 9  $\infty$  に設定した崩壊試験器の浴槽内に設置した。バスケットに取り付けた 6 本の補助筒内に錠剤を 1 錠ずつ挿入し、更に錠剤の上に補助盤を挿入し、バスケットを懸垂棹に取り付けた。肉厚ビーカー内の緩衝液 pH7. 5 の水温が約 3 7  $\infty$  に保持されていることを確認後、試験を開始した。緩衝液 pH7. 5 で 4 時間バスケットを上下運動させた後、緩衝液 pH5. 5 でバスケットを上下運動させた。'緩衝液 pH5. 5 に交換した時点から錠剤が崩壊するまでの時間を測定し記録した。錠剤崩壊の判定は、コーティング膜内側の粉体がなくなり、補助盤の一部がバスケットと接触した時点とした。

#### 1. 緩衝液の作製

#### 緩衝液 p H 7. 5:

塩化ナトリウム63.09g、リン酸二水素ナトリウム・二水和物0.9 36g、リン酸水素二ナトリウム・十二水和物13.053gをそれぞれ量り取り、精製水を加えて溶解し、pH7.5に調整後6Lとした。

#### 緩衝液 p H 5 . 5 :

塩化ナトリウム63.09g、3.5M酢酸水溶液3.6mL、2M酢酸ナトリウム水溶液60mLをそれぞれ量り取り、精製水を加えて溶解し、p

H5. 5に調整後6Lとした。

試験結果を表3に示す;

# 1. 崩壊剤(クロスポビドン)配合の効果:

クロスポビドンを配合しないで作製した比較例1の製剤とクロスポビドンを配合した実施例1-①の製剤の崩壊性を比較したところ、比較例1の製剤の崩壊性は極端に悪く、逆に実施例1-①の製剤は良好な崩壊性を示した。

# 2. 混合粉砕の効果:

混合粉砕を製造過程で行った実施例1-①と同処方で混合粉砕を行わなかった 比較例2の打錠前の混合粉体の流動性を比較したところ、混合粉砕を行わなかっ た比較例2では極めて流動性が低かったのに対して、実施例1-①では良好な流 動性を示した。

# 3. 崩壊剤 (クロスポビドン) の配合割合の検討:

クロスポビドンを  $5\sim1$  0 重量%の配合量で処方した実施例 1-①②③④⑤の 錠剤の崩壊性を比較したところ、<math>1 0 重量%以下では許容範囲内にあったが崩壊性はやや悪く、1 0 重量%の配合量としたものが最適な崩壊時間を示した。また、2 0 重量%の配合量(実施例 1 -⑤)では打錠性が悪く、崩壊時間も逆に速くすぎる傾向にあった。

# 4. 結合剤 (結晶セルロース) の配合割合の検討:

結晶セルロースを  $5\sim4$  1 重量%の配合量で処方した実施例 1-①⑥⑦⑧の処方の流動性、打錠性を比較したところ、 <math>5 重量%では流動性がやや悪く、打錠性についても問題があった。最も適した流動性、打錠性を示したのは 2 0 重量%(実施例 1-①)処方であった。結晶セルロースの配合量を更に増量し 4 0 重量%とした処方(錠剤⑥)では打錠性が悪化する傾向にあった。

表 3

	錠剤 番号	流動性	打錠性	崩壊性	含量均一試験 結果
	1)	0	0	0	0
	2	0	0	Δ	0
	3	0	0	Δ	0
etarit/c hali	4	0	0	×	0
実施例1	(5)	0	×	×	_
	6	0	Δ	0	0
	7	Δ	Δ	_	_
	8	×	×	. —	_
比較例1		×	×	×	×
比較例2		×	×	Δ	· ×


※○:良好、△:許容範囲内にあるがやや問題あり、×:問題あり、-:未評価

### 請求の範囲


- 1. 遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを施した下部 消化管放出性の経口投与固形製剤。
- 2. 遺伝子関連医薬を含む核の外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆した二重被覆構造を有する、請求項1に記載の経口投与固形製剤。
- 3. 遺伝子関連医薬を含む核に、添加剤として結合剤と崩壊剤と糖類を含む、 請求項1または2に記載の経口投与固形製剤。
- 4. 遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、請求項1~3のいずれかに記載の経口投与固形製剤。
- 5. 遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の 範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 6. 遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 7. 遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、請求項1~3及び6のいずれかに記載の経口投与固形製剤。
- 8. 遺伝子関連医薬を含む核に含まれる賦形剤は0.1~15重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 9. 遺伝子関連医薬の核に含まれる遺伝子関連医薬が0.1~50重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 10. 遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 11. 崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルス ターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナト リウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換 度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチル

メチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、請求項1~3、6及び7のいずれかに記載の経口投与 固形製剤。

- 12. 糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、請求項1~3及び5のいずれかに記載の経口投与固形製剤。
- 13. 賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖である、請求項1~3及び8のいずれかに記載の経口投与固形製剤。
- 14. 遺伝子関連医薬が、DNA, RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物からなる、請求項1~3及び9のいずれかに記載の経口投与固形製剤。
- 15. 結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、請求項1~3、10及び12のいずれかに記載の経口投与固形製剤。
- 16. キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、請求項14に記載の経口投与固形製剤。
- 17. 遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプ



ルヘリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC(酵母人工染色体)、クロモゾーム、アプタマー、ファージからなる、請求項 $1\sim3$ のいずれかに記載の経口投与固形製剤。



### 要約書

打錠作製が容易で製剤過程において安定であり、かつ消化管内で効率よく吸収 される、遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを施した下 部消化管放出性の経口投与固形製剤遺伝子関連医薬を提供する。

RECEIVE BCT/JP99/02546

JN 1 2 1999

KUZUWA & PARTNER

From the INTERNATIONAL BUREAU

**PCT** 

NOTIFICATION OF RECEIPT OF RECORD COPY

(PCT Rule 24.2(a))

To:

KUZUWA, Kiyoshi Kuzuwa & Partner Patent Attorneys Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chinyoda-ku Tokyo 102-0083 JAPON

Date of mailing (day/month/year) 10 June 1999 (10.06.99)	IMPORTANT NOTIFICATION		
Applicant's or agent's file reference	International application No.		
FP-331/PCT	PCT/JP99/02546		

The applicant is hereby notified that the International Bureau has received the record copy of the international application as detailed below.

Name(s) of the applicant(s) and State(s) for which they are applicants:

HISAMITSU PHARMACEUTICAL CO., INC. (for all designated States except US)

TANIDA, Norifumi et al (for US)

International filing date

17 May 1999 (17.05.99)

Priority date(s) claimed

19 May 1998 (19.05.98)

Date of receipt of the record copy by the International Bureau

31 May 1999 (31.05.99)

List of designated Offices

EP:AT,BE,CH,CY,DE,DK,ES,FI,FR,GB,GR,IE,IT,LU,MC,NL,PT,SE National:AU,CA,CN,KR,US

#### **ATTENTION**

The applicant should carefully check the data appearing in this Notification. In case of any discrepancy between these data and the indications in the international application, the applicant should immediately inform the International Bureau.

In addition, the applicant's attention is drawn to the information contained in the Annex, relating to:

X time limits for entry into the national phase

X confirmation of precautionary designations

X requirements regarding priority documents

A copy of this Notification is being sent to the receiving Office and to the International Searching Authority.

Th International Bureau of WIPO 34, chemin des Col mbettes 1211 Geneva 20, Switzerland Authorized officer:

Susumu Kubo

"

Facsimile No. (41-22) 740.14.35

Telephone No. (41-22) 338.83.38

# INFORMATION ON TIME LIMITS FOR ENTERING THE NATIONAL PHASE

The applicant is reminded that the "national phase" must be entered before each of the designated Offices indicated in the Notification of Receipt of Record Copy (Form PCT/IB/301) by paying national fees and furnishing translations, as prescribed by the applicable national laws.

The time limit for performing these procedural acts is 20 MONTHS from the priority date or, for those designated States which the applicant elects in a demand for international preliminary examination or in a later election, 30 MONTHS from the priority date, provided that the election is made before the expiration of 19 months from the priority date. Some designated (or elected) Offices have fixed time limits which expire even later than 20 or 30 months from the priority date. In other Offices an extension of time or grace period, in some cases upon payment of an additional fee, is available.

In addition to these procedural acts, the applicant may also have to comply with other special requirements applicable in certain Offices. It is the applicant's responsibility to ensure that the necessary steps to enter the national phase are taken in a timely fashion. Most designated Offices do not issue reminders to applicants in connection with the entry into the national phase.

For detailed information about the procedural acts to be performed to enter the national phase before each designated Office, the applicable time limits and possible extensions of time or grace periods, and any other requirements, see the relevant Chapters of Volume II of the PCT Applicant's Guide. Information about the requirements for filing a demand for international preliminary examination is set out in Chapter IX of Volume I of the PCT Applicant's Guide.

GR and ES became bound by PCT Chapter II on 7 September 1996 and 6 September 1997, respectively, and may, therefore, be elected in a demand or a later election filed on or after 7 September 1996 and 6 September 1997, respectively, regardless of the filing date of the international application. (See second paragraph above.)

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

### **CONFIRMATION OF PRECAUTIONARY DESIGNATIONS**

This notification lists only specific designations made under Rule 4.9(a) in the request. It is important to check that these designations are correct. Errors in designations can be corrected where precautionary designations have been made under Rule 4.9(b). The applicant is hereby reminded that any precautionary designations may be confirmed according to Rule 4.9(c) before the expiration of 15 months from the priority date. If it is not confirmed, it will automatically be regarded as withdrawn by the applicant. There will be no reminder and no invitation. Confirmation of a designation consists of the filing of a notice specifying the designated State concerned (with an indication of the kind of protection or treatment desired) and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.

#### REQUIREMENTS REGARDING PRIORITY DOCUMENTS

For applicants who have not yet complied with the requirements regarding priority documents, the following is recalled.

Where the priority of an earlier national, regional or international application is claimed, the applicant must submit a copy of the said earlier application, certified by the authority with which it was filed ("the priority document") to the receiving Office (which will transmit it to the International Bureau) or directly to the International Bureau, before the expiration of 16 months from the priority date, provided that any such priority document may still be submitted to the International Bureau before that date of international publication of the international application, in which case that document will be considered to have been received by the International Bureau on the last day of the 16-month time limit (Rule 17.1(a)).

Where the priority document is issued by the receiving Office, the applicant may, instead of submitting the priority document, request the receiving Office to prepare and transmit the priority document to the International Bureau. Such request must be made before the expiration of the 16-month time limit and may be subjected by the receiving Office to the payment of a fee (Rule 17.1(b)).

If the priority document concerned is not submitted to the International Bureau or if the request to the receiving Office to prepare and transmit the priority document has not been made (and the corresponding fee, if any, paid) within the applicable time limit indicated under the preceding paragraphs, any designated State may disregard the priority claim, provided that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity to furnish the priority document within a time limit which is reasonable under the circumstances.

Where several priorities are claimed, the priority date to be considered for the purposes of computing the 16-month time limit is the filing date of the earliest application whose priority is claimed.

PC1/JP99/02546

From the INTERNATIONAL BUREAUKUZUWA & PARTIVE

PCT

**NOTIFICATION CONCERNING** SUBMISSION OR TRANSMITTAL OF PRIORITY DOCUMENT

(PCT Administrative Instructions, Section 411)

KUZUWA, Kiyoshi Kuzuwa & Partner **Patent Attorneys** Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chinyoda-ku Tokyo 102-0083 JAPON

Date of mailing (day/month/year) 08 July 1999 (08.07.99)	
Applicant's or agent's file reference FP-331/PCT	IMPORTANT NOTIFICATION
International application No. PCT/JP99/02546	International filing date (day/month/year) 17 May 1999 (17.05.99)
International publication date (day/month/year)  Not yet published	Priority date (day/month/year) 19 May 1998 (19.05.98)

# HISAMITSU PHARMACEUTICAL CO., INC. et al

- The applicant is hereby notified of the date of receipt (except where the letters "NR" appear in the right-hand column) by the International Bureau of the priority document(s) relating to the earlier application(s) indicated below. Unless otherwise indicated by an asterisk appearing next to a date of receipt, or by the letters "NR", in the right-hand column, the priority document concerned was submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b).
- 2. This updates and replaces any previously issued notification concerning submission or transmittal of priority documents.
- An asterisk(\*) appearing next to a date of receipt, in the right-hand column, denotes a priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b). In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.
- The letters "NR" appearing in the right-hand column denote a priority document which was not received by the International Bureau or which the applicant did not request the receiving Office to prepare and transmit to the International Bureau, as provided by Rule 17.1(a) or (b), respectively. In such a case, the attention of the applicant is directed to Rule 17.1(c) which provides that no designated Office may disregard the priority claim concerned before giving the applicant an opportunity, upon entry into the national phase, to furnish the priority document within a time limit which is reasonable under the circumstances.

Date of receipt Country or regional Office Priority application No. of priority document **Priority date** or PCT receiving Office 02 July 1999 (02.07.99) JP 10/153912 19 May 1998 (19.05.98)

> Th Int mational Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized fficer

Juan Cruz

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

THIS PAGE BLANK (USPTO)



	FIORER	C IIA I CUIANI	IONAL BU	7.700
PCT	То:			ZUWA & PAR
NOTIFICATION OF THE RECORDING OF A CHANGE  (PCT Rule 92bis.1 and Administrative Instructions, Section 422)  Date of mailing (day/month/year) 05 May 2000 (05.05.00)	KUZUWA, Kiyoshi Kuzuwa & Partner Patent Attorneys Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chiyoda-ku Tokyo 102-0083 JAPON			
Applicant's or agent's file reference FP-331/PCT		IMPORTA	ANT NOTI	FICATION
International application No. PCT/JP99/02546	li .	nal filing date (d lay 1999 (17.		ear)
<b>4 7 6 1 1 1 1 1 1 1 1 1 1</b>	<del></del>			
1. The following indications appeared on record concerning:  X the applicant  X the inventor	the agen	t 🗌	the commo	n representative
Name and Address		State of Natio	nality	State of Residence
,		JP		JP
TANIDA, Norifumi GOTO, Takeshi	1	Telephone No		
AOKI, Jun		relephone ive	·•	•
Hisamitsu Pharmaceutical Co., Inc.				<u> </u>
25-11, Kannondai 1-chome		Facsimile No.		
Tsukuba-shi Ibaraki 305-0856				
Japan		Teleprinter No		
		TOTOP TITLE TO	-	
	h a fallannin a	shanna has ba	an recorded	oonoorning.
2. The International Bureau hereby notifies the applicant that t	r	_		
the person the name X the add	dress	the nation	ality [	the residence
		State of Natio	nality	State of Residence
Name and Address		JP		JP
TANIDA, Norifumi				J 01
GOTO, Takeshi AOKI, Jun		Telephone No	<b>).</b>	
Hisamitsu Pharmaceutical Co., Inc.				
Tsukuba Research Laboratories		Facsimile No.		
25-11, Kannondai 1-chome Tsukuba-shi				
I sukuba-shi Ibaraki 305-0856		Teleprinter N		
Japan Japan		releptiliter is	<b>.</b>	
3. Further observations, if necessary:				
4. A copy of this notification has been sent to:				
X the receiving Office	ſ	the design	nated Offices	concerned
	l I			
the International Searching Authority	. [	the electe	d Offices cor	icernea
X the International Preliminary Examining Authority		other:		
,	A.u.	l efficar		
The Internati nal Bureau of WIPO	Authorized	officer		0.1

Facsimile No.: (41-22) 740.14.35

34, chemin des Colombettes

1211 Geneva 20, Switzerland

Sean Taylor

Telephone No.: (41-22) 338.83.38

THIS PAGE BLANK (USPTO)

# From the INTERNATIONAL BUBE

### PCT

NOTICE INFORMING THE APPLICANT OF THE **COMMUNICATION OF THE INTERNATIONAL** APPLICATION TO THE DESIGNATED OFFICES

(PCT Rule 47.1(c), first sentence)

KUZUWA, Kiyoshi Kuzuwa & Partner **Patent Attorneys** Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chiyoda-ku Tokyo 102-0083 **JAPON** 

Date of mailing (day/month/year)

25 November 1999 (25.11.99)

Applicant's or agent's file reference

FP-331/PCT

IMPORTANT NOTICE

International application No. PCT/JP99/02546

International filing date (day/month/year) 17 May 1999 (17.05.99)

Priority date (day/month/year) 19 May 1998 (19.05.98)

Applicant

HISAMITSU PHARMACEUTICAL CO., INC. et al

1. Notice is hereby given that the International Bureau has communicated, as provided in Article 20, the international application to the following designated Offices on the date indicated above as the date of mailing of this Notice: AU,CN,EP,KR,US

In accordance with Rule 47.1(c), third sentence, those Offices will accept the present Notice as conclusive evidence that the communication of the international application has duly taken place on the date of mailing indicated above and no copy of the international application is required to be furnished by the applicant to the designated Office(s).

2. The following designated Offices have waived the requirement for such a communication at this time:

CA

The communication will be made to those Offices only upon their request. Furthermore, those Offices do not require the applicant to furnish a copy of the international application (Rule 49.1(a-bis)).

3. Enclosed with this Notice is a copy of the international application as published by the International Bureau on 25 November 1999 (25.11.99) under No. WO 99/59639

#### REMINDER REGARDING CHAPTER II (Article 31(2)(a) and Rule 54.2)

If the applicant wishes to postpone entry into the national phase until 30 months (or later in some Offices) from the priority date, a demand for international preliminary examination must be filed with the competent International Preliminary Examining Authority before the expiration of 19 months from the priority date.

It is the applicant's sole responsibility to monitor the 19-month time limit.

Note that only an applicant who is a national or resident of a PCT Contracting State which is bound by Chapter II has the right to file a demand for international preliminary examination.

#### REMINDER REGARDING ENTRY INTO THE NATIONAL PHASE (Article 22 or 39(1))

If the applicant wishes to proceed with the international application in the national phase, he must, within 20 months or 30 months, or later in some Offices, perform the acts referred to therein before each designated or elected Office.

For further important information on the time limits and acts to be performed for entering the national phase, see the Annex to Form PCT/IB/301 (Notification of Receipt of Record Copy) and Volume II of the PCT Applicant's Guide.

The Int rnational Bureau of WIPO 34, ch min d s Col mbettes 1211 Geneva 20, Switz rland

Authorized officer

J. Zahra

Telephone No. (41-22) 338.83.38

Facsimile No. (41-22) 740.14.35

THIS PAGE BLANK (USPTO)

# **PCT**

# INFORMATION CONCERNING ELECTED OFFICES NOTIFIED OF THEIR ELECTION

(PCT Rule 61.3)

### From the INTERNATIONAL BUREAU

To:

KUZUWA, Kiyoshi Kuzuwa & Partner Patent Attorneys Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chiyoda-ku Tokyo 102-0083 JAPON

Date of mailing (day/month/year) 20 January 2000 (20.01.00)

Applicant's or agent's file reference

FP-331/PCT

IMPORTANT INFORMATION

International application No. PCT/JP99/02546

International filing date (day/month/year) 17 May 1999 (17.05.99) Priority date (day/month/year) 19 May 1998 (19.05.98)

**Applicant** 

HISAMITSU PHARMACEUTICAL CO., INC. et al

1. The applicant is hereby informed that the International Bureau has, according to Article 31(7), notified each of the following Offices of its election:

EP:AT,BE,CH,CY,DE,DK,ES,FI,FR,GB,GR,IE,IT,LU,MC,NL,PT,SE National:AU,CA,CN,KR,US

2. The following Offices have waived the requirement for the notification of their election; the notification will be sent to them by the International Bureau only upon their request:

#### None

3. The applicant is reminded that he must enter the "national phase" **before the expiration of 30 months from the priority date** before each of the Offices listed above. This must be done by paying the national fee(s) and furnishing, if prescribed, a translation of the international application (Article 39(1)(a)), as well as, where applicable, by furnishing a translation of any annexes of the international preliminary examination report (Article 36(3)(b) and Rule 74.1).

Some offices have fixed time limits expiring later than the above-mentioned time limit. For detailed information about the applicable time limits and the acts to be performed upon entry into the national phase before a particular Office, see Volume II of the PCT Applicant's Guide.

The entry into the European regional phase is postponed until 31 months from the priority date for all States designated for the purposes of obtaining a European patent.

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Authorized officer:

R. Forax

Telephone No. (41-22) 338.83.38

M

THIS PAGE BLANK (USPTO)

# PCT

#### 世界知的所有権機関 際 事 務 国



# 特許協力条約に基づいて公開された国際出願

(51) 国際特許分類6 A61K 48/00, 47/30, 45/00, 35/76, 31/70, 9/20

(11) 国際公開番号

WO99/59639

(43) 国際公開日

(81) 指定国

添付公開書類

1999年11月25日(25.11.99)

AU, CA, CN, KR, US, 欧州特許 (AT, BE, CH,

(21) 国際出願番号

PCT/JP99/02546

A1

(22) 国際出願日

1999年5月17日(17.05.99)

(30) 優先権データ

特願平10/153912

1998年5月19日(19.05.98)

CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE)

JР

(71) 出願人(米国を除くすべての指定国について) 久光製薬株式会社

(HISAMITSU PHARMACEUTICAL CO., INC.)[JP/JP]

〒841-0017 佐賀県鳥栖市田代大官町408番地 Saga, (JP)

(72) 発明者;および

(75) 発明者/出願人(米国についてのみ)

谷田宣文(TANIDA, Norifumi)[JP/JP]

後藤 武(GOTO, Takeshi)[JP/JP]

青木 潤(AOKI, Jun)[JP/JP]

〒305-0856 茨城県つくば市観音台1丁目25番11号

久光製薬株式会社 筑波研究所内 Ibaraki, (JP)

(74) 代理人

弁理士 葛和清司, 外(KUZUWA, Kiyoshi et al.)

〒102-0083 東京都千代田区麹町3丁目2番地

相互麹町第一ビル 葛和国際特許事務所 Tokyo, (JP)

国際調査報告書

SOLID PREPARATIONS FOR ORAL ADMINISTRATION OF DRUGS RELATING TO GENES (54)Title:

(54)発明の名称 遺伝子関連医薬の経口投与固形製剤

Solid preparations for oral administration of drugs relating to genes consisting of a core containing a drug relating to genes with a coating not disintegrated in the small intestine, which can be easily tabletted, remain stable during the preparation process and can be efficiently absorbed in the digestive tract.

# (57)要約

打錠作製が容易で製剤過程において安定であり、かつ消化管内で効率よく吸収 される、遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを施した下 部消化管放出性の経口投与固形製剤遺伝子関連医薬を提供する。

PCTに基づいて公開される国際出願のパンフレット第一頁に掲載されたPCT加盟国を同定するために使用されるコード(参考情報)

```
カセリスリー
カサントティット
フトティック
フトティック
フトティック
フトティック
ア ア ア ア グ
フトアセグッコ ヴァルラマナルガア
マケアロー ゴスラヴィル ユー ゴスラヴィア
                                             ドニカ
エスペインラン
ファンン
ブガボ
                                                                                                                              ESIRABDEHMNSRRUDELNSTPEGP
                                            SSSTTTTTTTTUUUVYYZ
                                                                                MA
MC
MD
MG
BBBCCCCCCCCCCCCCDD
                                                                                MK
     共和国
                                                                                МL
                                                                                MANNANN PPR
     コキオディン・バスコ
キアニアンツー
アンツー
アンファー
アンファー
                                                                                                                               南アフリカ共和国
ジンバブエ
                                                                                       ポルトガル
                                        ΚR
                                                                                      ルーマニア
```

#### 明 細 書

# 遺伝子関連医薬の経口投与固形製剤

#### 技術分野

本発明は、遺伝子関連医薬の経口投与固形製剤に関する。

遺伝子関連医薬は、有用な薬剤として種々開発されてきているが、これを経口投与固形製剤として製造しようとする場合、遺伝子関連医薬の吸湿性と吸湿後の粘着性の高さのため混合粉体の流動性が悪くなり、打錠障害を引き起こしたり、またその配合量が増えた場合、崩壊性の良い錠剤の作製が困難となったり、さらに製剤過程における遺伝子関連医薬の安定性を保つことが非常に困難であるなどの問題があり、また仮に経口投与固形製剤が製造できたとしても、遺伝子関連医薬は消化管内では非常に不安定なため消化管内で容易に分解されてしまうなど、経口投与に適する固形製剤の開発が一般に困難とされている。

#### 背景技術

一方、一般的な経口投与固形製剤の開発においては、小腸で分解を受けるために活性が損なわれ易い薬物を、蛋白分解酵素活性が著しく低い大腸に送達させて吸収させようとする試みが近年種々なされている。その例としては、本発明者らによる大腸などの下部消化管に対する特異性が高い、主として蛋白性、ポリペプチド性医薬用の経口製剤(国際出願公開WO94/10983号)などが挙げられる。しかしながら、遺伝子関連医薬としては、上記のような理由からこれまで実用的かつ効果的な経口投与固形製剤は開発されていない。

#### 発明の概要

従って、本発明の課題は、遺伝子関連医薬において前記の従来技術における問題点を解消し、実用的かつ効果的な経口投与固形製剤を提供することにある。より具体的には、打錠作製が容易で製剤過程において安定であり、かつ消化管内で

効率よく吸収される遺伝子関連医薬の経口投与固形製剤を提供することにある。

本発明者らは、上記の課題を解決すべく鋭意研究を重ねる中で、遺伝子関連医薬に対してもペプチド性医薬品に対すると同様に、小腸と比較して大腸内での分解活性が著しく低いことを見いだし、かかる知見に基づきさらに研究を続けた結果、本発明を完成するに至った。

即ち、本発明は遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを 施した下部消化管放出性の経口投与固形製剤に関する。

また、本発明は、遺伝子関連医薬と結合剤、糖類、崩壊剤、賦形剤等を適宜含む添加剤との混合粉体を打錠して核を形成し、その外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆してなる経口投与固形製剤に関する。

さらに本発明は以下の態様を包含するものである。

遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、 前記経口投与固形製剤。

遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる賦形剤は0.1~15重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬の核に含まれる遺伝子関連医薬が 0.1~50重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、 前記経口投与固形製剤。

崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチ ナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム

、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、前記経口投与固形製剤。

糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、前記経口投与固形製剤。

賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結セルロース、乳糖である、前記経口投与固形製剤。

遺伝子関連医薬が、DNA、RNA及びそれらを修飾した化合物及びそれらを キャリアと接合または結合した化合物からなる、前記経口投与固形製剤。

結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、前記経口投与固形製剤。

キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、前記経口投与固形製剤。

遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプルヘリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC(酵母人工染色体)、クロモゾーム、アプタマー、ファージからなる、前記経口投与固形製剤。

かくして本発明の経口投与固形製剤により、前記の課題は一挙に解決された。

#### 好適態様の詳細な説明

本発明において、利用可能な遺伝子関連医薬としては、DNA、RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物、核酸、オリゴヌクレオチド、アンチセンス、トリプルへリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド等があげられる。キャリアとして用いられるものにはカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージ等があげられる。

具体的には、局所治療用として、大腸炎治療を目的とした場合、TNF-α(Tumo r necrosis factor α)、ICAM-1(Intercellular adhesion molecule-1)、COX-2(Cyclooxygenase-2)、IL-1(Interleukin-1)、IL-6(Interleukin-6)、IL-8(Interleukin-8)等の抑制系の遺伝子医薬またはIL-2(Interleukin-2)、IL-10(Interleukin-10)等の発現系の遺伝子医薬があげられる。大腸癌治療を目的とした場合、ICAM-1、COX-2、TGF-β(Transforming growth factor β)等の抑制系の遺伝子医薬またはINF-γ(Interferon-γ)、TNF-α、APC(Adenomatous Polyposis Coli)、p53、MCC(Mutated in Colorectal Carcinoma)、DCC(deleted in colorectal carcinomas)等の発現系の遺伝子医薬があげられる。また、全身性疾患の治療を目的とした場合、TNF-α、ICAM-1、COX-2、IL-1、IL-6、HIV(human immu nodeficiency virus)、胆汁酸トランスポーター、小腸の各種トランスポーター等の抑制系の遺伝子医薬、INF-γ、TNF-α、G-CSF(顆粒球コロニー刺激因子)、GM-CSF(顆粒球マクロファージコロニー刺激因子)、グルコーストランスポーター、LHRH(黄体形成ホルモン放出ホルモン)、カルシトニン等の発現系の遺伝子医薬があげられる。

また本発明において、上記の添加剤は、混合粉体の流動性、錠剤の崩壊性、製造時の安定性等を考慮して適宜の材料と適宜の配合量が選択される。

以下に本製剤の態様をその製造法に従って記述するが、本発明がこれに限定されるものでないことはいうまでもない。

まず、遺伝子関連医薬と結合剤または遺伝子関連医薬と結合剤と賦形剤を瑪瑙

乳鉢、ジェットミル、ピンミル、ボールミル等の適当な微粉砕機を用いて混合粉 砕する。

ここにおいて、利用可能な結合剤としては、結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース(商品名;L-HPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロース等があげられ、好ましくは結晶セルロースが用いられる。

また賦形剤としては、軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム(水酸化アルミニウムマグネシウム)、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖等があげられ、好ましくは軽質無水ケイ酸が用いられる。

遺伝子関連医薬を含む核に含まれる結合剤の配合割合は $5\sim40$ 重量%、好ましくは $10\sim25$ 重量%であり、同じく賦形剤の配合割合は $0.1\sim15$ 重量%、好ましくは $1\sim5$ 重量%であり、さらに同じく遺伝子関連医薬の配合割合は $0.1\sim50$ 重量%、好ましくは $5\sim30$ 重量%である。

一方、遺伝子関連医薬と結合剤の配合割合は混合粉体の流動性、製剤の崩壊性及び打錠性にとって好ましい範囲、具体的には $1:0.2\sim1:5$ 、好ましくは $1:0.5\sim1:2$ である。同様の観点から、遺伝子関連医薬、結合剤及び賦形剤の配合割合は $1:0.2:0.01\sim1:5:1$ 、好ましくは1:0.5:0.02 $\sim$ 1:2:0.05 である。

次に、得られた混合粉砕品に糖類、崩壊剤を加えて混合し、ステアリン酸マグネシウムを加えて適当な打錠機を用いて打錠する。

ここで利用可能な糖類としては、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セル

ロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロピル メチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン 、ペクチン、プルラン等の多糖類及びその誘導体があげられ、好ましくは乳糖が 用いられる。

また崩壊剤としては、クロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース(商品名;L-HPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトール等があげられ、好ましくはクロスポビドンが用いられる。

遺伝子関連医薬を含む核に含まれる崩壊剤の配合割合は $2\sim25$ 重量%、好ましくは $5\sim15$ 重量%であり、同じく糖類の配合割合は $20\sim60$ 重量%、好ましくは $30\sim50$ 重量%である。遺伝子関連医薬の配合量に対する崩壊剤の配合割合は、消化管内で目的とする部位に到達するための適度の崩壊性を有し、かつ打錠性にとって好ましい範囲、具体的には $1:0.05\sim1:10$ 、好ましくは $1:0.1\sim1:5$ の割合で混合する。崩壊剤としてのクロスポピドンの配合割合は、 $2.5\sim20$ 重量%、好ましくは $5\sim15$ 重量%の範囲である。

次に、得られた素錠(核)はその表面に陽イオン性コポリマーをコーティングし、さらにその表面に陰イオン性コポリマーをコーティングする。コーティングは、該核が30%~50%に保たれた状態でコーティング溶液を連続的に噴霧することにより塗布する。陽イオン性コポリマー及び陰イオン性コポリマーによる重量増加は素錠重量の5%~15重量%、好ましくは6%8重量%とする。

内層として用いられる陽イオン性ポリマーは、pH6以下で溶解又は膨潤する性質を持つ。有用なポリマーとしては、一般名であるアミノアルキルメタアクリレートコポリマー [メタアクリル酸メチル、メタアクリル酸ブチル、メタアクリル酸ジメチルアミノエチルからなる共重合体、商品名: Eudragit E (オイドラギットE)、レーム社製]、またはポリビニルアセタールジエチルアミノアセテート

(商品名: AEA、三共社製) である。このポリマー層(内層)は、膜厚10~300μmの厚みと該固形薬剤重量の1~40重量%で用い、pH6以下の条件が続くとき速やかに該固形薬剤から活性物質が放出されるように調節される。この内層には、なめらかなコーティング皮膜が得られるような適当な可塑剤が好ましく用いられる。可塑剤としては、トリアセチン、クエン酸エステル及びポリエチレングリコール等が含まれる。また、結着防止剤としては、タルク、酸化チタン、リン酸カルシウム及び疎水性軽質無水ケイ酸等が含まれる。

外層として用いられる陰イオン性ポリマーは、pH5.5以上で容易に溶解する性質を持つ。有用なポリマーとしては、一般名であるメタアクリル酸コポリマーL [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit L100 (オイドラギットL100)、レーム社製] またはメタアクリル酸コポリマーS [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit S (オイドラギットS)、レーム社製]、ヒドロキシプロピルメチルセルロースアセテートサクシネート、ヒドロキシプロピルメチルセルロースフタレート等が含まれる。該ポリマーは、該固形薬剤の1~40重量%で用いられる。

この製剤により、遺伝子関連医薬を、その活性を安定に保持して吸収することとができる下部消化管、とくに大腸に特異的に到達させることができ、また到達と同時に速やかに製剤は崩壊されるので、薬理活性物質である遺伝子関連医薬がその活性を損なうことなく該消化管に放出される。更に製造時においては、粉体の流動性が損なわれることなく、安定して錠剤の打錠が可能となり、また製造時における遺伝子関連医薬の安定性も十分に保証できる。

#### 実施例

以下、実施例を示し、この発明をより具体的に説明する。本発明がこれらの例によって制限されるものではないことはいうまでもない。

#### 実施例1

〈TNF αアンチセンスの作製〉

以下の表1に示した試薬を使用し、DNA Synthesyser Oligo Pilot I I (ファルマシア社製)のヌクレオチド合成装置を用いて、5'-ATC ATg CT

WO 99/59639

T TCT gTg CTC AT-3'の配列のTNF $\alpha$ のアンチセンス (S 化DNA) を合成した。

表1

試薬	有効期限	メーカー	ロット番号	使用量 (ml)
アセトニトリル	96.09.16	Pharmacia Biotech.	55383	9130
Detritylation	96.09.17	Pharmacia Biotech.	53968	7125
0.1M T-amidite	96.09.02	Pharmacia Biotech.	5111736061	70
0.1M A*-amidite	96.09.02	Pharmacia Biotech.	5071730051	27
0.1M C*-amidite	96.09.02	Pharmacia Biotech.	5081732061	44
0.1M G*-amidite	96.09.02	Pharmacia Biotech.	5111734061	27
Capping A	96.09.16	Pharmacia Biotech.	55371	233
Capping B	96.09.16	Pharmacia Blotech.	55914	233
Oxidation	96.09.16	Pharmacia Biotech.	30465	4
Beaucage	96.09.16	Pharmacia Biotech.	6049798021	460
Tetrazole	96.09.16	Pharmacia Biotech.	6042875041	621

得られた粗オリゴヌクレオチドを次にファルマシア社製FPLCシステムを用いて以下の条件で分離・精製した。最後にHPLCを用いて純度を確認したところ、100%の純度のTNF $\alpha$ アンチセンス(S化DNA)が得られたことが確認された。

# 〈TNFαアンチセンスの錠剤の作製〉

上記手順で製造したTNF  $\alpha$ アンチセンスを含む錠剤を以下の表 2-1 および表 2-2 の処方に従って製造した。まず、TNF  $\alpha$ アンチセンスと結晶セルロースまたはTNF  $\alpha$ アンチセンスと結晶セルロースと軽質無水ケイ酸を粉砕装置を用いて混合粉砕を行い、次にラクトース、クロスポビドンを加えて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径 7 mm、重量 2

# 00mgの錠剤を製造した。

表 2 - 1

	1	2	3	4
TNFαアンチセンス	25	25	25	25
結晶セルロース	21	20	20	20
ラクトース	43	43	48	50.5
クロスポピドン	10	10	5	2.5
怪質無水ケイ酸	0	1	1	1
ステアリン酸マグネ シウム	1	1	1	1

※表内の数値は全て重量部とする

表 2 - 2

	<b>⑤</b>	6	<b>⑦</b>	8
TNFαアンチセンス	25	25	25	25
結晶セルロース	21	41	11	5
ラクトース	33	23	53	59
クロスポビドン	20	10	10	10
ステアリン酸マグネ シウム	1	1	1	1

※表内の数値は全て重量部とする

得られた該コアに以下のコーティングを施した。

オイドラギットE

7重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが40  $^{\circ}$  に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は $14\,\mathrm{mg}$  であった。噴霧後、該

コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3. 5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが40  $\mathbb{C}$  に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は $14 \,\mathrm{mg}$  であった。

## 比較例1

〈TNFαアンチセンスの錠剤の作製〉

TNFαアンチセンスを含む錠剤を以下の処方に従って製造した。まず、TN Fαアンチセンス、結晶セルロース、ラクトースをビニール袋にて混合し、最後 にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径7mm、重量2 O0mgの錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

2 1 重量部

ラクトース

51.5重量部

ステアリン酸マグネシウム

1 重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7 重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3.5 重量部

ポリエチレングリコール6000 0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧するこ とにより塗布した。該コアの重量増加は、錠剤は14mgであった。

#### 比較例 2

〈TNFαアンチセンスの錠剤の作製〉

TNFαアンチセンスを含む錠剤を以下の処方に従って製造した。まず、TN Fαアンチセンス、結晶セルロース、ラクトース、クロスポビドンをビニール袋 にて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直 径7mm、重量200mgの錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

21重量部

ラクトース

41.5重量部

クロスポビドン

10重量部

ステアリン酸マグネシウム

1 重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7 重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧するこ とにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該 コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0 重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3. 5 重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧すること

により塗布した。該コアの重量増加は、錠剤は14mgであった。 試験例1

実施例1及び比較例1、比較例2で作製した錠剤の崩壊性、含量均一性及び製造過程における混合粉体の流動性、粉体の打錠性を評価した。粉体の流動性については素錠重量のばらつきで、打錠性については2.0トン以下の打錠圧で作製した素錠の硬度、打錠時の粉体の臼杵への付着または錠剤のキャッピング、スティッキング、ラミネーション及びコーティング後の錠剤の割れ欠けにより評価した。

含量均一性試験は、10錠の錠剤を用いて第13局日本薬局方の含量均一性試験法に基づいて試験を行った。崩壊試験は日局崩壊試験機を用い、以下の条件で試験を行った。

# 崩壊試験試験方法:

肉厚ビーカーに緩衝液 pH7.5を約1L加えて、水温を約39℃に設定した崩壊試験器の浴槽内に設置した。バスケットに取り付けた6本の補助筒内に錠剤を1錠ずつ挿入し、更に錠剤の上に補助盤を挿入し、バスケットを懸垂棹に取り付けた。肉厚ビーカー内の緩衝液 pH7.5の水温が約37℃に保持されていることを確認後、試験を開始した。緩衝液 pH7.5で4時間バスケットを上下運動させた後、緩衝液 pH5.5でバスケットを上下運動させた。緩衝液 pH5.5に交換した時点から錠剤が崩壊するまでの時間を測定し記録した。錠剤崩壊の判定は、コーティング膜内側の粉体がなくなり、補助盤の一部がバスケットと接触した時点とした。

# 1. 緩衝液の作製

# 緩衝液 p H 7. 5:

塩化ナトリウム63.09g、リン酸二水素ナトリウム・二水和物0.936g、リン酸水素二ナトリウム・十二水和物13.053gをそれぞれ量り取り、精製水を加えて溶解し、pH7.5に調整後6Lとした。

# 緩衝液 p H 5 . 5 :

塩化ナトリウム63.09g、3.5M酢酸水溶液3.6mL、2M酢酸ナトリウム水溶液60mLをそれぞれ量り取り、精製水を加えて溶解し、p

H5. 5に調整後6Lとした。

#### 試験結果を表3に示す;

## 1. 崩壊剤(クロスポビドン)配合の効果:

クロスポビドンを配合しないで作製した比較例1の製剤とクロスポビドンを配合した実施例1-①の製剤の崩壊性を比較したところ、比較例1の製剤の崩壊性は極端に悪く、逆に実施例1-①の製剤は良好な崩壊性を示した。

## 2. 混合粉砕の効果:

混合粉砕を製造過程で行った実施例1-①と同処方で混合粉砕を行わなかった 比較例2の打錠前の混合粉体の流動性を比較したところ、混合粉砕を行わなかっ た比較例2では極めて流動性が低かったのに対して、実施例1-①では良好な流 動性を示した。

# 3. 崩壊剤(クロスポビドン)の配合割合の検討:

クロスポビドンを  $5\sim1$  0 重量%の配合量で処方した実施例 1-①②③④⑤の錠剤の崩壊性を比較したところ、<math>1 0 重量%以下では許容範囲内にあったが崩壊性はやや悪く、1 0 重量%の配合量としたものが最適な崩壊時間を示した。また、2 0 重量%の配合量(実施例 1 -⑤)では打錠性が悪く、崩壊時間も逆に速くすぎる傾向にあった。

# 4. 結合剤(結晶セルロース)の配合割合の検討:

結晶セルロースを $5\sim41$  重量%の配合量で処方した実施例1-①⑥⑦⑧の処方の流動性、打錠性を比較したところ、5 重量%では流動性がやや悪く、打錠性についても問題があった。最も適した流動性、打錠性を示したのは20 重量%(実施例1-①)処方であった。結晶セルロースの配合量を更に増量し40 重量%とした処方(錠剤⑥)では打錠性が悪化する傾向にあった。

表 3

	錠剤 番号	流動性	打錠性	崩壊性	含量均一試験 結果
	1	0	0	0	0
	2	0	0	Δ	0
	3	0	0	Δ	0
実施例1	4	0	0	. ×	0
关.旭初1	(5)	0	×	×	_
	6	0	Δ	0	0
	7	Δ	Δ	_	_
	8	×	×	<del></del>	
比較例1		×	×	×	×
比較例2		×	×	Δ	×

※○:良好、△:許容範囲内にあるがやや問題あり、×:問題あり、-:未評価

#### 請求の範囲

1. 遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを施した下部消化管放出性の経口投与固形製剤。

- 2. 遺伝子関連医薬を含む核の外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆した二重被覆構造を有する、請求項1に記載の経口投与固形製剤。
- 3. 遺伝子関連医薬を含む核に、添加剤として結合剤と崩壊剤と糖類を含む、 請求項1または2に記載の経口投与固形製剤。
- 4. 遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、請求項1~3のいずれかに記載の経口投与固形製剤。
- 5. 遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の 範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 6. 遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 7. 遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、請求項1~3及び6のいずれかに記載の経口投与固形製剤。
- 8. 遺伝子関連医薬を含む核に含まれる賦形剤は0.1~15重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 9. 遺伝子関連医薬の核に含まれる遺伝子関連医薬が0.1~50重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 10. 遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 11. 崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチル

メチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、請求項1~3、6及び7のいずれかに記載の経口投与固形製剤。

- 12. 糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、請求項1~3及び5のいずれかに記載の経口投与固形製剤。
- 13. 賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖である、請求項1~3及び8のいずれかに記載の経口投与固形製剤。
- 14. 遺伝子関連医薬が、DNA、RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物からなる、請求項1~3及び9のいずれかに記載の経口投与固形製剤。
- 15. 結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、請求項1~3、10及び12のいずれかに記載の経口投与固形製剤。
- 16. キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、請求項14に記載の経口投与固形製剤。
- 17. 遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプ

ルヘリックスフォーミングオリゴヌクレオチド (TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC (酵母人工染色体)、クロモゾーム、アプタマー、ファージからなる、請求項1~3のいずれかに記載の経口投与固形製剤。

					9
					i,
				. •	<b>p</b> ).
				».	4

# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/02546

A CLASS	IFICATION OF SUBJECT MATTER C1 A61K48/00, A61K47/30, A61K4	15/00, A61K35/76, A61K3	1/70, A61K9/20			
According to	According to International Patent Classification (IPC) or to both national classification and IPC					
	S SEARCHED					
Int.	Minimum documentation searched (classification system followed by classification symbols) Int.Cl <sup>6</sup> A61K48/00, A61K47/30, A61K45/00, A61K35/76, A61K31/70, A61K9/20					
	ion searched other than minimum documentation to the					
Electronic d CAPL	ata base consulted during the international search (nam US (STN), REGISTRY (STN), WPIL	e of data base and, where practicable, se (DIALOG), MEDLINE (ST	arch terms used) N)			
C. DOCU	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.			
X Y	JP, 6-510665, A (The United 1 December, 1994 (01. 12. 94) Claim 1; page 3, upper right & US, 7747371, A & EP, 6482 & AU, 9225006, A & WO, 93/0	), column 271, Al	1 2-17			
X Y	WO, 98/11779, A1 (THE REGENTS CALIFORNIA), 26 March, 1998 (26. 03. 98), Abstract; Claims; page 4, 1 line 8; page 33, lines 6 to & AU, 9744221, A	line 20 to page 5,	1 2-17			
Y	WO, 94/10983, Al (Hisamitsu Inc.), 26 May, 1994 (26. 05. 94), Claims; page 1, lines 4 to 7 page 4, line 5; Examples & AU, 9453768, A & EP, 6677 & US, 5654004, A	7 ; page 3, line 10 to	2-17			
× Furth	er documents are listed in the continuation of Box C.	See patent family annex.				
* Specia "A" docum conside "E" earlier "L" docum cited to specia "O" docum means "P" docum	considered to be of particular relevance earlier document but published on or after the international filing date  L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  "O" document referring to an oral disclosure, use, exhibition or other means  "P" document published prior to the international filing date but later than the priority date claimed  the principle or theory underlying the invention document of particular relevance: the claimed inventive step when the document is taken alone document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed inventive step when the document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document of particular relevance: the claimed invention cannot be considered novel or cannot be considered novel					
Date of the 29	Date of the actual completion of the international search 29 July, 1999 (29. 07. 99)  Date of mailing of the international search report 10 August, 1999 (10. 08. 99)					
Name and Japa	mailing address of the ISA/ anese Patent Office	Authorized officer				
Facsimile l	No.	Telephone No.	•			

# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/02546

ategory*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
Y	JP, 9-176038, A (Hisamitsu Pharmaceutical Co., Inc.), 8 July, 1997 (08. 07. 97), Claims; Par. Nos. [0001] to [0003] & WO, 97/10840, Al & AU, 9676038, A	2-17
Y	JP, 9-507387, A (Centre National de La Recherche Scientifique), 29 July, 1997 (29. 07. 97), Claims & FR, 2714383, A & EP, 737248, A1 & AU, 9513884, A & ZA, 9410367, A & NO, 9602707, A & FI, 9602693, A & WO, 95/18223, A1	17
Y	JP, 8-507203, A (Innovir Laboratries, Inc.), 6 August, 1996 (06. 08. 96), Claims & AU, 9466539, A & EP, 707638, Al & US, 5714679, A & US, 5834186, A & WO, 94/13791, A	17
Y	JP, 8-505872, A (University Research Corp.), 25 June, 1996 (25. 06. 96), Claims & AU, 9459619, A & AU, 9883186, A & EP, 681482, Al & US, 5854038, A & WO, 94/16736, Al	17
Y	JP, 9-505084, A (Boehringer Mannheim GmbH.), 20 May, 1997 (20. 05. 97), Claims & WO, 95/25800, A1 & EP, 674006, A1 & EP, 751999, A1 & DE, 4410188, A1	17
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20 March, 1997 (20. 03. 97), Claims & EP, 850301, A2 & US, 5834440, A	17
Y	JP, 10-4973, A (Sumitomo Pharmaceuticals Co., Ltd.), 13 January, 1998 (13. 01. 98), Claims (Family: none)	17
Y	WO, 98/12336, A1 (DNAVEC Research Inc.), 26 March, 1998 (26. 03. 98), Refer to full text & AU, 9743187, A	17
Y	EP, 383526, A1 (Hunan Medical University), 29 April, 1998 (29. 04. 98), Claims & JP, 10-127288, A	17
Y	US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25 March, 1997 (25. 03. 97), Claims (Family: none)	17

A. 発明の属する分野の分類(国際特許分類(IPC)) Int.Cl<sup>6</sup> A61K48/00, A61K47/30, A61K45/00, A61K35/76, A61K31/70, A61K9/20

### B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl<sup>6</sup> A 6 1 K 4 8 / 0 0, A 6 1 K 4 7 / 3 0, A 6 1 K 4 5 / 0 0, A 6 1 K 3 5 / 7 6, A 6 1 K 3 1 / 7 0, A 6 1 K 9 / 2 0

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語) CAPLUS (STN), REGISTRY (STN), WPIL (DIALOG), MEDLINE (STN)

C. 関連すると認められる文献

		<del></del>
引用文献の		関連する
カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	請求の範囲の番号
X Y	JP, 6-510665, A (アメリカ合衆国), 1.12月.1994 (01.12.94), 請求項1,第3頁右上欄,	2 - 1 7
	& US, 7747371, A, & EP, 648271, A1, & AU, 9225006, A & WO, 93/03769, A1,	
X Y	WO, 98/11779, A1 (THE REGENTS OF THE UNIVERSITY OF CALIFORNIA), 26.3月.1998 (26.03.98), 要約, 特許請求の範囲, 第4頁第20行-第5頁第8行, 第33頁第6行-第15行, & AU, 9744221, A	$\begin{array}{c c} 1 \\ 2-1 & 7 \end{array}$

#### X C欄の続きにも文献が列挙されている。

□ パテントファミリーに関する別紙を参照。

- \* 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「〇」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願目前で、かつ優先権の主張の基礎となる出願

- の日の後に公表された文献
- 「T」国際出願日又は優先日後に公表された文献であって て出願と矛盾するものではなく、発明の原理又は理 論の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日 29.07.99 国際調査報告の発送日 10.08.99 国際調査機関の名称及びあて先 特許庁審査官(権限のある職員) 瀬 下 浩 中 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号 電話番号 03-3581-1101 内線 3452

# 国際調査報告

引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	WO, 94/10983, A1 (久光製薬株式会社), 26.5月.1994(26.05.94), 特許請求の範囲,第1頁第4行-第7行, 第3頁第10行-第4頁第5行, 実施例, & AU, 9453768, A, & EP, 667148, A1, & US, 5654004, A	2-17
Y	JP, 9-176038, A(久光製薬株式会社), 8.7月.1997(08.07.97), 特許請求の範囲, 【0001】-【0003】, & WO, 97/10840, A1, & AU, 9676038, A	2-17
Y	JP, 9-507387, A (サントル・ナショナル・ド・ラ・ルシエルシユ・シヤンテイフイク), 29. 7月. 1997 (29. 07. 97), 特許請求の範囲, & FR, 2714383, A, & EP, 737248, A1, & AU, 9513884, A, & ZA, 9410367, A, & NO, 9602707, A, & FI, 9602693, A, & WO, 95/18223, A1	1 7
Y	JP, 8-507203, A (イノーバー ラボラトリーズ, インコーポレイテッド), 6.8月.1996 (06.08.96), 特許請求の範囲, & AU, 9466539, A, & EP, 707638, A1, & US, 5741679, A, & US, 5834186, A, & WO, 94/13791, A1	1 7
Y	JP, 8-505872, A (ユニバーシティ・リサーチ・コーポレイション), 25.6月.1996(25.06.96), 特許請求の範囲, & AU, 9459619, A, & AU, 9883186, A, & EP, 681482, A1, & US, 5854038, A, & WO, 94/16736, A1	1 7
Y	JP, 9-505084, A(ベーリンガー マンハイム ゲゼルシャフト ミット ベシュレンクテル ハフツング), 20.5月.1997(20.05.97), 特許請求の範囲, & WO, 95/25800, A1, & EP, 674006, A1, & EP, 751999, A1, & DE, 4410188, A1	1 7
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20. 3月. 1997 (20. 03. 97), 特許請求の範囲, & EP, 850301, A2, & US, 5834440, A	1 7
Y	JP, 10-4973, A(住友製薬株式会社), 13.1月.1998(13.01.98), 特許請求の範囲(ファミリーなし)	1 7

# 国際調査報告

C (続き).	関連すると認められる文献	
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	WO, 98/12336, A1 (株式会社ディナベック研究所), 26.3月.1998 (26.03.98), 全文参照, & AU, 9743187, A	1 7
Y	EP, 383526, A1 (Hunan Medical University), 29. 4月. 1998 (29. 04. 98), 特許請求の範囲, & JP, 10-127288, A	1 7
Y	US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25.3月.1997 (25.03.97), 特許請求の範囲 (ファミリーなし)	1 7
		<u> </u>

#### 明細書

## 遺伝子関連医薬の経口投与固形製剤

#### 技術分野

本発明は、遺伝子関連医薬の経口投与固形製剤に関する。

遺伝子関連医薬は、有用な薬剤として種々開発されてきているが、これを経口投与固形製剤として製造しようとする場合、遺伝子関連医薬の吸湿性と吸湿後の粘着性の高さのため混合粉体の流動性が悪くなり、打錠障害を引き起こしたり、またその配合量が増えた場合、崩壊性の良い錠剤の作製が困難となったり、さらに製剤過程における遺伝子関連医薬の安定性を保つことが非常に困難であるなどの問題があり、また仮に経口投与固形製剤が製造できたとしても、遺伝子関連医薬は消化管内では非常に不安定なため消化管内で容易に分解されてしまうなど、経口投与に適する固形製剤の開発が一般に困難とされている。

#### 背景技術

一方、一般的な経口投与固形製剤の開発においては、小腸で分解を受けるために活性が損なわれ易い薬物を、蛋白分解酵素活性が著しく低い大腸に送達させて吸収させようとする試みが近年種々なされている。その例としては、本発明者らによる大腸などの下部消化管に対する特異性が高い、主として蛋白性、ポリペプチド性医薬用の経口製剤(国際出願公開WO94/10983号)などが挙げられる。しかしながら、遺伝子関連医薬としては、上記のような理由からこれまで実用的かつ効果的な経口投与固形製剤は開発されていない。

#### 発明の概要

従って、本発明の課題は、遺伝子関連医薬において前記の従来技術における問題点を解消し、実用的かつ効果的な経口投与固形製剤を提供することにある。より具体的には、打錠作製が容易で製剤過程において安定であり、かつ消化管内で

効率よく吸収される遺伝子関連医薬の経口投与固形製剤を提供することにある。

本発明者らは、上記の課題を解決すべく鋭意研究を重ねる中で、遺伝子関連医薬に対してもペプチド性医薬品に対すると同様に、小腸と比較して大腸内での分解活性が著しく低いことを見いだし、かかる知見に基づきさらに研究を続けた結果、本発明を完成するに至った。

即ち、本発明は遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを 施した下部消化管放出性の経口投与固形製剤に関する。

また、本発明は、遺伝子関連医薬と結合剤、糖類、崩壊剤、賦形剤等を適宜含む添加剤との混合粉体を打錠して核を形成し、その外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆してなる経口投与固形製剤に関する。

さらに本発明は以下の態様を包含するものである。

遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、 前記経口投与固形製剤。

遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる賦形剤は0.1~15重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬の核に含まれる遺伝子関連医薬が0.1~50重量%の範囲内にある、前記経口投与固形製剤。

遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、 前記経口投与固形製剤。

崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチ ナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム

、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、前記経口投与固形製剤。

糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、前記経口投与固形製剤。

賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結セルロース、乳糖である、前記経口投与固形製剤。

遺伝子関連医薬が、DNA、RNA及びそれらを修飾した化合物及びそれらを キャリアと接合または結合した化合物からなる、前記経口投与固形製剤。

結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、前記経口投与固形製剤。

キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、前記経口投与固形製剤。

遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプルヘリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC(酵母人工染色体)、クロモゾーム、アプタマー、ファージからなる、前記経口投与固形製剤。

かくして本発明の経口投与固形製剤により、前記の課題は一挙に解決された。

# 好適態様の詳細な説明

本発明において、利用可能な遺伝子関連医薬としては、DNA、RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物、核酸、オリゴヌクレオチド、アンチセンス、トリプルへリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド等があげられる。キャリアとして用いられるものにはカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージ等があげられる。

具体的には、局所治療用として、大腸炎治療を目的とした場合、TNF- α(Tumo r necrosis factor α)、ICAM-1(Intercellular adhesion molecule-1)、COX-2(Cyclooxygenase-2)、IL-1(Interleukin-1)、IL-6(Interleukin-6)、IL-8(Interleukin-8)等の抑制系の遺伝子医薬またはIL-2(Interleukin-2)、IL-10(Interleukin-10)等の発現系の遺伝子医薬があげられる。大腸癌治療を目的とした場合、ICAM-1、COX-2、TGF-β(Transforming growth factor β)等の抑制系の遺伝子医薬またはINF-γ(Interferon-γ)、TNF-α、APC(Adenomatous Polyposis Coli)、p53、MCC(Mutated in Colorectal Carcinoma)、DCC(deleted in colorectal carcinomas)等の発現系の遺伝子医薬があげられる。また、全身性疾患の治療を目的とした場合、TNF-α、ICAM-1、COX-2、IL-1、IL-6、HIV(human immu nodeficiency virus)、胆汁酸トランスポーター、小腸の各種トランスポーター等の抑制系の遺伝子医薬、INF-γ、TNF-α、G-CSF(顆粒球コロニー刺激因子)、グルコーストランスポーター、、GM-CSF(顆粒球マクロファージコロニー刺激因子)、グルコーストランスポーター、LHRH(黄体形成ホルモン放出ホルモン)、カルシトニン等の発現系の遺伝子医薬があげられる。

また本発明において、上記の添加剤は、混合粉体の流動性、錠剤の崩壊性、製造時の安定性等を考慮して適宜の材料と適宜の配合量が選択される。

以下に本製剤の態様をその製造法に従って記述するが、本発明がこれに限定されるものでないことはいうまでもない。

まず、遺伝子関連医薬と結合剤または遺伝子関連医薬と結合剤と賦形剤を瑪瑙

乳鉢、ジェットミル、ピンミル、ボールミル等の適当な微粉砕機を用いて混合粉 砕する。

ここにおいて、利用可能な結合剤としては、結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース(商品名;L-HPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロース等があげられ、好ましくは結晶セルロースが用いられる。

また賦形剤としては、軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム (水酸化アルミニウムマグネシウム)、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖等があげられ、好ましくは軽質無水ケイ酸が用いられる。

遺伝子関連医薬を含む核に含まれる結合剤の配合割合は $5\sim40$ 重量%、好ましくは $10\sim25$ 重量%であり、同じく賦形剤の配合割合は $0.1\sim15$ 重量%、好ましくは $1\sim5$ 重量%であり、さらに同じく遺伝子関連医薬の配合割合は $0.1\sim50$ 重量%、好ましくは $5\sim30$ 重量%である。

一方、遺伝子関連医薬と結合剤の配合割合は混合粉体の流動性、製剤の崩壊性及び打錠性にとって好ましい範囲、具体的には1:0.2~1:5、好ましくは1:0.5~1:2である。同様の観点から、遺伝子関連医薬、結合剤及び賦形剤の配合割合は1:0.2:0.01~1:5:1、好ましくは1:0.5:0.02~1:2:0.05である。

次に、得られた混合粉砕品に糖類、崩壊剤を加えて混合し、ステアリン酸マグネシウムを加えて適当な打錠機を用いて打錠する。

ここで利用可能な糖類としては、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セル

ロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体があげられ、好ましくは乳糖が用いられる。

また崩壊剤としては、クロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース(商品名;LーHPC、信越化学工業(株))、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトール等があげられ、好ましくはクロスポビドンが用いられる。

遺伝子関連医薬を含む核に含まれる崩壊剤の配合割合は2~25重量%、好ましくは5~15重量%であり、同じく糖類の配合割合は20~60重量%、好ましくは30~50重量%である。遺伝子関連医薬の配合量に対する崩壊剤の配合割合は、消化管内で目的とする部位に到達するための適度の崩壊性を有し、かつ打錠性にとって好ましい範囲、具体的には1:0.05~1:10、好ましくは1:0.1~1:5の割合で混合する。崩壊剤としてのクロスポピドンの配合割合は、2.5~20重量%、好ましくは5~15重量%の範囲である。

次に、得られた素錠(核)はその表面に陽イオン性コポリマーをコーティング し、さらにその表面に陰イオン性コポリマーをコーティングする。コーティング は、該核が30  $^{\circ}$   $^{\circ}$ 

内層として用いられる陽イオン性ポリマーは、pH6以下で溶解又は膨潤する性質を持つ。有用なポリマーとしては、一般名であるアミノアルキルメタアクリレートコポリマー [メタアクリル酸メチル、メタアクリル酸ブチル、メタアクリル酸ジメチルアミノエチルからなる共重合体、商品名: Eudragit E (オイドラギットE)、レーム社製]、またはポリビニルアセタールジエチルアミノアセテート

(商品名: AEA、三共社製)である。このポリマー層(内層)は、膜厚10~300μmの厚みと該固形薬剤重量の1~40重量%で用い、pH6以下の条件が続くとき速やかに該固形薬剤から活性物質が放出されるように調節される。この内層には、なめらかなコーティング皮膜が得られるような適当な可塑剤が好ましく用いられる。可塑剤としては、トリアセチン、クエン酸エステル及びボリエチレングリコール等が含まれる。また、結着防止剤としては、タルク、酸化チタン、リン酸カルシウム及び疎水性軽質無水ケイ酸等が含まれる。

外層として用いられる陰イオン性ポリマーは、pH5.5以上で容易に溶解する性質を持つ。有用なポリマーとしては、一般名であるメタアクリル酸コポリマーL [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit L100 (オイドラギットL100)、レーム社製] またはメタアクリル酸コポリマーS [メタアクリル酸、メタアクリル酸メチルからなる共重合体、商品名: Eudragit S (オイドラギットS)、レーム社製]、ヒドロキシプロピルメチルセルロースアセテートサクシネート、ヒドロキシプロピルメチルセルロースフタレート等が含まれる。該ポリマーは、該固形薬剤の1~40重量%で用いられる。

この製剤により、遺伝子関連医薬を、その活性を安定に保持して吸収することとができる下部消化管、とくに大腸に特異的に到達させることができ、また到達と同時に速やかに製剤は崩壊されるので、薬理活性物質である遺伝子関連医薬がその活性を損なうことなく該消化管に放出される。更に製造時においては、粉体の流動性が損なわれることなく、安定して錠剤の打錠が可能となり、また製造時における遺伝子関連医薬の安定性も十分に保証できる。

### 実施例

以下、実施例を示し、この発明をより具体的に説明する。本発明がこれらの例 によって制限されるものではないことはいうまでもない。

### 実施例1

〈TNFαアンチセンスの作製〉

以下の表1に示した試薬を使用し、DNA Synthesyser Oligo Pilot I I (ファルマシア社製)のヌクレオチド合成装置を用いて、5'-ATC ATg CT

T TCT gTg CTC AT-3'の配列のTNF $\alpha$ のアンチセンス (S 化DNA) を合成した。

表 1

試薬	有効期限	メーカー	ロット番号	使用量 (ml)
アセトニトリル	96.09.16	Pharmacia Biotech.	55383	9130
Detritylation	96.09.17	Pharmacia Biotech.	53968	7125
0.1M T-amidite	96.09.02	Pharmacia Biotech.	5111736061	70
0.1M A*-amidite	96.09.02	Pharmacia Biotech.	5071730051	27
0.1M C*-amidite	96.09.02	Pharmacia Biotech.	5081732061	44
0.1M G*-amidite	96.09.02	Pharmacia Biotech.	5111734061	27
Capping A	96.09.16	Pharmacia Biotech.	55371	233
Capping B	96.09.16	Pharmacia Blotech.	55914	233
Oxidation	96.09.16	Pharmacia Biotech.	30465	4
Beaucage	96.09.16	Pharmacia Biotech.	6049798021	460
Tetrazole	96.09.16	Pharmacia Biotech.	6042875041	621

得られた粗オリゴヌクレオチドを次にファルマシア社製FPLCシステムを用いて以下の条件で分離・精製した。最後にHPLCを用いて純度を確認したところ、100%の純度のTNFαアンチセンス(S化DNA)が得られたことが確認された。

### 〈TNF αアンチセンスの錠剤の作製〉

上記手順で製造したTNFαアンチセンスを含む錠剤を以下の表2-1および表2-2の処方に従って製造した。まず、TNFαアンチセンスと結晶セルロースまたはTNFαアンチセンスと結晶セルロースと軽質無水ケイ酸を粉砕装置を用いて混合粉砕を行い、次にラクトース、クロスポビドンを加えて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径7mm、重量2

# 00mgの錠剤を製造した。

表 2 - 1

表 2 - 1			γ	
	<u>(1)</u>	2	3	4
		25	25	25
TNFαアンチセンス	<u> 25</u>	20	20	20
結晶セルロース	21		48	50.5
ラクトース	43	43	5	2.5
クロスポビドン	10	10	1	1
軽質無水ケイ酸	0	1	1	
ステアリン酸マグネ	1	1	1	1
シウム				

# ※表内の数値は全て重量部とする

表 2 - 2

長2-2				0
	(5)	6	①	8
		25	25	25
TNFαアンチセンス	25		11	5
結晶セルロース	21	41	53	59
ラクトース	33	23		10
クロスポピドン	20	10	10	10
ステアリン酸マグネ	1	1	1	1
シウム				

※表内の数値は全て重量部とする

得られた該コアに以下のコーティングを施した。

オイドラギットE

7重量部

エタノール

70重量部

水

19.5重量部

3. 5重量部

内部層は、該コアが40℃に保たれた状態で上記の溶液を連続的に噴霧するこ とにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該

コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3. 5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが40℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。

### 比較例1

〈TNF a アンチセンスの錠剤の作製〉

TNFαアンチセンスを含む錠剤を以下の処方に従って製造した。まず、TN Fαアンチセンス、結晶セルロース、ラクトースをビニール袋にて混合し、最後 にステアリン酸マグネシウムを加えて混合し打錠機を用いて直径7mm、重量2 00mgの錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

2 1 重量部

ラクトース

51.5重量部

ステアリン酸マグネシウム

1 重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3. 5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。

### 比較例2

〈TNFαアンチセンスの錠剤の作製〉

TNFαアンチセンスを含む錠剤を以下の処方に従って製造した。まず、TN Fαアンチセンス、結晶セルロース、ラクトース、クロスポビドンをビニール袋 にて混合し、最後にステアリン酸マグネシウムを加えて混合し打錠機を用いて直 径7mm、重量200mgの錠剤を製造した。

TNFαアンチセンス

26.5重量部

結晶セルロース

2 1 重量部

ラクトース

41.5重量部

クロスポビドン

10重量部

ステアリン酸マグネシウム

1 重量部

得られた該コアに以下のコーティングを施した。

オイドラギットE

7 重量部

エタノール

70重量部

水

19.5重量部

タルク

3. 5重量部

内部層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧することにより塗布した。該コアの重量増加は、錠剤は14mgであった。噴霧後、該コアを乾燥し以下の溶液を更に塗布した。

オイドラギットS

7. 0重量部

エタノール

70.0重量部

水

18.8重量部

タルク

3.5重量部

ポリエチレングリコール6000

0.7重量部

最外層は、該コアが50℃に保たれた状態で上記の溶液を連続的に噴霧すること

により塗布した。該コアの重量増加は、錠剤は14mgであった。 試験例1

実施例1及び比較例1、比較例2で作製した錠剤の崩壊性、含量均一性及び製造過程における混合粉体の流動性、粉体の打錠性を評価した。粉体の流動性については素錠重量のばらつきで、打錠性については2.0トン以下の打錠圧で作製した素錠の硬度、打錠時の粉体の臼杵への付着または錠剤のキャッピング、スティッキング、ラミネーション及びコーティング後の錠剤の割れ欠けにより評価した。

含量均一性試験は、10錠の錠剤を用いて第13局日本薬局方の含量均一性試験法に基づいて試験を行った。崩壊試験は日局崩壊試験機を用い、以下の条件で試験を行った。

## 崩壊試験試験方法:

肉厚ビーカーに緩衝液 p H 7. 5 を約1 L 加えて、水温を約39℃に設定した崩壊試験器の浴槽内に設置した。バスケットに取り付けた6本の補助筒内に錠剤を1錠ずつ挿入し、更に錠剤の上に補助盤を挿入し、バスケットを懸垂棹に取り付けた。肉厚ビーカー内の緩衝液 p H 7. 5 の水温が約37℃に保持されていることを確認後、試験を開始した。緩衝液 p H 7. 5 で 4 時間バスケットを上下運動させた後、緩衝液 p H 5. 5 でバスケットを上下運動させた。緩衝液 p H 5. 5 に交換した時点から錠剤が崩壊するまでの時間を測定し記録した。錠剤崩壊の判定は、コーティング膜内側の粉体がなくなり、補助盤の一部がバスケットと接触した時点とした。

### 1. 緩衝液の作製

### 緩衝液 p H 7. 5:

塩化ナトリウム63.09g、リン酸二水素ナトリウム・二水和物0.9 36g、リン酸水素二ナトリウム・十二水和物13.053gをそれぞれ量り取り、精製水を加えて溶解し、pH7.5に調整後6Lとした。

## 緩衝液 p H 5. 5:

塩化ナトリウム63.09g、3.5M酢酸水溶液3.6mL、2M酢酸ナトリウム水溶液60mLをそれぞれ量り取り、精製水を加えて溶解し、p

PCT/JP99/02546 WO 99/59639

H5.5に調整後6Lとした。

# 試験結果を表3に示す;

# 1. 崩壊剤 (クロスポビドン) 配合の効果:

クロスポビドンを配合しないで作製した比較例1の製剤とクロスポビドンを配 合した実施例1-①の製剤の崩壊性を比較したところ、比較例1の製剤の崩壊性 は極端に悪く、逆に実施例1-①の製剤は良好な崩壊性を示した。

# 2. 混合粉砕の効果:

混合粉砕を製造過程で行った実施例1-①と同処方で混合粉砕を行わなかった 比較例2の打錠前の混合粉体の流動性を比較したところ、混合粉砕を行わなかっ た比較例2では極めて流動性が低かったのに対して、実施例1-①では良好な流 動性を示した。

# 3. 崩壊剤(クロスポビドン)の配合割合の検討:

クロスポビドンを5~10重量%の配合量で処方した実施例1-①②③④⑤の 錠剤の崩壊性を比較したところ、10重量%以下では許容範囲内にあったが崩壊 性はやや悪く、10重量%の配合量としたものが最適な崩壊時間を示した。また 、20重量%の配合量(実施例1-⑤)では打錠性が悪く、崩壊時間も逆に速く すぎる傾向にあった。

# 4. 結合剤(結晶セルロース)の配合割合の検討:

結晶セルロースを5~41重量%の配合量で処方した実施例1-①⑥⑦⑧の処 方の流動性、打錠性を比較したところ、5重量%では流動性がやや悪く、打錠性 についても問題があった。最も適した流動性、打錠性を示したのは20重量%( 実施例1-①)処方であった。結晶セルロースの配合量を更に増量し40重量% とした処方(錠剤⑥)では打錠性が悪化する傾向にあった。

表3

	錠剤 番号	流動性	打錠性	崩壊性	含量均一試験 結果
	1	0	0	0	0
	2	0	0	Δ	0
	3	0	0	Δ	0
実施例1	4	0	0	×	0
关心的1	(5)	0	×	×	_
	6	0	Δ	0	0
	7	Δ	Δ	_	_
	8	×	×	_	
比較例1		×	×	×	×
比較例2		×	×	Δ	×

※○:良好、△:許容範囲内にあるがやや問題あり、×:問題あり、-:未評価

# 請求の範囲

1. 遺伝子関連医薬を含む核を小腸では崩壊しないコーティングを施した下部消化管放出性の経口投与固形製剤。

- 2. 遺伝子関連医薬を含む核の外側に陽イオン性コポリマーからなる内層、陰イオン性コポリマーからなる外層を被覆した二重被覆構造を有する、請求項1に記載の経口投与固形製剤。
- 3. 遺伝子関連医薬を含む核に、添加剤として結合剤と崩壊剤と糖類を含む、 請求項1または2に記載の経口投与固形製剤。
- 4. 遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、請求項1~3のいずれかに記載の経口投与固形製剤。
- 5. 遺伝子関連医薬を含む核に含まれる糖類の配合割合は20~60重量%の 範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 6. 遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、請求項1~3のいずれかに記載の経口投与固形製剤。
- 7. 遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1:10の割合で混合し製造することを特徴とする、請求項1~3及び6のいずれかに記載の経口投与固形製剤。
- 8. 遺伝子関連医薬を含む核に含まれる賦形剤は 0. 1~15重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 9. 遺伝子関連医薬の核に含まれる遺伝子関連医薬が 0. 1~50重量%の範囲内にある、請求項 1~4のいずれかに記載の経口投与固形製剤。
- 10. 遺伝子関連医薬を含む核に含まれる結合剤は5~40重量%の範囲内にある、請求項1~4のいずれかに記載の経口投与固形製剤。
- 11. 崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルス ターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナト リウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換 度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチル

メチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール、マンニトールである、請求項1~3、6及び7のいずれかに記載の経口投与 固形製剤。

- 12. 糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類または、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体である、請求項1~3及び5のいずれかに記載の経口投与固形製剤。
- 13. 賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイド、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース、乳糖である、請求項1~3及び8のいずれかに記載の経口投与固形製剤。
- 14. 遺伝子関連医薬が、DNA, RNA及びそれらを修飾した化合物及びそれらをキャリアと接合または結合した化合物からなる、請求項1~3及び9のいずれかに記載の経口投与固形製剤。
- 15. 結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール、メチルセルロースである、請求項1~3、10及び12のいずれかに記載の経口投与固形製剤。
- 16. キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、請求項14に記載の経口投与固形製剤。
- 17. 遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプ

WO 99/59639

ルヘリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ 、プラスミド、コスミド、P1ファージ、YAC(酵母人工染色体)、クロモゾ ーム、アプタマー、ファージからなる、請求項1~3のいずれかに記載の経口投 与固形製剤。

国際調査報告 Int. Cl. A61K48/00, A61K47/30, A61K45/00, A61K35/76, A61K31/70, A61K9/20 Int. Cl° A61K48/00, A61K47/30, A61K45/00, A61K35/76, 調査を行った最小限資料(国際特許分類(IPC)) A61K31/70, A61K9/20 最小限資料以外の資料で調査を行った分野に含まれるもの 国際調査で使用した電子データベース (データベースの名称、調査に使用した用語) |尿調査で使用した电子プークペーク(ソークペークの名称、調査に使用した用語) | CAPLUS (STN) , REGISTRY (STN) , WPIL (DIALOG) , MEDLINE (STN) 関連する 請求の範囲の番号 関連すると認められる文献 引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示 C. 引用文献の JP, 6-510665, A (アメリカ合衆国), 2 - 17カテゴリー\* 1. 12月. 1994 (01. 12. 94), & US, 7747371, A, & EP, 648271, A1, & AU, 9225006, A XY 請求項1,第3頁右上欄, WO, 93/03769, A1, WO, 98/11779, A1 (THE REGENTS OF THE UNIVERSITY OF CALIFORNIA), 26.3月.1998(26.03.98), 要約,特許請求の範囲,第4頁第20行-第5頁第8行,第33頁第6行-第15行, 2 - 17X Y  $(2.5)^{\circ}$   $(4.2)^{\circ}$   $(4.2)^{\circ}$   $(4.2)^{\circ}$   $(4.2)^{\circ}$ □ パテントファミリーに関する別紙を参照。 区欄の続きにも文献が列挙されている。 の日の後に公表された文献 「T」国際出願日又は優先日後に公表された文献であって て出願と矛盾するものではなく、発明の原理又は理 引用文献のカテゴリー 「A」特に関連のある文献ではなく、一般的技術水準を示す 論の理解のために引用するもの 「X」特に関連のある文献であって、当該文献のみで発明 「E」国際出願日前の出願または特許であるが、国際出願日 の新規性又は進歩性がないと考えられるもの 「Y」特に関連のある文献であって、当該文献と他の1以 「L」優先権主張に疑義を提起する文献又は他の文献の発行 上の文献との、当業者にとって自明である組合せに 日若しくは他の特別な理由を確立するために引用する よって進歩性がないと考えられるもの [&] 同一パテントファミリー文献 「O」口頭による開示、使用、展示等に言及する文献 文献 (理由を付す) 「P」国際出願日前で、かつ優先権の主張の基礎となる出願 10.08.99 国際調査報告の発送日 国際調査を完了した日 29.07.99 9736 4 C 特許庁審査官(権限のある職員) 浩一 瀬下 国際調査機関の名称及びあて先 電話番号 03-3581-1101 内線 3452 日本国特許庁 (ISA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号

_C(続き).	関連すると認められる文献	
引用文献の カテゴリー*	   引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
Y	WO, 94/10983, A1 (久光製薬株式会社), 26.5月.1994 (26.05.94), 特許請求の範囲,第1頁第4行-第7行, 第3頁第10行-第4頁第5行,実施例, & AU, 9453768, A, & EP, 667148, A1, & US, 5654004, A	2-17
Y	JP, 9-176038, A (久光製薬株式会社), 8.7月.1997 (08.07.97), 特許請求の範囲, 【0001】 - 【0003】, & WO, 97/10840, A1, & AU, 9676038, A	2-17
Y	JP, 9-507387, A(サントル・ナショナル・ド・ラ・ルシエルシユ・シャンテイフイク), 29. 7月. 1997 (29. 07. 97), 特許請求の範囲, & FR, 2714383, A, & EP, 737248, A1, & AU, 9513884, A, & ZA, 9410367, A, & NO, 9602707, A, & FI, 9602693, A, & WO, 95/18223, A1	1 7
Y	JP, 8-507203, A (イノーバー ラボラトリーズ, インコーポレイテッド), 6.8月.1996 (06.08.96), 特許請求の範囲, & AU, 9466539, A, & EP, 707638, A1, & US, 5741679, A, & US, 5834186, A, & WO, 94/13791, A1	1 7
Y	JP, 8-505872, A (ユニバーシティ・リサーチ・コーポレイション), 25.6月.1996(25.06.96), 特許請求の範囲, & AU, 9459619, A, & AU, 9883186, A, & EP, 681482, A1, & US, 5854038, A, & WO, 94/16736, A1	1 7
Y	JP, 9-505084, A (ベーリンガー マンハイム ゲゼルシャフト ミット ベシュレンクテル ハフツング), 20.5月.1997(20.05.97), 特許請求の範囲, WO, 95/25800, A1, EP, 674006, A1, & EP, 751999, A1, & DE, 4410188, A1	1 7
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20.3月.1997 (20.03.97), 特許請求の範囲, & EP, 850301, A2, & US, 5834440, A	1 7
Y	JP, 10-4973, A(住友製薬株式会社), 13.1月.1998(13.01.98), 特許請求の範囲(ファミリーなし)	1 7
L		L

C (続き). 引用文献の	関連すると認められる文献	関連する
カテゴリー* Y	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示 WO, 98/12336, A1 (株式会社ディナベック研究所), 26.3月.1998 (26.03.98), 全文参照, & AU, 9743187, A	請求の範囲の番号
<b>Y</b> .	EP, 383526, A1 (Hunan Medical University), 29. 4月. 1998 (29. 04. 98), 特許請求の範囲, & JP, 10-127288, A	1 7
Y	US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25.3月.1997 (25.03.97), 特許請求の範囲 (ファミリーなし)	1 7

# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/02546

A CLASS	IFICATION OF SUBJECT MATTER C1 <sup>6</sup> A61K48/00, A61K47/30, A61K4	5/00, A61K35/76, A61K3	1/70, A61K9/20			
According to	According to International Patent Classification (IPC) or to both national classification and IPC					
	SEARCHED					
Int.	ocumentation searched (classification system followed b C1 A61K48/00, A61K47/30, A61K4	5/00, A61K35/76, A61K3				
	on searched other than minimum documentation to the					
Electronic de CAPL	ata base consulted during the international search (name US (STN), REGISTRY (STN), WPIL	e of data base and, where practicable, se (DIALOG), MEDLINE (ST	arch terms used) N)			
C. DOCU	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where app	•	Relevant to claim No.			
X Y	JP, 6-510665, A (The United 1 December, 1994 (01. 12. 94) Claim 1; page 3, upper right & US, 7747371, A & EP, 6482 & AU, 9225006, A & WO, 93/0	column	1 2-17			
X Y	WO, 98/11779, A1 (THE REGENTS CALIFORNIA), 26 March, 1998 (26. 03. 98), Abstract; Claims; page 4, 1 line 8; page 33, lines 6 to & AU, 9744221, A	1 2-17				
Y	WO, 94/10983, Al (Hisamitsu Inc.), 26 May, 1994 (26. 05. 94), Claims; page 1, lines 4 to 7 page 4, line 5; Examples & AU, 9453768, A & EP, 6671 & US, 5654004, A	; page 3, line 10 to	2-17			
Further documents are listed in the continuation of Box C.  Special categories of cited documents:  A document defining the general state of the art which is not considered to be of particular relevance  E earlier document but published on or after the international filing date document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)  O document referring to an oral disclosure, use, exhibition or other means  P document published prior to the international filing date but later than the priority date claimed  Date of the actual completion of the international search 29 July, 1999 (29. 07. 99)  See patent family annex.  "T later document published after the international filing date and not in conflict with the application but cited the principle or theory underlying the invention document of particular relevance; the claimed invention document of particular relev						
	mailing address of the ISA/ anese Patent Office	Authorized officer				
Facsimile I	No.	Telephone No.				

# INTERNATIONAL SEARCH REPORT

International application No. PCT/JP99/02546

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	JP, 9-176038, A (Hisamitsu Pharmaceutical Co., Inc.), 8 July, 1997 (08. 07. 97), Claims; Par. Nos. [0001] to [0003] & WO, 97/10840, Al & AU, 9676038, A	2-17
Y	JP, 9-507387, A (Centre National de La Recherche Scientifique), 29 July, 1997 (29. 07. 97), Claims & FR, 2714383, A & EP, 737248, A1 & AU, 9513884, A & ZA, 9410367, A & NO, 9602707, A & FI, 9602693, A & WO, 95/18223, A1	17
Y	JP, 8-507203, A (Innovir Laboratries, Inc.), 6 August, 1996 (06. 08. 96), Claims & AU, 9466539, A & EP, 707638, A1 & US, 5714679, A & US, 5834186, A & WO, 94/13791, A	17
Y	JP, 8-505872, A (University Research Corp.), 25 June, 1996 (25. 06. 96), Claims & AU, 9459619, A & AU, 9883186, A & EP, 681482, A1 & US, 5854038, A & WO, 94/16736, A1	17
Y	JP, 9-505084, A (Boehringer Mannheim GmbH.), 20 May, 1997 (20. 05. 97), Claims & WO, 95/25800, A1 & EP, 674006, A1 & EP, 751999, A1 & DE, 4410188, A1	17
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20 March, 1997 (20. 03. 97), Claims & EP, 850301, A2 & US, 5834440, A	. 17
Y	JP, 10-4973, A (Sumitomo Pharmaceuticals Co., Ltd.), 13 January, 1998 (13. 01. 98), Claims (Family: none)	17
Y	WO, 98/12336, A1 (DNAVEC Research Inc.), 26 March, 1998 (26. 03. 98), Refer to full text & AU, 9743187, A	17
- Y	EP, 383526, Al (Hunan Medical University), 29 April, 1998 (29. 04. 98), Claims & JP, 10-127288, A	17
Y	US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25 March, 1997 (25. 03. 97), Claims (Family: none)	17



From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY					
To: Agent Mr. KUZUWA, Kiyoshi	PCT				
Address:	WRITTEN OPINION				
KUZUWA & PARTNER					
Sogo Kojimachi Dai-Ichi Bldg., 2, Kojimachi 3-chome,	(PCT Rule 66)				
Chiyoda-ku, TOKYO 102					
	•				
	Date of mailing (daylmonthlyear) 08.02.00				
Applicant's or agent's file reference	REPLY DUE within 2 months/26345X				
FP-331/PCT	from the above date of mailing				
International application No. International filing date	(day/month/year) Priority date (day/month/year)				
PCT/JP99/02546 17. 05. 99	17. 05. 98				
International Patent Classification (IPC) or both national classific					
Int. Cl <sup>7</sup> A61K48/00, 47/30, 4	5/00, 35/76, 31/70, 9/20				
Applicant					
Hisamitsu Pharmaceutical Co	., Inc.				
1. This written opinion is the <u>first</u> (first, etc	.) drawn by this International Preliminary Examining Authority.				
2. This opinion contains indications relating to the following	items:				
I Basis of the opinion					
II Priority					
III Non-establishment of opinion with regard to	novelty, inventive step and industrial applicability				
IV Lack of unity of invention					
V X Reasoned statement under Rule 66.2(a)(ii) we citations and explanations supporting such statement	ith regard to novelty, inventive step or industrial applicability; atement				
VI Certain documents cited					
VII Certain defects in the international applicatio	n .				
VIII Certain observations on the international app	lication				
3. The applicant is hereby invited to reply to this opinion.					
When? See the time limit indicated above. The applicant to grant an extension, see Rule 66.2(d).	may, before the expiration of that time limit, request this Authority				
How? By submitting a written reply, accompanied, w For the form and the language of the amendment	here appropriate, by amendments, according to Rule 66.3. nts, see Rules 66.8 and 66.9.				
Also For an additional opportunity to submit amendments, see Rule 66.4.  For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4bis.  For an informal communication with the examiner, see Rule 66.6.					
	ation report will be established on the basis of this opinion.				
4. The final date by which the international preliminary examination report must be established according to Rule 69.2 is:					
Name and mailing address of the IPEA/JP Japanese Patent Office	Authorized officer				
4-3, Kasumigaseki 3-chome.					
Chivoda-ku, TOKYO 100	Telephone No. 03-3581-1101				

## WRITTEN OPINION

I. B	asis fti	ie pini n		i.		
1. This opinion has been drawn on the basis of (Substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this opinion as "originally filed".):						
		the internationa	l application as originally	filed.		
		the description,	pages 1 - 14	_ , as originally filed,		
	E			_ , filed with the demand,		
			pages	_ , filed with the letter of		
	$\boxtimes$	the claims,	Nos.	_ , as originally filed,		
			Nos	_ , as amended under Article 19,		
				_ , filed with the demand,		
		••	Nos.	, filed with the letter of		
	. [	the drawings,	sheets/fig	, as originally filed,		
		•	•	_ , filed with the demand,		
	•		•	, filed with the letter of		
3.		the claims, the drawings, sopinion has bee		<del>_</del>		
4. Ac	lditional	observations, if	necessary:			
		,		•		
			•	•		



v.	Reas ned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability;
	citations and explanati ns supporting such statement

1.	Statement			
	Novelty (N)	Claims Claims	1 - 18	YES NO
	Inventive step (IS)	Claims Claims	118	YES NO
	Industrial applicability (IA)	Claims Claims	1 - 18	YES

#### Citations and explanations

- On the claims 1-16

In claim 1 and the right upper column in page 3 of Reference 1 and the abstract, claims, page 4 line 20-page 5 line 8, and page 33 line 6-15 of Reference 2 are described preparations for oral administration to the large intestine such as colon by coating preparations containing genes such as a virus vector, a liposome, a naked DNA or a naked RNA, though there is no description on a specific coating form and making a binder, an excipient, a disintegrator and a sugar contained as additives of a solid preparation for oral administration, therefore, in these points the preparations are different from those described in the claims 1-18.

However, in a solid preparation for oral administration, the use of a double-coated structure by coating with an inner layer consisting of a cationic polymer and an outer layer consisting of an anionic polymer is known from claims, page 1 line 4-line 7, page 3 line 10-page 4 line 5 and the examples in Reference Therefore, it can not be recognized that those skilled in the art require a particular inventiveness for using the double-coated structure described in Reference 3 in stead of the coating form of the solid preparations for oral administration described in References 1 and 2.

Further, it is the item described in Reference 3 that a binder, an excipient, a disintegrator and a sugar are contained as additives of a solid preparation for oral administration, and this is an item of such degree that those skilled in the art can usually carry out.

Thus, the invention described in the claims 1-16 does not have an inventive step.

- On the claims 17 and 18

Since those having various carriers as drugs relating to genes and those by various forms of genes are known as those also in claims of References 4-13, it can not be said that making a drug relating to genes by use of these is a particularly difficult item for those skilled in the art.

Thus, the invention described in the claims 1-16 does not have an inventive step based on References 1-13.

### WRITTEN OPINION

## Supplemental Box

## Continuation of; V

```
Reference 1:
              JP, 6-510665, A,
Reference 2:
              WO, 98/11779, A1,
Reference 3:
              WO, 94/10983, A1,
Reference 4:
              JP, 9-176038, A,
              JP, 9-507387, A,
Reference 5:
Reference 6:
              JP, 8-507203, A,
Reference 7:
              JP, 8-505872, A,
Reference 8:
              JP, 9-505084, A,
Reference 9:
              WO, 97/10334, A2,
Reference 10: JP, 10-4973, A,
Reference 11: WO, 98/12336, A1,
Reference 12: EP, 383526, A1,
Reference 13: US, 5614503, A.
```

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re International Application of TANIDA, Norifumi et al.

International Serial No.: PCT/JP99/02546

International Filing date: May 17, 1999

For: Solid preparations for oral administration of generelated drugs

### VERIFICATION OF TRANSLATION

Honorable Commissioner of Patents and Trademarks Washington D.C. 20231

#### Sirs:

KUZUWA, Kiyoshi residing at AOI-Bldg., Honshio-cho 19, Shinjuku-ku, Tokyo, Japan, declares:

- (1) that he knows well both the Japanese and English languages;
- (2) that Opinion he translated PCT Written in respect (PCT/IPEA/408) of the above-identified International Application from Japanese to English;
- (3) that the attached English translation is a true οf and correct translation PCT Written Opinion (PCT/IPEA/408) in respect of the above-identified International Application to the best of his knowledge and belief; and
- (4) that all statements made of his own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like are punishable by imprisonment, or both, under 18 USC 1001, and that such false statements may jeopardize the validity of the application or any patent issuing thereon.

Sept. 18, 2000 / / / / / / KUZIIW

KUZUWA, Kiyoshi

### 特許協力条約

# 発信人 日本国特許庁 (国際予備審査機関)

出願人代理人							
葛和清司							
あて名							
Ŧ 102-0083	PCT見解書						
東京都 千代田区	(法第13条) [PCT規則66]						
麹町 3丁目2番地 相互麹町第一ビル							
葛和国際特許事務所	発送日 (1) 日 (2) <b>(2)</b> (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)						
	(日.月.年) 08.02.00						
出願人又は代理人 の書類記号 FP-331/PCT	応答期間 上記発送日から 2 月 <del>/日</del> 以内						
国際出願番号 国際出願日	優先日						
PCT/JP99/02546 (日.月.年) 17	. 05. 99 (日.月.年) 17. 05. 98						
国際特許分類 (IPC) Int.Cl' A61K48/00, 47/30, 45/00, 35/76, 31/70, 9/20							
出願人(氏名又は名称)							
久 光 製 薬	株 式 会 社						
1. これは、この国際予備審査機関が作成した1 回	目の見解書である。						
2. この見解書は、次の内容を含む。							
I X 見解の基礎							
II							
IV 開の単一性の欠如							
V       [X]       法第13条 (PCT規則66.2(a)(ii)) に規定         、それを裏付けるための文献及び説明	『する新規性、進歩性又は産業上の利用可能性についての見解 │						
VI							
VII 国際出願の不備							
№ 国際出願に対する意見							
3. 出願人は、この見解客に応答することが求められる。   いつ?	#に間に合わないときは、出願人は、法第13条(PCT規則						
いつ? 上記応答期間を参照すること。この応答期間に間に合わないときは、出願人は、法第13条(PCT規則 66.2(d))に規定するとおり、その期間の経過前に国際予備審査機関に期間延長を請求することができる。							
ただし、期間延長が認められるのは合理的な理由があり、かつスケジュールに余裕がある場合に限られる ことに注意されたい。							
どのように? 法第13条 (PCT規則66.3) の規定に従い、答弁書及び必要な場合には、補正書を提出する。補正書の							
様式及び言語については、法施行規則第62条(PCT規則66.8及び66.9)を参照すること。 なお 補正書を提出する追加の機会については、法施行規則第61条の2(PCT規則66.4)を参照すること。							
補正書及び/又は答弁書の審査官による考慮については、PCT規則66.4の2を参照すること。審査官と							
の非公式の連絡については、PCT規則66.6を参照すること。 応答がないときは、国際予備審査報告は、この見解書に基づき作成される。							
4. 国際予備審査報告作成の最終期限は、PCT規則69.2の規定により 19.09.00 である。							
名称及びあて先	特許庁審査官(権限のある職員) 4 C 9 7 3 6						
日本国特許庁 (IPEA/JP)	<b> </b>						
郵便番号100-8915 東京都千代田区路が開三丁目4乗3号							

Ι.	Ę	解の基礎						
1.	1. この見解書は下記の出願書類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に応答するために提出された差替え用紙は、この見解書において「出願時」とする。)							
		出願時の国際出願書類						
	X	明細書 明細書	第 	1-14	ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と共に提出されたもの		
	_	明細書	第		ページ、 	付の書簡と共に提出されたもの		
	X	請求の範囲	第		項、	出願時に提出されたもの		
		請求の範囲			項、	PCT19条の規定に基づき補正されたもの 国際予備審査の請求書と共に提出されたもの		
		請求の範囲 請求の範囲		1-18	項、 項、	国際下偏審堂の請求者と共に促出されたもの  付の書簡と共に提出されたもの		
	_	****** * *****************************	~· —	<del> </del>				
		図面	第			出願時に提出されたもの		
		図面	第		ページ/図、	国際予備審査の請求書と共に提出されたもの		
		図面	第		ページ/図、 	付の書簡と共に提出されたもの		
		明細書の配列	リ表の部分	第	ページ、	出願時に提出されたもの		
	_	明細書の配列			<u></u> ページ、	国際予備審査の請求書と共に提出されたもの		
		明細書の配列	リ表の部分	第	ページ、	付の書簡と共に提出されたもの		
2. 上記の出願書類の言語は、下記に示す場合を除くほか、この国際出願の言語である。								
上記の書類は、下記の言語である 語である。								
	□ 国際調査のために提出されたPCT規則23.1(b)にいう翻訳文の言語							
	Ī			にいう国際公開の				
	国際予備審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語							
3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき見解書を作成した。								
	□ この国際出願に含まれる書面による配列表							
	□ この国際出願と共に提出されたフレキシブルディスクによる配列表							
	□ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表							
	□ 出願後に、この国際予備審査(または調査)機関に提出されたフレキシブルディスクによる配列表							
	Ì					国際出願の開示の範囲を超える事項を含まない旨の陳述		
	書の提出があった							
		_	る配列表に があった。		:フレキシブルディ	·スクによる配列表に記録した配列が同一である旨の陳述		
		者の延田	いいめりつに。					
4.				が削除された。				
	닏	明細書						
	□ 請求の範囲 第項							
□ 図面 図面の第 ページ/図								
5. この見解書は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認められるので、その補正がされなかったものとして作成した。(PCT規則70.2(c))								
Communication of Control of Children Control of Control								

V.	新規性、進歩性又は産業上の利用可能性についての法第13条 (PCT規則66.2(a)(ii)に る文献及び説明	こ定める見解、	それを裏付
1.	見解		

新規性(N)	請求の範囲	1 - 1 8	有
	請求の範囲		

進歩性(IS)

請求の範囲 有 1 - 18請求の範囲 無

産業上の利用可能性 (IA)

請求の範囲 有 無 請求の範囲

#### 2. 文献及び説明

○請求の範囲1-16について

文献1の特許請求の範囲1及び第3頁右上欄、そして文献2の要約、特許請求の 範囲、第4頁第20行-第5頁第8行及び第33頁第6行-第15行には、ウイル スベクター、リポソーム、むき出しのDNAあるいはRNAなどの遺伝子含有製剤 を、腸溶性カプセルや錠剤としてコーティングすることによる、結腸など大腸への 経口投与製剤が記載されているが、具体的なコーティング形態及び経口投与固形製 剤の添加剤として結合剤や賦形剤、崩壊剤、糖類を含有させることについては記載 されておらず、これらの点で請求の範囲1ないし18に記載のものと相違してい

しかし、経口投与製剤において、小腸での有効成分の放出を防ぎ、大腸において 放出させるため、陽イオン性ポリマーからなる内層及び陰イオン性ポリマーからな る外層によりそれぞれ被覆してなる二重被覆構造を用いることは、文献3の特許請 求の範囲、第1頁第4行-第7行、第3頁第10行-第4頁第5行及び実施例にも あるように公知のものであるから、文献1及び2に記載の経口投与製剤のコーティング形態にかえて、文献3に記載の二重被覆構造を用いることに、当業者が格別の創意を要したものであるとは認められない。

また、経口投与固形製剤の添加剤として、結合剤や賦形剤、崩壊剤、糖類を含有 させることは文献3に記載されている事項であり、当業者が通常実施しうる程度の 事項である。

よって、請求の範囲1ないし16に記載の発明は、文献1ないし3により進歩性 を有さない。

○請求の範囲17、18について 文献4ないし13の特許請求の範囲にもあるように、遺伝子関連医薬として種々のキャリアを有するもの及び種々の遺伝子の形態によるものが公知であるから、こ れらを用いて遺伝子関連医薬とすることは、当業者にとって格別困難な事項である とはいえない。

よって、請求の範囲17及び18に記載の発明は、文献1ないし13により進歩性を有さない。

### 補充欄(いずれかの欄の大きさが足りない場合に使用すること)

### 第 V 櫚の続き

,

文献1; JP, 6-510665, A (アメリカ合衆国) 文献2; WO, 98/11779, A1

(THE REAGENTS OF THE UNIVERSITY OF CALIFORNIA)

文献 3; WO, 94/10983, A1 (久光製薬株式会社)

文献4; JP, 9-176038, A (久光製薬株式会社) 文献5; JP, 9-507387, A (サントル・ナショナル・ド・ラ・ルシエルシュ・シヤンテイフイク)

文献 6 ; J P, 8-507203, A (イノーバー ラボラトリーズ インコーポレイテッド)

文献7; JP, 8-505872, A

(ユニバーシティ・リサーチ・コーポレイション)

文献8; JP, 9-505084, A (ベーリンガー マンハイム ゲゼルシャフト ミット ベシュレンクテル ハフツング) 文献9; WO, 97/10334, A 2 (IMMUSOL, Inc.) 文献10; JP, 10-4973, A (住友製薬株式会社)

文献11; WO, 98/12336, A1 (株式会社ディナベック研究所)

文献12; EP, 383526, A1 (Human Medical University)

文献13; US, 5614503, A (Aronex Pharmaceuticals, Inc.)

### 提出書類の様式及び作成要領について

答弁書及び手続補正書は、特許協力条約に基づく国際出願等に関する法律施行規則第62条(様式第23)及び同 規則第31条(様式15)に従って作成して下さい。

- 11 227
- 記する。 「国籍」は、出願人又は代表者がその国民である国の国名を記載する。 「住所」は、出願人又は代表者がその居住者である国の国名を記載する。 国名を記載する場合においては、特許庁長官が指定する国の名称を日本語及び英語により

- 表示する。
  「代理人」の個には、その氏名の記像に合わせて、その氏名の前に「弁護士」、「弁理士」又は「法定代理人」のうち該当するものを記像する。
  「6 代理人によるときは本人の印は不要とし、代理人によらないときは「代理人」の機を設けるには及ばない。
  「7 各用紙においては、原則として抹消、訂正、重ね書き及び行関挿入を行ってはならない。
  「8 答弁書の用紙は、容易に分離し、又はとじ直すことができるように例えばクリップ等を用いてよい。
- てとじる。 「あて名」は出願人、代表者、代理人又は復代理人各人ごとに1つのあて名のみを記載す 19
- 20

- 9 「あてる」は出頭人、代表者、代理人又は復代理人各人ごとに1つのあて名のみを記載する。
  5 「復代理人」の欄には、その氏名の記載に合わせて、その氏名の前に「弁護士」又は「弁理士」のうち該当するものを記載する。
  1 復代理人によるときは代理人の印は不要とし、復代理人によらないときは「復代理人」の個を設けるには及びない。
  2 日付は、西暦紀元及びグレゴリー暦により、日についての数字、月についての数字及び年についての最後から2つの数字をこの順序に従ってそれぞれについて2桁のアラビア数字であれて、かつ、日及び月の数字の後にピリオドを付す(例えば1978年3月30日は「30、03、78」)。他の紀元又は暦を用いる場合には、西暦紀元及びグレゴリー暦による日付を併記する。

		答	弁	杏
	特許庁審査官			殿
1	国際出願の表示			
2	出類人 (代表者)			
	氏名 (名称) あて名			
	100			-
	住所			
3	代理人			
	氏名 あて名			
۵ ا	通知の日付			
5	答弁の内容			
6	添付書類の目録			

- 請求の範囲について関正をするときは、当該橋正に係る請求の範囲を次のように記破した。 特え用紙を添付する。
   イ 新たに請求の範囲を迫加するときは、その追加する請求の範囲に橋正前の請求の範囲の数 後のものは付した番号を「〇(迫加)」のように記載する。
   ロ いずれかの請求の範囲を削除するときには、その削除する請求の範囲に付されている番号を「〇(削除)」のように記載する。
   バ 請求の範囲の数を増減せずに補正するときは、その削除する請求の範囲に憶正前の請求の範囲を考りと同一の番号を「〇(削圧後)」のように記載する。
   5 新60条の3第3項の規定によりフレキンブルディスクを提出するときと又は第50条の3第5項規定による命令に基づきフレキンブルディスクを提出するときは、次の要領で記載する。
   4 「7 都行書額の目録」の側に次のように記載する。
   5 脈付春額の目録」の側に次のように記載する。
   5 脈付春額の目録」の側に次のように配する。
   6 脈付春額の目録」の側に次のように配する。

陵途春

特許庁長官 暖 本書に添付したフレキシブルディスクに記録した塩基配列又はアミノ酸配列は、明細書に 記載した塩素配列又はアミノ酸配列を忠実にコード化したものであって、内容を変更したも のでないことを陳述します。 ローロ ほ 日 日

平成 年 月 日 国際出版の表示

- 国際出類の表示

  現例の名称
  特許出類人・代理人
  特許出類人・代理人
  氏名(名称)」、「代理人氏名(名称)」、「国際出類の表示」、「契明の名称」、「使用
  氏名(名称)」、「代理人氏名(名称)」、「国際出額の表示」、「契明の名称」、「使用
  した文字コード」、「配例を記録したファイル名」及び「盛務先(電話書号及び担当者の氏
  名)」の項目を設けて記載することにより作成する。
  二 「5 植正の対象」及び「6 補正の内容」の側は設けない。
  第50条の3第5項の規定による命令に基づき配列表を記載した否面を提出するときは、「7 抵付哲類の目録」の側に次のように記載し、「5 補正の対象」及び「6 補正の内容」
  の側は砂けいい。

- 1 国名を記載する場合においては、特別が大きか付近する国の名が使じる場合により表示する。 2 「代理人」の機には、その氏名の記載に合わせて、その氏名の前に「弁理士」、「弁理士」 又は「法定代理人」のうち該当するものを記載する。 3 代理人によるときは本人の印は不要とし、代理人によらないときは「代理人」の機を設ける には及ばない。
- になりはない。 各用紙においては、原則として抹消、訂正、盛ねむき及び行間換入を行ってはならない。 手配補正書の用紙は、容易に分離し、又はとじ直すことができるように例えばクリップ等を 「あて名」は出類人、代表者、代理人又は復代理人各人ごとに1つのあて名のみを記載する

- 27 「彼代理人」の概には、その氏名の記載に合わせて、その氏名の前に「弁護士」又は「弁理士」のうち該当するものを記載する。
  28 彼代理人によるときは代理人の印は不要とし、彼代理人によらないときは「彼代理人」の概を設けるには及ばない。
  29 日付は、西暦紀元及びグレゴリー間により、日についての数半、月についての数半及び年についての数後から2つの数字をこの前に従ってそれぞれについて2桁のアラビア数字で表示し、かつ、日及び月の数字の後にピリオドを付す(例えば1978年3月30日は「30.03.78」)、他の紀元又は哲を用いる場合には、西暦紀元及びグレゴリー暦による日付を併せれる。

	Ŧ.	紀	Mi	æ	森	
特群疗技官				殿		
(特許庁審査官				級)	,	
1 国際出版の表示						
2 出版人(代表者)						
氏名 (名称)	)					
あて名						
(4)						
住所 3 代理人						
5 代表						
あても						
4 植正命令の日付						
5 精正の対象						
6 関正の内容						
7 旅付券覧の目録						



### CLAIM

5

10

25

- 1. A solid preparation having a coating around the core containing a gene-related drug for oral administration with relesablity in lower digestive tracts wherein said coating does not disintegrated in small intestines.
- 2. The solid preparation for oral administration according to claim 1, having a double-coated structure wherein the outside of the core comprising the gene-related drug is coated with an inner layer comprising a cationic copolymer and with an outer layer comprising an anionic copolymer.
- 3. The solid preparation for oral administration according to claim 1 or 2 comprising a binder, a disintegrator and an excipient as additives in the core containing the gene-related drug.
- 4. The solid preparation for oral administration according to any of claims 1-3 wherein the mixed ratio of the gene-related drug and a binder is 1:0.2-1:5 or the mixed ratio of the gene-related drug, a binder and an excipient is 1:0.2:0.01-1:5:1.
- 5. The solid preparation for oral administration according to any of claims 1-3 wherein the mixed ratio of a saccharide contained in the core containing the gene-related drug is in the range of 20-60 wt.%.
  - 6. The solid preparation for oral administration according to any of claims 1-3 wherein the disintegrator contained in the core containing the gene-related drug is in the range of 2-15

wt.%.

5

10

15

20

25

and mannitol.

- 7. The solid preparation for oral administration according to any of claims 1-3 and 6, characterized in that the disintegrator is mixed for the production in the ratio of 1:0.05-1:10 against mixed amount of the gene-related drug.
- 8. The solid preparation for oral administration according to any of claims 1-4 wherein the excipient contained in the core containing the gene-related drug is in the range of 0.1-15 wt.%.
- 9. The solid preparation for oral administration according to any of claims 1-4 wherein the gene-related drug contained in the core containing the gene-related drug is in the range of 0.1-50 wt.%.
- 10. The solid preparation for oral administration according to any of claims 1-4 wherein the binder contained in the core containing the gene-related drug is in the range of 5-40 wt.%.
- 11. The solid preparation for oral administration according to any of claims 1-3, 6 and 7 wherein the disintegrators are crospovidone, alpha starch, sodium carboxymethyl starch, carmellose, calcium carmellose, sodium carmellose, agar powder, sodium croscarmellose, crystalline cellulose, low substituted hydroxypropyl cellulose, starch, dextrin, hydroxyethylmethyl cellulose, hydroxypropyl starch, hydroxypropyl cellulose, hydroxypropyl starch, hydroxypropyl cellulose, hydroxypropylmethyl cellulose, polyvinylpyrrolidone, macrogol
- 12. The solid preparation for oral administration according

A CONTRACTOR OF THE

to any of claims 1-3 and 5 wherein the saccharides are monosaccharides and disacchaarides such as lactose, fructose, sucrose, glucose, xylitol, maltose, mannnitol and sorbitol, or polysaccharides and derivatives thereof such as cellulose, crystalline cellulose, hydroxypropyl cellulose, hydroxypropyl cellulose, hydroxypropylmethyl cellulose, ethyl cellulose, starch, dextrin, dextran, pectin and pullulan.

5

10

15

20

25

- 13. The solid preparation for oral administration according to any of claims 1-3 and 8 wherein the excipients are light anhydrous silicic acid, ethyl cellulose, carmellose, agar, magnesium aluminosilicate, calcium silicate, magnesium silicate, cyclodextrin, starch, synthetic aluminum silicate, synthetic hydrotalcite, titanium oxide, zinc oxide, magnesium oxide, alumina magnesium hydroxide, magnesium stearate, calcium stearate, aluminum silicate, talc, crystalline cellulose and lactose.
- 14. The solid preparation for oral administration according to any of claims 1-3 and 9 wherein the gene-related drugs comprise DNA, RNA and modified compounds thereof, and compounds thereof conjugated or bound to a carrier.
- 15. The solid preparation for oral administration according to any of claims 1-3, 10 and 12 wherein the binders are crystalline cellulose, gum arabic, sodium alginate, ethyl cellulose, agar, carboxyvinyl polymer, carmellose, gelatin, low substituted hydroxypropyl cellulose, starch, dextrin, hydroxypropyl

cellulose, hydroxypropylmethyl cellulose, pectin, polyvinylpyrrolidone, macrogol and methyl cellulose.

5

10

- 16. The solid preparation for oral administration according to claim 14 wherein the carriers comprise a cationic polymer, cationic lipid, virus vector and phage.
- 17. The solid preparation for oral administration according to any of claims 1-3 wherein the gene-related drugs comprise anucleic acid, oligonucleotide, antisence, triple helix forming olignucleotide (TFO), ribozyme, decoy, plasmid, cosmid, Pl phage, YAC (yeast artificial chromosome), chromosome, aptamer and phage.

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re International Application of TANIDA, Norifumi et al.

International Serial No.: PCT/JP99/02546

International Filing date: May 17, 1999

For: Solid preparations for oral administration of generelated drugs

### VERIFICATION OF TRANSLATION

Honorable Commissioner of Patents and Trademarks Washington D.C. 20231

### Sirs:

KUZUWA, Kiyoshi residing at AOI-Bldg., Honshio-cho 19, Shinjuku-ku, Tokyo, Japan, declares:

- (1) that he knows well both the Japanese and English languages;
- he the above-identified International (2) that Application from Japanese to English;
- (3) that the attached English translation is a true and correct translation of AMENDMENT in respect of the above-identified International Application to the best of his knowledge and belief; and
- (4) that all statements made of his own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like are punishable by fine or imprisonment, or both, under 18 USC 1001, and that such false statements may jeopardize the validity of the application or any patent issuing thereon.

Sept. 18, 2000 (C./C.)
Date KIIZIIWA KIWASHI

## 532 Rec'd FCT/CTO 20 NOV 2000

### **AMENDMENT**

(Amendment under the provisions of Section 11 of the Patent Law)

dated December 8, 1999

To: Commissioner of the Patent Office

- 1. Identification of the International Application: PCT/JP99/02546 (FP-331/PCT)
- 2. Applicant:

Name: HISAMITSU PHARMACEUTICAL CO., INC.

Address: 408, Tashirodaikanmachi, Tosu-shi, Saga 841-

0017 JAPAN

Country of nationality: Japan

Country of residence: Japan

3. Agent:

Name: KUZUWA, Kiyoshi, 10284, patent attorney

Address: Patent Attorneys, KUZUWA & PARTNER, Sogo

Kojimachi Dai-ichi Bldg., 2, Kojimachi 3-chome,

Chiyoda-ku, Tokyo 102-0083 JAPAN

- 4. Item to be Amended: Claims
- 5. Subject Matter of Amendment:

Amend claims 1-17.

Add claim 18.

6. List of Attached Documents:

Pages 15, 16 and 17 of Claims.

09/700817 522 had to 20 NOV 2020

### IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re International Application of TANIDA, Norifumi et al.

International Serial No.:

PCT/JP99/02546

International Filing date: May 17, 1999

For: Solid preparations for oral administration of generelated drugs

### VERIFICATION OF TRANSLATION

Honorable Commissioner of Patents and Trademarks Washington D.C. 20231

### Sirs:

KUZUWA, Kiyoshi residing at AOI-Bldg., Honshio-cho 19, Shinjuku-ku, Tokyo, Japan, declares:

- that he knows well both the Japanese and (1)English languages;
- (2) that he translated PCT International Preliminary Examination Report (PCT/IPEA/409) in respect of the above-identified International Application from Japanese to English;
- (3) that the attached English translation is a true and correct translation of PCT International Preliminary Examination Report (PCT/IPEA/409) in respect of the above-identified International Application to the best of his knowledge and belief; and
- (4) that all statements made of his own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements are made with the knowledge that willful false statements and the like are punishable by imprisonment, or both, under 18 USC 1001, and that such false statements may jeopardize the validity of the application or any patent issuing thereon.

Sept. 18, 2000 K. /lest

KUZUWA, Kiyoshi

## From the INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To:

KUZUWA, Kiyoshi Kuzuwa & Partner Sogo Kojimachi Dai-ichi Building 2, Kojimachi 3-chome, Chiyoda-ku Tokyo 102-0083 Japan

## PCT

## NOTIFICATION OF TRANSMITTAL OF INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Rule 71.1)

IMPORTANT NOTIFICATION

Date of Mailing (day/month/year)

08. 08. 00

Applicant's or agent's file reference

FP-331/PCT

International application No.

International filing date (day/month/year)

Priority Date (day/month/year)

PCT/JP99/02546

17. 05. 99

19. 05. 98

Applicant

Hisamitsu Pharmaceutical Co., Inc.

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

### 4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices)(Article 39(1))(see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA

Japanese Patent Office (IPEA/JP)

4-3, Kasumigaseki 3-chome,

Facsimile No Chiyoda-ku, Tokyo 100-8915

Authorizedcoffeet

Director of Patent Office

Telephone No.

1. 1.

Merch Service



# Translation

# **PCT**

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FP-331/PCT	FOR FURTHER ACT	ION SeeNotificat Examination	ionofTransmittalofInternational Preliminary Report (Form PCT/IPEA/416)			
International application No.	International filing date (	day/month/year)	Priority date (day/month/year)			
PCT/JP99/02546	17. 05. 99		19. 05. 98			
International Patent Classification (IPC) or n	ational classification and I	PC				
Int. C1 <sup>7</sup> A61K48/00.	47/30, 45/00	. 35/76, 3	1/70, 9/20			
THE. CI ACTRACTOR,	47/30/ 13/00/	, 55, 15,				
Applicant		<b></b>				
Hisamitsu Pha	rmaceutical Co	o., Inc.				
This international preliminary exam     and is transmitted to the applicant acts.	ination report has been proceeding to Article 36.	epared by this Inter	national Preliminary Examining Authority			
This REPORT consists of a total of	4 sheets, in	ncluding this cover	sheet.			
This report is also accompan	ied by ANNEXES, i.e., sh	eets of the descript	ion, claims and/or drawings which have been			
amended and are the basis for	or this report and/or sheets	containing rectific	ations made before this Authority (see Rule			
70.16 and Section 607 of the						
These annexes consist of a to	otal ofsh	eets.				
		· · · · · · · · · · · · · · · · · · ·				
3. This report contains indications rela	ating to the following item	· ·				
I Basis of the report	Basis of the report					
II Priority						
III Non-establishment	of opinion with regard to	novelty, inventive	step and industrial applicability			
IV Lack of unity of in	vention					
Personed statemen	nt under Article 35(2) with nations supporting such st	regard to novelty,	inventive step or industrial applicability;			
VI Certain documents						
VII Certain defects in	the international application	on				
	ns on the international app	olication				
		<del></del>				
		Data of communication	a of this report			
Date of submission of the demand		Date of completio				
08. 12. 99		26. 07.	00			
1						
Name and mailing address of the IPEA/JP	,	Authorized office	r			
Japanese Patent Office, 4-3 Kasumi	gaseki 3-chome					
Chiyoda-ku, Tokyo 100-8915, Japan	n	Telephone No. (8	21_3\3581 1101			
Facsimile No.		reiepnone No. (8	11-3/3301 1101			

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

_	of the rep		
1. With	-	the elements of the international application:*	
	the inter	rnational application as originally filed	
$\boxtimes$	the desc	cription:	
	pages	1 - 14	, as originally filed
	pages		filed with the demand
	pages	, filed with the letter of	
$\boxtimes$	the clair	ims:	
	pages		, as originally filed
	pages	, as amended (together with any state	ement under Article 19
	pages	1 – 18	The with the demand
	pages .	, filed with the letter of	
	the drav	wings:	
_	pages		, as originally filed
	pages		, filed with the demand
	pages	, filed with the letter of	
	the seque	ence listing part of the description:	
	pages		, as originally filed
	pages		, filed with the demand
	pages	, filed with the letter of	
the i	the land the	Inguage of a translation furnished for the purposes of international search (under Rule 23.1(b)).  Inguage of publication of the international application (under Rule 48.3(b)).  Inguage of the translation furnished for the purposes of international preliminary examination 3).  If to any nucleotide and/or amino acid sequence disclosed in the international applice examination was carried out on the basis of the sequence listing:  International application in written form.  Itogether with the international application in computer readable form.  Is shed subsequently to this Authority in written form.  It shed subsequently to this Authority in computer readable form.  It statement that the subsequently furnished written sequence listing does not go beyond national application as filed has been furnished.  It is a translation of the purposes of international search (under Rule 23.1(b)).  It is a translation furnished to the purposes of international search (under Rule 23.1(b)).  It is a translation of the purposes of international search (under Rule 23.1(b)).  It is a translation of the international application application in the international application in the international application in written form.  It is a translation furnished to the purposes of international search (under Rule 23.1(b)).  It is a translation of the international application furnished to any nucleotide and/or amination application in the international application in written form.	which is:  (under Rule 55.2 and/ ation, the international the disclosure in the
4 5	This re	the description, pages the claims, Nos the drawings, sheets/fig report has been established as if (some of) the amendments had not been made, since they had the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	
in	this repo 170 17).	nt sheets which have been furnished to the receiving Office in response to an invitation under a cort as "originally filed" and are not annexed to this report since they do not contain to the contain its report since they do not contain to the containing such amendments must be referred to under item. I and annexed to this the containing such amendments must be referred to under item. I and annexed to this the containing such amendments must be referred to under item.	The state of the s

## INTERNATIONAL PRELIMINARY EXAMINATION REPORT

V. Reasoned statèment under Artic citations and explanations suppo	le 35(2) with to	egard to novelty, inventive step or industr Itement	пат аррисавицу;
1. Statement	Claims	1 - 18	YES
Novelty (N)	Claims –		NO
Inventive step (IS)	Claims		YES
• • • •	Claims -	1 - 18	NO
Industrial applicability (IA)	Claims	1 - 18	YES
	Claims -		NO

### 2. Citations and explanations

- On the claims 1-16

In claim 1 and the right upper column in page 3 of Reference 1 and the abstract, claims, page 4 line 20-page 5 line 8, and page 33 line 6-15 of Reference 2 are described preparations for oral administration to the large intestine such as colon by coating preparations containing genes such as a virus vector, a liposome, a naked DNA or a naked RNA, though there is no description on a specific coating form and making a binder, an excipient, a disintegrator and a sugar contained as additives of a solid preparation for oral administration, therefore, in these points the preparations are different from those described in the claims 1-18.

However, in a solid preparation for oral administration, the use of a double-coated structure by coating with an inner layer consisting of a cationic polymer and an outer layer consisting of an anionic polymer is known from claims, page 1 line 4-line 7, page 3 line 10-page 4 line 5 and the examples in Reference 3. Therefore, it can not be recognized that those skilled in the art require a particular inventiveness for using the double-coated structure described in Reference 3 in stead of the coating form of the solid preparations for oral administration described in References 1 and 2.

Further, it is the item described in Reference 3 that a binder, an excipient, a disintegrator and a sugar are contained as additives of a solid preparation for oral administration, and this is an item of such degree that those skilled in the art can usually carry out.

Thus, the invention described in the claims 1-16 does not have an inventive step.

- On the claims 17 and 18

Since those having various carriers as drugs relating to genes and those by various forms of genes are known as those also in claims of References 4-13, it can not be said that making a drug relating to genes by use of these is a particularly difficult item for those skilled in the art.

Thus, the invention described in the claims 1-16 does not have an inventive step based on References 1-13.

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Instructional application No. PCT/JP99/02546

Supplemental Box

(T be used when the space in any f the preceding boxes is not sufficient)

### Continuation of: V

Reference 1: JP, 6-510665, A, Reference 2: WO, 98/11779, A1, Reference 3: WO, 94/10983, A1, Reference 4: JP, 9-176038, A, Reference 5: JP, 9-507387, A, Reference 6: JP, 8-507203, A, Reference 7: JP, 8-505872, A, Reference 8: JP, 9-505084, A, Reference 9: WO, 97/10334, A2, Reference 10: JP, 10-4973, A, Reference 11: WO, 98/12336, A1, Reference 12: EP, 383526, A1,

Reference 13: US, 5614503, A.

### 特許協力条約

PCT

### 国際予備審査報告

REC'D 11 AUG 2000

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の書類記号 FP-331/PCT	今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。					
国際出願番号 PCT/JP99/02546	国際出願日 (日.月.年) 17.05.99 優先日 (日.月.年) 19.05.98					
国際特許分類 (IPC) Int.Cl' A61K48/00, 47/30, 45/00, 35/76, 31/70, 9/20						
出願人(氏名又は名称) 久	光製薬株式会社					
1. 国際予備審査機関が作成したこの	国際予備審査報告を法施行規則第57条(PCT36条)の規定に従い送付する。					
2. この国際予備審査報告は、この表紀	<b>紙を含めて全部で</b> 4 ページからなる。					
査機関に対してした訂正を含む (PCT規則70.16及びPCT	付属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審 ②明細書、請求の範囲及び/又は図面も添付されている。 実施細則第607号参照) 3 ページである。					
3. この国際予備審査報告は、次の内容	学を含む。					
I X 国際予備審査報告の基礎						
Ⅱ    優先権						
Ⅲ	上の利用可能性についての国際予備審査報告の不作成					
IV						
V X PCT35条(2)に規定で の文献及び説明	する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるため					
VI						
VII 国際出願の不備						
VII □ 国際出願に対する意見	· ·					
国際予備審査の請求書を受理した日 08.12.99	国際予備審査報告を作成した日 26.07.00					
名称及びあて先 日本国特許庁(IPEA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目44	今 村 玲 英 子 印					

I.	[	国際予備審査幸	8告の基礎	<u> </u>			
1.	1. この国際予備審査報告は下記の出願書類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に 応答するために提出された差し替え用紙は、この報告書において「出願時」とし、本報告書には添付しない。 PCT規則70.16,70.17)						
		出願時の国際	景出願書類	į			
	X	明細書 明細書 明細書	第 第 第	1-14	ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書	
	X	請求の範囲 請求の範囲 請求の範囲 請求の範囲	第 第 第 第	1-18	項、 項、 項、 	出願時に提出されたもの PCT19条の規定に表 国際予備審査の請求書	<b>基づき補正されたもの</b>
		図面 図面 図面	第  第  第		 ページ/図、	出願時に提出されたもの 国際予備審査の請求書と	0
		明細書の配列 明細書の配列 明細書の配列	リ表の部分	第	ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と	
2.	J	上記の出願書類	質の言語は	、下記に示す場合	合を除くほか、こ	の国際出願の言語である。	
3.	上記の書類は、下記の言語である 語である。  国際調査のために提出されたPCT規則23.1(b)にいう翻訳文の言語 PCT規則48.3(b)にいう国際公開の言語 国際予備審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語  この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際予備審査報告を行った。 この国際出願に含まれる書面による配列表 この国際出願と共に提出されたフレキシブルディスクによる配列表						
	<ul> <li>□ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表</li> <li>□ 出願後に、この国際予備審査(または調査)機関に提出されたフレキシブルディスクによる配列表</li> <li>□ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった</li> <li>□ 書面による配列表に記載した配列とフレキシブルディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。</li> </ul>						
4.		i 正により、T 明細書 請求の範囲 図面	第	が削除された。	項	ジ/図	
5.	5. この国際予備審査報告は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認められるので、その補正がされなかったものとして作成した。(PCT規則70.2(c) この補正を含む差し替え用紙は上記1. における判断の際に考慮しなければならず、本報告に添付する。)						

### 国際予備審査報告

V.	新規性、	進歩性又は産業上の利用可能性についての法第12条	(РСТЗ5条(2))	に定める見解、	それを裏付ける
	→献及7	(説明			

### 1

. 見解			
新規性(N)	請求の範囲	1-18	有 無
進歩性(IS)	請求の範囲	1-18	有 無
産業上の利用可能性(IA)	請求の範囲 請求の範囲	1-18	有 無

### 2. 文献及び説明 (PCT規則70.7)

### ○請求の範囲1-16について

文献1の特許請求の範囲1及び第3頁右上欄、そして文献2の要約、特許請求の範 囲、第4頁第20行一第5頁第8行及び第33頁第6行一第15行には、ウイルスベ クター、リポソーム、むき出しのDNAあるいはRNAなどの遺伝子含有製剤を、腸 溶性カプセルや錠剤としてコーティングすることによる、結腸など大腸への経口投与 製剤が記載されているが、具体的なコーティング形態及び経口投与固形製剤の添加剤 として結合剤や賦形剤、崩壊剤、糖類を含有させることについては記載されておら これらの点で請求の範囲1ないし18に記載のものと相違している。

しかし、経口投与製剤において、小腸での有効成分の放出を防ぎ、大腸において放出させるため、陽イオン性ポリマーからなる内層及び陰イオン性ポリマーからなる外 層によりそれぞれ被覆してなる二重被覆構造を用いることは、文献3の特許請求の範 囲、第1頁第4行-第7行、第3頁第10行-第4頁第5行及び実施例にもあるよう に公知のものであるから、文献1及び2に記載の経口投与製剤のコーディング形態にかえて、文献3に記載の二重被覆構造を用いることに、当業者が格別の創意を要した ものであるとは認められない。

また、経口投与固形製剤の添加剤として、結合剤や賦形剤、崩壊剤、糖類を含有さ せることは文献3に記載されている事項であり、当業者が通常実施しうる程度の事項 である。

よって、請求の範囲1ないし16に記載の発明は、文献1ないし3により進歩性を 有さない。

### ○請求の範囲17、18について

文献4ないし13の特許請求の範囲にもあるように、遺伝子関連医薬として種々の キャリアを有するもの及び種々の遺伝子の形態によるものが公知であるから、これら を用いて遺伝子関連医薬とすることは、当業者にとって格別困難な事項であるとはい えない。

よって、請求の範囲17及び18に記載の発明は、文献1ないし13により進歩性 を有さない。

 $(\omega_{\mathcal{T}} X_{\mathbf{r}}) = ((\omega_{\mathcal{T}} - \omega_{\mathcal{T}})^{-1} \omega_{\mathcal{T}} + (\omega_{\mathcal{T}} - \omega_{\mathcal{T}})^{-1})$ 

# 補充欄 (いずれかの欄の大きさが足りない場合に使用すること)

#### V 櫚の続き

文献1; JP, 6-510665, A (アメリカ合衆国) 文献2; WO, 98/11779, A1

(THE REAGENTS OF THE UNIVERSITY OF CALIFORNIA)

文献3;WO,94/10983,A1(久光製薬株式会社)

文献 4 ; JP, 9-176038, A (久光製薬株式会社) 文献 5 ; JP, 9-507387, A

(サントル・ナショナル・ド・ラ・ルシエルシュ・シヤンテイフイク)

文献 6; J P, 8-507203, A (イノーバー ラボラトリーズ インコーポレイテッド)

文献7; JP, 8-505872, A (ユニバーシティ・リサーチ・コーポレイション)

文献8; JP, 9-505084, A (ベーリンガー マンハイム ゲゼルシャフト ミット ベシュレンクテル ハフツング)

文献 9; WO, 97/10334, A2 (IMMUSOL, Inc.)

文献10; JP, 10-4973, A (住友製薬株式会社) 文献11; WO, 98/12336, A1 (株式会社ディナベック研究所) 文献12; EP, 383526, A1 (Human Medical University) 文献13; US, 5614503, A (Aronex Pharmaceuticals, Inc.)

# 請求の範囲

1. (補正後)遺伝子関連医薬を含む核にコーティングを施した下部消化管放出性の経口投与固形製剤であって、

コーティングが小腸では崩壊しない、陽イオン性コポリマーからなる内層及び陰イオン性ポリマーからなる外層とを備えた二重被覆構造を有する、前記経口投与固形製剤。

- 2. (補正後)遺伝子関連医薬を含む核が、添加剤として結合剤を含む、請求項1に記載の経口投与固形製剤。
- 3. (補正後)遺伝子関連医薬を含む核が、添加剤としてさらに賦形剤を含む、請求項2に記載の経口投与固形製剤。
- 4. (補正後)遺伝子関連医薬を含む核が、添加剤としてさらに崩壊剤及び糖類の一方又は双方を含む、請求項2又は3に記載の経口投与固形製剤。
- 5. (補正後)遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、請求項2、3又は4に記載の経口投与固形製剤。
- 6. (補正後)遺伝子関連医薬を含む核に含まれる糖類の配合割合が20~ 60重量%の範囲内にある、請求項4又は5に記載の経口投与固形製剤。
- 7. (補正後)遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、請求項4、5又は6に記載の経口投与固形製剤。
- 8.(補正後)遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1: 10の割合で混合し製造する、請求項4~7のいずれかに記載の経口投与固 形製剤。
- 9.(補正後) 遺伝子関連医薬を含む核に含まれる賦形剤が 0.1~15重量%の範囲内にある、請求項 3~8のいずれかに記載の経口投与固形製剤。
- 10.(補正後) 遺伝子関連医薬の核に含まれる遺伝子関連医薬が0.1~50重量%の範囲内にある、請求項1~9のいずれかに記載の経口投与固形製剤。
- 11.(補正後)遺伝子関連医薬を含む核に含まれる結合剤が5~40重量%

2000年至1966年1月19日,在1866年1月1日,1966年日,1966年1月1日,1966年1月1日,1966年1月1日,1966年1月1日,1966年1月1日,1966年1月1日,1966年1月1日,1966年

a bennangset gazat garang nagat kangsa dan samalagi akanan aga a géngé a na naggapa ana a sa

and a final factor of the control of the first state of the first section of the control of the

Specifical resources and the specifical spec

の範囲内にある、請求項2~10のいずれかに記載の経口投与固形製剤。

12.(補正後)崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール及びマンニトールからなる群より選択した1又は2以上の物質であるである、請求項4~11のいずれかに記載の経口投与固形製剤。

13.(補正後)糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体からなる群より選択した1又は2以上の物質である、請求項4~12のいずれかに記載の経口投与固形製剤。

14.(補正後) 賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース及び乳糖からなる群より選択した1又は2以上の物質である、請求項3~13のいずれかに記載の経口投与固形製剤。

15.(補正後)遺伝子関連医薬が、DNA又はRNA又はそれらを修飾した 化合物又はそれらをキャリアと接合または結合した化合物である、請求項1 ~14のいずれかに記載の経口投与固形製剤。

16.(補正後) 結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリ

and the property of the company of the property of the company of the company of the company of the company of

Land the state of the state of

ウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール及びメチルセルロースからなる群から選択した1又は2以上の物質である、請求項2~15のいずれかに記載の経口投与固形製剤。

17.(補正後)キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、請求項15に記載の経口投与固形製剤。

18.(追加)遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプルへリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC (酵母人工染色体)、クロモゾーム、アプタマー及びファージからなる群から選択される1又は2以上の医薬である、請求項1~14及び16のいずれかに記載の経口投与固形製剤。

- The Application (Application Control of the Con

The second of th

Mary to the first of the property of the second of the sec

A CONTRACTOR OF THE PROPERTY O

A DO CONTRACTOR OF THE SECRETARY CONTRACTOR SECURISH AND A DESCRIPTION OF THE SECRETARY OF THE SECRETARY OF TH

# 手続補正書(法第11条の規定による補正)

# PCT 08.12.99 受領印

# 特許庁長官 殿

BH

1. 国際出願の表示

PCT/JP99/02546 (FP-331/PCT)

2. 出願人

あて名 〒841-0017 日本国佐賀県鳥栖市田代大官町 408 番地 408, Tashirodaikanmachi, Tosu-shi, Saga 841-0017 JAPAN

国籍 日本国 JAPAN

住所 日本国 JAPAN

3. 代理人

氏名 弁理士(10284) 葛 和 清 司

KUZUWA Kiyoshi

あて名 〒102-0083 日本国東京都千代田区麹町3丁目2番地 相互麹町第一ビル 葛和国際特許事務所 Patent Attorneys, KUZUWA & PARTNER, Sogo Kojimachi Dai -ichi Bldg., 2, Kojimachi 3-chome, Chiyoda-ku, Tokyo 102-0083 JAPAN

4. 補正の対象 請求の範囲

5. 補正の内容 請求項1~17を訂正する。

請求項18を追加する。

- 6. 添付書類の目録
  - 1)請求の範囲第15頁、16頁及び17頁

以上

# 請求の範囲

` **d** 

- 1. (補正後)遺伝子関連医薬を含む核にコーティングを施した下部消化管放出性の経口投与固形製剤であって、
- コーティングが小腸では崩壊しない、陽イオン性コポリマーからなる内層及び陰イオン性ポリマーからなる外層とを備えた二重被覆構造を有する、前記経口投与固形製剤。
- 2. (補正後)遺伝子関連医薬を含む核が、添加剤として結合剤を含む、請求項1に記載の経口投与固形製剤。
- 3. (補正後) 遺伝子関連医薬を含む核が、添加剤としてさらに賦形剤を含む、 請求項2に記載の経口投与固形製剤。
- 4. (補正後)遺伝子関連医薬を含む核が、添加剤としてさらに崩壊剤及び糖類の一方又は双方を含む、請求項2又は3に記載の経口投与固形製剤。
- 5. (補正後)遺伝子関連医薬と結合剤の配合割合が1:0.2~1:5または遺伝子関連医薬、結合剤、賦形剤の配合割合が1:0.2:0.01~1:5:1である、請求項2、3又は4に記載の経口投与固形製剤。
- 6. (補正後)遺伝子関連医薬を含む核に含まれる糖類の配合割合が20~60重量%の範囲内にある、請求項4又は5に記載の経口投与固形製剤。
- 7. (補正後)遺伝子関連医薬を含む核に含まれる崩壊剤が2~15重量%の範囲内にある、請求項4、5又は6に記載の経口投与固形製剤。
- 8.(補正後) 遺伝子関連医薬の配合量に対して崩壊剤を1:0.05~1: 10の割合で混合し製造する、請求項4~7のいずれかに記載の経口投与固 形製剤。
- 9.(補正後) 遺伝子関連医薬を含む核に含まれる賦形剤が0.1~15重量%の範囲内にある、請求項3~8のいずれかに記載の経口投与固形製剤。
- 10.(補正後) 遺伝子関連医薬の核に含まれる遺伝子関連医薬が0.1~50重量%の範囲内にある、請求項1~9のいずれかに記載の経口投与固形製剤。
- 11.(補正後)遺伝子関連医薬を含む核に含まれる結合剤が5~40重量%

The second secon

の範囲内にある、請求項2~10のいずれかに記載の経口投与固形製剤。

12.(補正後) 崩壊剤がクロスポビドン、アルファー化デンプン、カルボキシメチルスターチナトリウム、カルメロース、カルメロースカルシウム、カルメロースナトリウム、カンテン末、クロスカルメロースナトリウム、結晶セルロース、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシエチルメチルセルロース、ヒドロキシプロピルスターチ、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ポリビニルピロリドン、マクロゴール及びマンニトールからなる群より選択した1又は2以上の物質であるである、請求項4~11のいずれかに記載の経口投与固形製剤。

13.(補正後)糖類が、乳糖、果糖、白糖、グルコース、キシリトール、マルトース、マンニトール、ソルビトール等の単糖及び2糖類、セルロース、結晶セルロース、ヒドロキシプロピルセルロース、ヒドロキシプロプルメチルセルロース、エチルセルロース、デンプン、デキストリン、デキストラン、ペクチン、プルラン等の多糖類及びその誘導体からなる群より選択した1又は2以上の物質である、請求項4~12のいずれかに記載の経口投与固形製剤。

14.(補正後) 賦形剤が軽質無水ケイ酸、エチルセルロース、カルメロース、カンテン、ケイ酸アルミン酸マグネシウム、ケイ酸カルシウム、ケイ酸マグネシウム、シクロデキストリン、デンプン、合成ケイ酸アルミニウム、合成ヒドロタルサイト、酸化チタン、酸化亜鉛、酸化マグネシウム、水酸化アルミナマグネシウム、ステアリン酸マグネシウム、ステアリン酸カルシウム、ケイ酸アルミニウム、タルク、結晶セルロース及び乳糖からなる群より選択した1又は2以上の物質である、請求項3~13のいずれかに記載の経口投与固形製剤。

15.(補正後)遺伝子関連医薬が、DNA又はRNA又はそれらを修飾した 化合物又はそれらをキャリアと接合または結合した化合物である、請求項1 ~14のいずれかに記載の経口投与固形製剤。

16.(補正後) 結合剤が結晶セルロース、アラビアゴム、アルギン酸ナトリ

ウム、エチルセルロース、カンテン、カルボキシビニルポリマー、カルメロース、ゼラチン、低置換度ヒドロキシプロピルセルロース、デンプン、デキストリン、ヒドロキシプロピルセルロース、ヒドロキシプロピルメチルセルロース、ペクチン、ポリビニルピロリドン、マクロゴール及びメチルセルロースからなる群から選択した1又は2以上の物質である、請求項2~15のいずれかに記載の経口投与固形製剤。

17.(補正後)キャリアがカチオン性のポリマー、カチオン性脂質、ウイルスベクター、ファージからなる、請求項15に記載の経口投与固形製剤。

18.(追加)遺伝子関連医薬が、核酸、オリゴヌクレオチド、アンチセンス、トリプルへリックスフォーミングオリゴヌクレオチド(TFO)、リボザイム、デコイ、プラスミド、コスミド、P1ファージ、YAC (酵母人工染色体)、クロモゾーム、アプタマー及びファージからなる群から選択される1又は2以上の医薬である、請求項1~14及び16のいずれかに記載の経口投与固形製剤。

#### 発信人 日本国特許庁(国際予備審査機関)

出願人代理人

葛 和 清 一

あて名

T 102-0083

東京都 千代田区

麹町3丁目2番地 相互麹町第一ビル 葛和国際特許事務所

国際予備審査報告の送付の通知書

PCT

(法施行規則第57条) [PCT規則71.1]

発送日 (日.月.年)

08.08.00

出願人又は代理人 の書類記号

FP-331/PCT

重要な通知

国際出願番号

国際出願日 (日.月.年) 17.05.99

優先日

19.05.98 (日.月.年)

出願人(氏名又は名称)

PCT/JP99/02546

式 久 製 株 슾 社 光

- 1. 国際予備審査機関は、この国際出願に関して国際予備審査報告及び付属書類が作成されている場合には、それらをこの 送付書とともに送付することを、出願人に通知する。
- 2. 国際予備審査報告及び付属書類が作成されている場合には、すべての選択官庁に通知するために、それらの写しを国際 事務局に送付する。
- 3. 選択官庁から要求があったときは、国際事務局は国際予備審査報告(付属書類を除く)の英語の翻訳文を作成し、それ をその選択官庁に送付する。

#### 4.注 意

出願人は、各選択官庁に対し優先日から30月以内に(官庁によってはもっと遅く)所定の手続(翻訳文の提出及び国内 手数料の支払い)をしなければならない(PCT39条(1))(様式PCT/IB/301とともに国際事務局から送付 された注を参照)。

国際出願の翻訳文が選択官庁に提出された場合には、その翻訳文は、国際予備審査報告の付属書類の翻訳文を含まなけれ ばならない。

この翻訳文を作成し、関係する選択官庁に直接送付するのは出願人の責任である。

選択官庁が適用する期間及び要件の詳細については、PCT出願人の手引き第Ⅱ巻を参照すること。

名称及びあて名

日本国特許庁(IPEA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号 権限のある職員 特許庁長官 4 C 9736

3 4 5 2 電話番号 03-3581-1101 内線

(添付用紙の注意書きを参照)

시 사람들이 높다.

e# 4,24

gar the same and same

Start Barrell

1. 文献の写しの請求について

国際予備審査報告に記載された文献であって国際調査報告に記載されていない文献の 複写

特許庁にこれらの引用文献の写しを請求することができますが、日本特許情報機構でもこれらの引用文献の複写物を販売しています。日本特許情報機構に引用文献の複写物を請求する場合は下記の点に注意してください。

[申込方法]

- (1) 特許 (実用新案・意匠) 公報については、下記の点を明記してください。
  - ○特許・実用新案及び意匠の種類
  - ○出願公告又は出願公開の年次及び番号(又は特許番号、登録番号)
  - ○必要部数
- (2) 公報以外の文献の場合は、下記の点に注意してください。
  - ○国際予備審査報告の写しを添付してください(返却します)。

[申込み及び照会先]

- 〒100 東京都千代田区霞が関3-4-2 商工会館・弁理士会館ビル 財団法人 日本特許情報機構 サービス課 TEL 03-3503-3900
- 注) 特許庁に対して文献の写しの請求をすることができる期間は、国際出願日から7年です。
- 2. 各選択官庁に対し、国際出願の写し(既に国際事務局から送達されている場合は除く)及びその所定の翻訳文を提出し、国内手数料を支払うことが必要となります。 その期限については各国ごとに異なりますので注意してください。(条約第22条、第39条及び第64条(2)(a)(i)参照)

### 特許協力条約

PCT

# 国際予備審査報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の書類記号 FP-331/PCT	今後の手続きについては、国際予備審査報告の送付通知(様式PCT IPEA/416)を参照すること。					CT/			
国際出願番号 PCT/JP99/02546	国際は		1	7. 0	5. 9	9	優先日 (日.月.年)	19.	05.98
国際特許分類 (IPC) Int.Cl' A61	K 4 8,	/oo,	47,	/30,	45,	∕00,	35/76, 3	1/70	, 9/20
出願人(氏名又は名称)	光	製	薬	株	式	슾	社		
1. 国際予備審査機関が作成したこの[	国際予6	 精審査幸	報告を注	去施行規	見則第5	7条(F	PCT36条)の	見定に従	い送付する。

1.	国際	子備	審査機関が作成したこの国際予備審査報告を法施行規則第57条(PCT36条)の規定に従い送付する。
2.	<b>Ξ</b> σ.	国際	予備審査報告は、この表紙を含めて全部で4 ページからなる。
	<b>X</b> εσ	查機 (P	国際予備審査報告には、附属書類、つまり補正されて、この報告の基礎とされた及び/又はこの国際予備審関に対してした訂正を含む明細書、請求の範囲及び/又は図面も添付されている。 CT規則70.16及びPCT実施細則第607号参照) 書類は、全部で3ページである。
3.	<b>Ξ</b> σ.	)国際	予備審査報告は、次の内容を含む。
	I	X	国際予備審査報告の基礎
	П		優先権
	Ш		新規性、進歩性又は産業上の利用可能性についての国際予備審査報告の不作成
	IV		発明の単一性の欠如
	v	X	PCT35条(2)に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるための文献及び説明
	VI		ある種の引用文献
	VII		国際出願の不備
	VIII		国際出願に対する意見
L			

国際予備審査の請求書を受理した日 08.12.99	国際予備審査報告を作成した日 26.07.00		
名称及びあて先 日本国特許庁(IPEA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号	特許庁審査官(権限のある職員) 今 村 玲 英 子 電話番号 03-3581-1101 内	4 C	9736

THIS PAGE BLANK (URFTE)



# 国際予備審査報告

国際出願番号 PCT/JP99/02546

Ι.	[3	国際予備審査報	<b>股告の基礎</b>			
1.	Ę		こ提出された差し替え用紙は			「1.4条)の規定に基づく命令に は報告書には添付しない。
		出願時の国際	<b>奈出願書類</b>		·	
	X	明細書 明細書 明細書	第 1-14 第 第	ページ、 ページ、 ページ、 ページ、	出願時に提出されたもの国際予備審査の請求書と	1
	X	請求の範囲 請求の範囲 請求の範囲 請求の範囲	第	項、 項、 項、	出願時に提出されたもの PCT19条の規定に基 国際予備審査の請求書と	まづき補正されたもの
		図面 図面 図面	第 第 第	ページ/図、 ページ/図、 ページ/図、		
		明細書の配列明細書の配列	刊表の部分 第 刊表の部分 第 刊表の部分 第	ページ、 ページ、 ページ、	出願時に提出されたもの 国際予備審査の請求書と	と共に提出されたもの 付の書簡と共に提出されたもの
2.	-	上記の出願書類	質の言語は、下記に示す場合	を除くほか、こ	の国際出願の言語である。	
	<b>!</b>	国際調査 PCT規 国際予備	下記の言語である のために提出されたPCT丸 則48.3(b)にいう国際公開の 審査のために提出されたP(	)言語 C T規則55.2また	う翻訳文の言語 - は55.3にいう翻訳文の言	
3.	į	この国国後に国国領後後に出出の国国のの国際の関係をはいる。	出願に含まれる書面による 出願と共に提出されたフレ 、この国際予備審査(また 、この国際予備審査(また 、この国際予備審査(また 提出した書面による配列表 があった	配列表 キシブルディスク は調査) 機関に抵 は調査) 機関に抵 が出願時における	パによる配列表 ≧出された書面による配列 ≧出されたフレキシブルデ ら国際出願の開示の範囲を	
<b>4</b> .		明細書請求の範囲図面	その補正がされなかったもの	 たように、補正 Oとして作成した	。(PCT規則70.2(c)	節囲を越えてされたものと認めら この補正を含む差し替え用紙は上
		記1. にお	ける判断の際に考慮しなけ∤	<b>いばならず、本報</b>	告に添付する。)	



#### 国際予備審査報告

国際出願番号 PCT/JP99/02546

見解		•	
新規性(N)	請求の範囲 請求の範囲	1-18	
進歩性(IS)	請求の範囲 請求の範囲	1-18	有 無
産業上の利用可能性(IA)	請求の範囲	1-18	

#### 2. 文献及び説明 (PCT規則70.7)

○請求の範囲1-16について

文献1の特許請求の範囲1及び第3頁右上欄、そして文献2の要約、特許請求の範 囲、第4頁第20行-第5頁第8行及び第33頁第6行-第15行には、ウイルスベ クター、リポソーム、むき出しのDNAあるいはRNAなどの遺伝子含有製剤を、腸 溶性カプセルや錠剤としてコーティングすることによる、結腸など大腸への経口投与 製剤が記載されているが、具体的なコーティング形態及び経口投与固形製剤の添加剤 として結合剤や賦形剤、崩壊剤、糖類を含有させることについては記載されておら 

しかし、経口投与製剤において、小腸での有効成分の放出を防ぎ、 出させるため、陽イオン性ポリマーからなる内層及び陰イオン性ポリマーからなる外層によりそれぞれ被覆してなる二重被覆構造を用いることは、文献3の特許請求の範 囲、第1頁第4行-第7行、第3頁第10行-第4頁第5行及び実施例にもあるよう に公知のものであるから、文献1及び2に記載の経口投与製剤のコーティング形態に かえて、文献3に記載の二重被覆構造を用いることに、当業者が格別の創意を要した ものであるとは認められない。

また、経口投与固形製剤の添加剤として、結合剤や賦形剤、崩壊剤、糖類を含有させることは文献3に記載されている事項であり、当業者が通常実施しうる程度の事項 である。


よって、請求の範囲1ないし16に記載の発明は、文献1ないし3により進歩性を 有さない。

○請求の範囲17、18について 文献4ないし13の特許請求の範囲にもあるように、遺伝子関連医薬として種々の キャリアを有するもの及び種々の遺伝子の形態によるものが公知であるから、これら を用いて遺伝子関連医薬とすることは、当業者にとって格別困難な事項であるとはい えない。

よって、請求の範囲17及び18に記載の発明は、文献1ないし13により進歩性 を有さない。

£18.49





#### V 概の続き

文献1; JP, 6-510665, A (アメリカ合衆国) 文献2; WO, 98/11779, A1

(THE REAGENTS OF THE UNIVERSITY OF CALIFORNIA)

文献 3; WO, 94/10983, A1 (久光製薬株式会社) 文献 4; JP, 9-176038, A (久光製薬株式会社) 文献 5; JP, 9-507387, A

(サントル・ナショナル・ド・ラ・ルシエルシュ・シヤンテイフイク)

文献 6; JP, 8-507203, A (イノーバー ラボラトリーズ インコーポレイテッド) 文献 7; JP, 8-505872, A

(ユニバーシティ・リサーチ・コーポレイション)

文献8; JP, 9-505084, A (ベーリンガー マンハイム ゲゼルシャフ

ト ミット ベシュレンクテル ハフツング)

文献 9; WO, 97/10334, A2 (IMMUSOL, Inc.)

文献10; JP, 10-4973, A(住友製薬株式会社) 文献11; WO, 98/12336, A1(株式会社ディナベック研究所) 文献12; EP, 383526, A1 (Human Medical University) 文献13; US, 5614503, A (Aronex Pharmaceuticals, Inc.)







国際調査報告

(法8条、法施行規則第40、41条) [PCT18条、PCT規則43、44]

出願人又は代理人 の書類記号 FP-331/PCT	今後の手続き			報告の送付通知様式 5を参照すること。	C(PCT/ISA/220
国際出願番号 PCT/JP99/02546	国際出願日(日.月.年)	17.05	. 99	優先日 (日.月.年)	19.05.98
出願人(氏名又は名称)	久 光 製	薬株	式	会 社	
国際調査機関が作成したこの国際調	本却生え注流行	<b>用則第41条(</b> )	P C T 1 S	2条)の担定に従ん	) 出願人に送付する

出願人(氏名又は名称)	
	久 光 製 薬 株 式 会 社 
国際調査機関が作成したこの国 この写しは国際事務局にも送付	祭調査報告を法施行規則第41条(PCT18条)の規定に従い出願人に送付する。 される。
この国際調査報告は、全部で _	<u>4</u> ページである。
この調査報告に引用された	先行技術文献の写しも添付されている。 
l <del></del>	を除くほか、この国際出願がされたものに基づき国際調査を行った。 出された国際出願の翻訳文に基づき国際調査を行った。
b. この国際出願は、ヌクレ □ この国際出願に含まれ	オチド又はアミノ酸配列を含んでおり、次の配列表に基づき国際調査を行った。 る書面による配列表
この国際出願と共に携	出されたフレキシブルディスクによる配列表
出願後に、この国際課	査機関に提出された書面による配列表
	査機関に提出されたフレキシブルディスクによる配列表  による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述
□ 書面による配列表に記 書の提出があった。	載した配列とフレキシブルディスクによる配列表に記録した配列が同一である旨の陳述
2. 請求の範囲の一部の	<b>凋査ができない(第1欄参照)。</b>
3. 党明の単一性が欠如	している(第Ⅱ欄参照)。
4. 発明の名称は 🛛	出願人が提出したものを承認する。
	次に示すように国際調査機関が作成した。
5. 要約は X	出願人が提出したものを承認する。
	第Ⅲ欄に示されているように、法施行規則第47条(PCT規則38.2(b))の規定により国際調査機関が作成した。出願人は、この国際調査報告の発送の日から1カ月以内にこの国際調査機関に意見を提出することができる。
6. 要約書とともに公表される[ 第 図とする。	図は、 出願人が示したとおりである。
	出願人は図を示さなかった。
	本図は発明の特徴を一層よく表している。



A. 発明の属する分野の分類(国際特許分類(IPC))

Int.Cl<sup>6</sup> A 6 1 K 4 8 / 0 0, A 6 1 K 4 7 / 3 0, A 6 1 K 4 5 / 0 0, A 6 1 K 3 5 / 7 6, A 6 1 K 3 1 / 7 0, A 6 1 K 9 / 2 0

#### B. 調査を行った分野

調査を行った最小限資料(国際特許分類(IPC))

Int. Cl<sup>6</sup> A 6 1 K 4 8 / 0 0, A 6 1 K 4 7 / 3 0, A 6 1 K 4 5 / 0 0, A 6 1 K 3 5 / 7 6, A 6 1 K 3 1 / 7 0, A 6 1 K 9 / 2 0

最小限資料以外の資料で調査を行った分野に含まれるもの

国際調査で使用した電子データベース (データベースの名称、調査に使用した用語) CAPLUS (STN), REGISTRY (STN), WPIL (DIALOG), MEDLINE (STN)

C. 関連す	ると認められる文献	
引用文献の		関連する
カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	請求の範囲の番号
X Y	JP, 6-510665, A (アメリカ合衆国), 1.12月.1994 (01.12.94), 請求項1,第3頁右上欄, & US,7747371, A, & EP,648271, A1, & AU,9225006, A & WO,93/03769, A1,	$\begin{matrix} 1 \\ 2-1 \ 7 \end{matrix}$
X	WO, 98/11779, A1 (THE REGENTS OF THE UNIVERSITY OF CALIFORNIA), 26. 3月. 1998 (26. 03. 98), 要約, 特許請求の範囲, 第4頁第20行一第5頁第8行, 第33頁第6行一第15行, & AU, 9744221, A	$\begin{array}{c} 1 \\ 2-1 \end{array}$ 7

#### 区欄の続きにも文献が列挙されている。

↓ │ パテントファミリーに関する別紙を参照。

- \* 引用文献のカテゴリー
- 「A」特に関連のある文献ではなく、一般的技術水準を示す もの
- 「E」国際出願日前の出願または特許であるが、国際出願日 以後に公表されたもの
- 「L」優先権主張に疑義を提起する文献又は他の文献の発行 日若しくは他の特別な理由を確立するために引用する 文献(理由を付す)
- 「〇」口頭による開示、使用、展示等に言及する文献
- 「P」国際出願日前で、かつ優先権の主張の基礎となる出願

- の日の後に公表された文献
- 「T」国際出願日又は優先日後に公表された文献であって て出願と矛盾するものではなく、発明の原理又は理 論の理解のために引用するもの
- 「X」特に関連のある文献であって、当該文献のみで発明 の新規性又は進歩性がないと考えられるもの
- 「Y」特に関連のある文献であって、当該文献と他の1以 上の文献との、当業者にとって自明である組合せに よって進歩性がないと考えられるもの
- 「&」同一パテントファミリー文献

国際調査を完了した日 29.07.99 国際調査報告の発送日 29.07.99 国際調査機関の名称及びあて先 特許庁審査官(権限のある職員) 4C 9736 関係番号100-8915 東京都千代田区霞が関三丁目4番3号 電話番号 03-3581-1101 内線 3452



C(続き).	関連すると認められる文献	
引用文献の カテゴリー*		関連する 請求の範囲の番号
Y	WO, 94/10983, A1 (久光製薬株式会社), 26.5月.1994(26.05.94), 特許請求の範囲,第1頁第4行一第7行, 第3頁第10行一第4頁第5行,実施例, & AU, 9453768, A, & EP, 667148, A1, & US, 5654004, A	2-17
Y	JP, 9-176038, A(久光製薬株式会社), 8.7月.1997(08.07.97), 特許請求の範囲, 【0001】-【0003】, & WO, 97/10840, A1, & AU, 9676038, A	2-17
Y	JP, 9-507387, A(サントル・ナショナル・ド・ラ・ルシエルシユ・シヤンテイフイク), 29. 7月. 1997 (29. 07. 97), 特許請求の範囲, & FR, 2714383, A, & EP, 737248, A1, & AU, 9513884, A, & ZA, 9410367, A, & NO, 9602707, A, & FI, 9602693, A, & WO, 95/18223, A1	1 7
Y	JP, 8-507203, A (イノーバー ラボラトリーズ, インコーポレイテッド), 6.8月.1996 (06.08.96), 特許請求の範囲, & AU, 9466539, A, & EP, 707638, A1, & US, 5741679, A, & US, 5834186, A, & WO, 94/13791, A1	1 7
Y	JP, 8-505872, A (ユニバーシティ・リサーチ・コーポレイション), 25. 6月. 1996 (25. 06. 96), 特許請求の範囲, & AU, 9459619, A, & AU, 9883186, A, & EP, 681482, A1, & US, 5854038, A, & WO, 94/16736, A1	1 7
Y	JP, 9-505084, A (ベーリンガー マンハイム ゲゼルシャフト ミット ベシュレンクテル ハフツング), 20.5月.1997(20.05.97), 特許請求の範囲, & WO, 95/25800, A1, & EP, 674006, A1, & EP, 751999, A1, & DE, 4410188, A1	1 7
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20. 3月. 1997 (20. 03. 97), 特許請求の範囲, & EP, 850301, A2, & US, 5834440, A	1 7
Y	JP, 10-4973, A(住友製薬株式会社), 13.1月.1998(13.01.98), 特許請求の範囲(ファミリーなし)	1 7

	_	
国際調	本	
四灰帆	LED .	

カテゴリー*	C(続き). 引用文献の	関連すると認められる文献	関連する
26. 3月. 1998 (26. 03. 98), 全文参照, & AU, 9743187, A  Y EP, 383526, A1 (Hunan Medical University), 29. 4月. 1998 (29. 04. 98), 特許請求の範囲, & JP, 10-127288, A  Y US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25. 3月. 1997 (25. 03. 97),	カテゴリー*		請求の範囲の番号
Y EP, 383526, A1 (Hunan Medical University), 29. 4月. 1998 (29. 04. 98), 特許請求の範囲, & JP, 10-127288, A Y US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25. 3月. 1997 (25. 03. 97),	Y	2 6. 3月. 1 9 9 8 (2 6. 0 3. 9 8),   全文参照,	1 7
29. 4月. 1998 (29. 04. 98), 特許請求の範囲, & JP, 10-127288, A US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25. 3月. 1997 (25. 03. 97),			1 7
Y US, 5614503, A (Aronex Pharmaceuticals, Inc.), 17 25.3月.1997(25.03.97),	Y	29.4月.1998(29.04.98),   特許請求の範囲,	1 7
25.3月.1997(25.03.97),	Y	US. 5614503. A (Aronex Pharmaceuticals, Inc.),	17
		25.3月.1997 (25.03.97),	
	•		
			·



# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/02546

A. CLASS	IFICATION OF SUBJECT MATTER C1 A61K48/00, A61K47/30, A61K4	5/00, A61K35/76, A61K3	1/70, A61K9/20			
According to	According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS	SSEARCHED					
Int.	ocumentation searched (classification system followed by C1 A61K48/00, A61K47/30, A61K4	5/00, A61K35//6, A61K3				
	ion searched other than minimum documentation to the e		· .			
Electronic d CAPI	ata base consulted during the international search (name US (STN), REGISTRY (STN), WPIL	of data base and, where practicable, se (DIALOG), MEDLINE (ST	N)			
C. DOCU	MENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where appr	ropriate, of the relevant passages	Relevant to claim No.			
X Y	JP, 6-510665, A (The United S 1 December, 1994 (01. 12. 94) Claim 1; page 3, upper right & US, 7747371, A & EP, 6482 & AU, 9225006, A & WO, 93/0	, column 71, A1	. 1 2-17			
X Y	WO, 98/11779, A1 (THE REGENTS CALIFORNIA), 26 March, 1998 (26. 03. 98), Abstract; Claims; page 4, 1 line 8; page 33, lines 6 to & AU, 9744221, A	ine 20 to page 5,	1 2-17			
Y	WO, 94/10983, A1 (Hisamitsu Inc.), 26 May, 1994 (26. 05. 94), Claims; page 1, lines 4 to 7 page 4, line 5; Examples & AU, 9453768, A & EP, 6671 & US, 5654004, A	; page 3, line 10 to	2-17			
× Furt	her documents are listed in the continuation of Box C.	See patent family annex.				
* Special categories of cited documents:  A document defining the general state of the art which is not considered to be of particular relevance earlier document but published on or after the international filing date the principle or theory underlying the invention document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is considered to involve an inventive step when the document is considered to involve an inventive step when the document is considered to involve an inventive step when the document is being obvious to a person skilled in the art document member of the same patent family						
	e actual completion of the international search July, 1999 (29. 07. 99)	Date of mailing of the international se 10 August, 1999 (1	arch report (0.08.99)			
Name and Jap	mailing address of the ISA/ canese Patent Office	Authorized officer				
Camimila	N-	Telephone No.				





# INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/02546

ategory*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No
Y	JP, 9-176038, A (Hisamitsu Pharmaceutical Co., Inc.), 8 July, 1997 (08. 07. 97), Claims ; Par. Nos. [0001] to [0003] & WO, 97/10840, Al & AU, 9676038, A	2-17
Y	JP, 9-507387, A (Centre National de La Recherche Scientifique), 29 July, 1997 (29. 07. 97), Claims & FR, 2714383, A & EP, 737248, A1 & AU, 9513884, A & ZA, 9410367, A & NO, 9602707, A & FI, 9602693, A & WO, 95/18223, A1	17
Y	JP, 8-507203, A (Innovir Laboratries, Inc.), 6 August, 1996 (06. 08. 96), Claims & AU, 9466539, A & EP, 707638, A1 & US, 5714679, A & US, 5834186, A & WO, 94/13791, A	. 17
<b>Y</b>	JP, 8-505872, A (University Research Corp.), 25 June, 1996 (25. 06. 96), Claims & AU, 9459619, A & AU, 9883186, A & EP, 681482, A1 & US, 5854038, A & WO, 94/16736, A1	17
Y	JP, 9-505084, A (Boehringer Mannheim GmbH.), 20 May, 1997 (20. 05. 97), Claims & WO, 95/25800, A1 & EP, 674006, A1 & EP, 751999, A1 & DE, 4410188, A1	17
Y	WO, 97/10334, A2 (IMMUSOL, Inc.), 20 March, 1997 (20. 03. 97), Claims & EP, 850301, A2 & US, 5834440, A	17
Y	JP, 10-4973, A (Sumitomo Pharmaceuticals Co., Ltd.), 13 January, 1998 (13. 01. 98), Claims (Family: none)	17
Y	WO, 98/12336, A1 (DNAVEC Research Inc.), 26 March, 1998 (26. 03. 98), Refer to full text & AU, 9743187, A	17
. У	EP, 383526, A1 (Hunan Medical University), 29 April, 1998 (29. 04. 98), Claims & JP, 10-127288, A	17
Y	US, 5614503, A (Aronex Pharmaceuticals, Inc.), 25 March, 1997 (25. 03. 97), Claims (Family: none)	17